

Literature Cited

- Abele SL, editor. 2011. Nevada springs conservation plan. Springs Conservation Plan Working Group. Reno (NV): The Nature Conservancy.
- Ackerman JT, Eagles-Smith CA, Takekawa JY, Demers SA, Adelsbach TL, Bluso JD, Miles AK, Warnock N, Suchanek TH, Schwarzbach SE. 2007. Mercury concentrations and space use of pre-breeding American avocets and black-necked stilts in San Francisco Bay. [accessed 2015 Jun 01]; *Science of the Total Environment*. 384(1-3):452-466.
<http://www.sciencedirect.com/science/article/pii/S0048969707004652>.
- Ackerman JT, Hartman CA, Herzog MP, Takekawa JY, Robinson JA, Oring LW, Skorupa JP, Boettcher R. 2013. American avocet (*Recurvirostra americana*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [revised 2013 Dec 06; accessed 2015 Jun 01].
<http://bna.birds.cornell.edu/bna/species/275>.
- Adams KD, Sada DW. 2010. Black Rock Playa, northwestern Nevada: physical processes and aquatic life. [place unknown]: Desert Research Institute. [accessed 2016 Feb 13]. http://www.spatial-ed.com/images/documents/Projects/Burning_Man/BlackRockPlaya-FINAL_24MAY10.pdf.
- Al Dhafer HM. 2009. Revision of the North American species of *Limonius* (Coleoptera: Elateridae). [accessed 2015 Jun 01]; *Transactions of the American Entomological Society*. 135(3):209-352. <http://www.bioone.org/doi/abs/10.3157/061.135.0301>.
- Allen RK. 1990. Distribution patterns of North and Central American mayflies (Ephemeroptera). In: Campell IC, editor. *Mayflies and stoneflies: life histories and biology*. New York (NY): Springer. (Series entomologica; vol. 44). 13 p. [accessed 2016 Feb 18]. http://www.ephemeroptera-galactica.com/pubs/pub_a/puballenr1990p155.pdf.
- Altman B, Sallabanks R. 2012. Olive-sided flycatcher (*Contopus cooperi*). The Birds of North America Online. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2012 Oct 08; accessed 2016 Feb 02].
<http://bna.birds.cornell.edu/bna/species/502>.
- American Ornithologists' Union. 1998. *Check-list of North American Birds*. Washington (DC): American Ornithologists' Union.
- American Ornithologists' Union. 2000. Forty-second supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 117(3):847-858.

- American Ornithologists' Union. 2015. Checklist of North and Middle American Birds. Waco (TX): American Ornithologists' Union; [accessed 2015 May 2]. <http://checklist.aou.org/>.
- Andersen JJ, Portnoy DS, Hafner JC, Light JE. 2013. Populations at risk: conservation genetics of kangaroo mice (*Microdipodops*) of the Great Basin Desert. [accessed 2015 Jun 01]; *Ecology and evolution*. 3(8):2497–2513. <http://onlinelibrary.wiley.com/doi/10.1002/ece3.637/full>.
- Andreasen AM, Seidler RG, Roberts S, Miyasaki H, Zager P, Hurley M, Bergen S, Meints D, Atwood P, Berger J, et al. 2014. US 20, Island Park wildlife collision study: an examination of road ecology in the Island Park Caldera, elk and moose migrations across US Highway 20 - Final Report. [place unknown]: Wildlife Conservation Society. 122 p. Jointly published with Idaho Transportation Department and Idaho Department of Fish and Game. [accessed 2013 Jan 13]. <http://www.wcsnorthamerica.org/AboutUs/Publications/tabid/3437/Default>.
- Andrews DA, Minshall GW. 1979. Distribution of benthic invertebrates in the lost streams of Idaho. [accessed 2015 Jun 01]; *American Midland Naturalist*. 102(1):140–148. http://www.ephemeroptera-galactica.com/pubs/pub_a/pubandrewsd1979p140.pdf.
- Andrews DA, Minshall GW. 1979. Longitudinal and seasonal distribution of benthic invertebrates in the Little Lost River, Idaho. [accessed 2015 Jun 01]; *American Midland Naturalist*. 102(2):225–226. http://www.ephemeroptera-galactica.com/pubs/pub_a/pubandrewsd1979p225.pdf.
- Apa AD. 1998. Habitat use and movements of sympatric sage and Columbian sharp-tailed grouse in southeastern Idaho [dissertation]. Moscow (ID): University of Idaho. 199 p.
- Arjo WM, Gese EM, Bennett TJ, Kozlowski AJ. 2007. Changes in kit fox-coyote-prey relationships in the Great Basin Desert, Utah. [accessed 2015 Jun 01]; *Western North American Naturalist*. 67(3):389–401. <https://ojs.lib.byu.edu/spc/index.php/wnan/article/view/27624>.
- Arno SF, Scott JH, Hartwell MG. 1995. Age-class structure of old growth ponderosa pine/Douglas-fir stands and its relationship to fire history. Ogden (UT): US Forest Service, Intermountain Research Station. 25 p. INT-RP-481. [accessed 2015 Dec 21]. http://www.fs.fed.us/rm/pubs/rmrs_gtr292/int_rp481.pdf.
- [AFWA] Association of Fish and Wildlife Agencies, Teaming With Wildlife Committee, Effectiveness Measures Working Group. 2011. Measuring the effectiveness of State Wildlife Grants: Final Report. Washington (DC): Association of Fish and Wildlife Agencies; [accessed 2012 Jul 14]. <http://www.teaming.com/tool/measuring-effectiveness-state-wildlife-grants-final-report-2011>.

- Aubry KB, McKelvey KS, Copeland JP. 2007. Distribution and broadscale habitat relations of the wolverine in the contiguous United States. [accessed 2015 Dec 04]; *Journal of Wildlife Management*. 71(7):2147–2158.
http://www.fs.fed.us/rm/pubs_other/rmrs_2007_aubry_k001.pdf.
- [APLIC] Avian Power Line Interaction Committee. 2006. Suggested practices for avian protection on power lines: the state of the art in 2006. Washington (DC): Edison Electric Institute. Jointly published with APLIC and the California Energy Commission. [accessed 2016 Feb 16].
http://www.dodpif.org/downloads/APLIC_2006_SuggestedPractices.pdf.
- [APLIC] Avian Power Line Interaction Committee. 2012. Reducing avian collisions with power lines: the state of the art in 2012. Washington (DC): Edison Electric Institute. Jointly published with APLIC. [accessed 2016 Feb 17].
http://www.aplic.org/uploads/files/11218/Reducing_Avian_Collisions_2012watermarkLR.pdf.
- [APLIC] Avian Power Line Interaction Committee. 2015. Best management practices for electric utilities in Sage-Goose habitat. Washington (DC): Edison Electric Institute.
- Baerwald EF, D'Amours GH, Klug BJ, Barclay RMR. 2008. Barotrauma is a significant cause of bat fatalities at wind turbines. [accessed 2016 Jan 04]; *Current Biology*. 18(16):R695–R696. [http://www.cell.com/current-biology/pdf/S0960-9822\(08\)00751-3.pdf](http://www.cell.com/current-biology/pdf/S0960-9822(08)00751-3.pdf).
- Baker CW, Munger JC, McCauley L, Olson M, Stephens G. 1994. Bruneau Dunes tiger beetle inventory. Final report. Boise (ID): US Bureau of Land Management, Idaho State Office. Tech. Bull. No.: 94-1. [accessed 2016 Feb 13].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.85486.File.dat/TB%2094-1.pdf.
- Balda RP, Bateman GC. 1971. Flocking and annual cycle of the piñon jay, *Gymnorhinus cyanocephalus*. [accessed 2015 Nov 18]; *Condor*. 73(3):287–302.
<https://sora.unm.edu/sites/default/files/journals/condor/v073n03/p0287-p0302.pdf>.
- Banko WE. 1960. The trumpeter swan: Its history, habits, and population in the United States. [accessed 2016 Jan 29]; *North American Fauna*. 63:1–214.
<http://fwspubs.org/doi/pdf/10.3996/nafa.63.0001>.
- Banks RC, Chesser RT, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2007. Forty-eighth supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 124(3):1109–1115.
- Banks RC, Chesser RT, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF et al. 2008. Forty-ninth supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 125(3):758–768.

- Banks RC, Cicero C, Dunn JL, Kratter AW, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2002. Forty-third supplement to the American Ornithologists' Union *Check-list of North American Birds*. Auk. 119(3):897–906.
- Banks RC, Cicero C, Dunn JL, Kratter AW, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2003. Forty-fourth supplement to the American Ornithologists' Union *Check-list of North American Birds*. Auk. 120(3):923–931.
- Banks RC, Cicero C, Dunn JL, Kratter AW, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2004. Forty-fifth supplement to the American Ornithologists' Union *Check-list of North American Birds*. Auk. 121(3):985–995.
- Banks RC, Cicero C, Dunn JL, Kratter AW, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2005. Forty-sixth supplement to the American Ornithologists' Union *Check-list of North American Birds*. Auk. 122(3):1026–1031.
- Banks RC, Cicero C, Dunn JL, Kratter AW, Rasmussen PC, Remsen JV, Jr., Rising JD, Stotz DF. 2006. Forty-seventh supplement to the American Ornithologists' Union *Check-list of North American Birds*. Auk. 123(3):926–936.
- Barnett JK. 2014. Region 1 acoustic bat inventory: national wildlife refuges in eastern Oregon, eastern Washington, and Idaho. Portland (OR): US Fish and Wildlife Service, Pacific Region. 63 p. [accessed 2016 Feb 02].
http://www.fws.gov/malheur/pdf/bat_inventory_region1.pdf.
- Barr CB. 2011. *Bryelmis* Barr (Coleoptera: Elmidae: Elminae), a new genus of riffle beetle with three new species from the Pacific Northwest, U.S.A. [accessed 2016 Jan 22]; *The Coleopterists Bulletin*. 65(3):197–212. <http://dx.doi.org/10.1649/072.065.0301>.
- Barr WF. 1969. New species of *Chrysobothris* from the Pacific Northwest. *Proceedings of the Entomological Society of Washington*. 71(2):117–132.
- Barrett JS. 2005. Population viability of the southern Idaho ground squirrel (*Spermophilus brunneus endemicus*): effects of an altered landscape [master's thesis]. Boise (ID): Boise State University. 151 p.
- Barringer LE, Tomback DF, Wunder MB, McKinney ST. 2012. Whitebark pine stand condition, tree abundance, and cone production as predictors of visitation by Clark's nutcracker. [accessed 2016 Feb 02]; *PloS One*. 7(5):e37663.
<http://dx.doi.org/10.1371/journal.pone.0037663>.
- Bartelt PE, Klaver RW, Porter WP. 2010. Modeling amphibian energetics, habitat suitability, and movements of western toads, *Anaxyrus (=Bufo) boreas*, across present and future landscapes. [accessed 2016 Jan 28]; *Ecological Modelling*. 221(22):2675–2686. <http://www.sciencedirect.com/science/article/pii/S0304380010003492>.
- Bartos DL. 2001. Landscape dynamics of aspen and conifer forests. In: Shepperd WD, Binkley D, Bartos DL et al., editors. *Sustaining aspen in western landscapes: Symposium proceedings; 2000 Jun 13–15; Grand Junction, CO*. Fort Collins (CO):

- US Forest Service, Rocky Mountain Research Station. p. 5–14. Proceedings RMRS-P-18. [accessed 2016 Jan 04].
<http://treesearch.fs.fed.us/pubs/download/35804.pdf>.
- Bartos DL. 2007. Aspen [Chapter 3]. In: Hood SM, Miller M, editors. Fire ecology and management of the major ecosystems of southern Utah; Gen. Tech. Rep. RMRS-GTR-202. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. p. 39–55. [accessed 2016 Jan 05].
<http://treesearch.fs.fed.us/pubs/download/28863.pdf>.
- Bartos DL, Amacher MC. 1998. Soil properties associated with aspen to conifer succession. [accessed 2013 Jan 13]; Rangelands. 20(1):25–28.
<https://journals.uair.arizona.edu/index.php/rangelands/article/download/11363/10636>.
- Baumann RW, Stark BP. 2013. The genus *Megaleuctra* Neave (Plecoptera: Leuctridae) in North America. [accessed 2016 Jan 25]; Illiesia. 9(6):65–93. <http://www2.pms-lj.si/illiesia/papers/Illiesia09-06.pdf>.
- Baumgardt JA, Sauder JD. [2012]. Occupancy modeling of the Nimapuna tigersnail, a terrestrial gastropod endemic to Idaho. Lewiston (ID): Idaho Department of Fish and Game.
- Beamesderfer R, Garrison T, Anders P. 2014. Abundance & survival of the remnant Kootenai River white sturgeon population. [publisher unknown]. 46 p. Report prepared for the Kootenai Tribe of Idaho. [accessed 2016 Jan 28].
http://www.fishsciences.net/reports/download_report.php?rid=6840.
- Bean BM. 2011. Spatial distribution and habitat use of the Bliss Rapids snail [master's thesis]. Boise (ID): Boise State University. 41 p. [accessed 2016 Feb 04].
<http://scholarworks.boisestate.edu/cgi/viewcontent.cgi?article=1247&context=td>.
- Beauvais GP, Andersen M, Keinath D, Aycrigg J, Lonneker J. 2013. Predicted vertebrate species habitat distributions and species richness. Chapter 3. In: Aycrigg J, Andersen M, Beauvais GP et al., editors. Ecoregional gap analysis of the northwestern United States: Northwest Gap Analysis Project draft report. [place unknown]: US Geological Survey, Gap Analysis Project. p. 58–110. [accessed 2016 Feb 16]. <http://dx.doi.org/10.3996/092013-JFWM-064.S8>.
- Beck JL, Reese KP, Connelly JW, Matthew BL. 2006. Movements and survival of juvenile greater sage-grouse in southeastern Idaho. [accessed 2016 Feb 17]; Wildlife Society Bulletin. 34(4):1070–1078.
https://www.researchgate.net/profile/Jeffrey_Beck/publication/232679192_Movements_and_Survival_of_Juvenile_Greater_Sage-Grouse_in_Southeastern_Idaho/links/004635165aa7fe8663000000.pdf?inViewer=0&pdfJsDownload=0&origin=publication_detail.

- Behnke RJ. 1992. Native trout of western North America. Bethesda (MD): American Fisheries Society. (American Fisheries Society Monograph No. 6). 275 p.
- Behnke RJ, illustrated by JR Tomelleri. 2002. Trout and salmon of North America. New York (NY): Chanticleer Press, Inc.
- Beier P, Gregory AJ. 2012. Desperately seeking stable 50-year-old landscapes with patches and long, wide corridors. [accessed 2015 Dec 04]; PLoS Biol. 10(1):e1001253.
<http://www.plosbiology.org/article/fetchObject.action?uri=info:doi/10.1371/journal.pbio.1001253&representation=PDF>.
- Belnap J, Kaltenecker JH, Rosentreter R, Williams J, Leonard S, Eldridge D. 2001. Biological soil crusts: ecology and management. Denver (CO): US Bureau of Land Management, National Science and Technology Center. 110 p. Tech. Ref. 1730-2. [accessed 2015 Dec 30].
<https://archive.org/download/biologicalsoilcr00beln/biologicalsoilcr00beln.pdf>.
- Belsky AJ, Matzke A, Uselman S. 1999. Survey of livestock influences on stream and riparian ecosystems in the western United States. [accessed 2015 Nov 18]; Journal of Soil and Water Conservation. 54(1):419–431.
<http://www.jswconline.org/content/54/1/419.full.pdf+html>.
- Benjamin L. 2000. Groundwater hydrology of the Henry's Fork springs. [accessed 2016 Jan 13]; Intermountain Journal of Sciences. 6(3):119–142.
http://www2.cose.isu.edu/~crosby/teach/Bio692/Benjamin_GW_Hydrology_Henrys_Fork_Springs_IntMtnJourSci_2000.pdf.
- Benkman CW, Holimon WC, Smith JW. 2001. The influence of a competitor on the geographic mosaic of coevolution between crossbills and lodgepole pine. [accessed 2015 Nov 19]; Evolution. 55(2):282–294.
http://www.zoology.ubc.ca/~hellmann/Benkman_et_al._2001.pdf.
- Benkman CW, Smith JW, Keenan PC, Parchman TL, Santisteban L. 2009. A new species of the Red Crossbill (Fringillidae: *Loxia*) from Idaho. Condor. 111(1):169–176.
- Berenbrock C. 1993. Effects of well discharges on hydraulic heads in and spring discharges from the geothermal aquifer system in the Bruneau area, Owyhee County, southwestern Idaho. Boise (ID): US Geological Survey. (Water-Resources Investigations Report No. 93-4001). [accessed 2015 Jan 12].
<http://pubs.usgs.gov/wri/1993/4001/report.pdf>.
- Berlanga H, Kennedy JA, Rich TD, Arizmendi MC, Beardmore CJ, Blancher PJ, Butcher GS, Couturier AR, Dayer AA, Demarest DW, et al. 2010. Saving our shared birds: Partners in Flight tri-national vision for landbird conservation. Ithaca (NY): Cornell Lab of Ornithology. 49 p. [accessed 2015 Dec 21].
<http://www.savingoursharedbirds.org/>.

- Beschta RL, Kauffman JB, Dobkin DS, Ellsworth LM. 2014. Long-term livestock grazing alters aspen age structure in the northwestern Great Basin. [accessed 2015 Dec 21]; *Forest Ecology and Management*. 329:30–36.
<http://www.sciencedirect.com/science/article/pii/S0378112714003818>.
- Biggins DE, Godbey JL, Gage KL, Carter LG, Montenieri JA. 2010. Vector control improves survival of three species of prairie dogs (*Cynomys*) in areas considered enzootic for plague. [accessed 2015 Jun 01]; *Vector-Borne and Zoonotic Diseases*. 10(1):17–26. <http://online.liebertpub.com/doi/pdf/10.1089/vbz.2009.0049>.
- Black SH, Lauvray L. 2005. Species fact sheet, Johnson's hairstreak (*Callophrys johnsoni*). Portland (OR): Xerces Society. [accessed 22 June, 2015].
<http://www.xerces.org/johnsons-hairstreak/>.
- Black SH, Shepherd M, Vaughan M. 2011. Rangeland management for pollinators. *Rangelands*. 33(3):9–13.
- Blaisdell JP, Murray RB, McArthur ED. 1982. Managing Intermountain Rangelands—sagebrush-grass ranges. Ogden (UT): US Forest Service, Intermountain Forest and Range Station. 41 p. GTR-INT-134. [accessed 2015 Nov 18].
http://www.fs.fed.us/rm/pubs_int/int_gtr134.pdf.
- Blaisdell JP, Holmgren RC. 1984. Managing Intermountain rangelands—salt-desert shrub ranges. General Technical Report INT-163. Ogden (UT): US Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station.
- Blaustein AR, Grant Hokit D, O'Hara RK, Holt RA. 1994. Pathogenic fungus contributes to amphibian losses in the Pacific Northwest. [accessed 2015 Dec 04]; *Biological Conservation*. 67(3):251–254.
<http://www.sciencedirect.com/science/article/pii/0006320794906165>.
- Blem CR, Blem LB, Harmata PJ. 2002. Twine causes significant mortality in nestling ospreys. [accessed 2015 Jun 01]; *Wilson Bulletin*. 114(4):528–529.
[http://www.bioone.org/doi/abs/10.1676/0043-5643\(2002\)114%5B0528%3ATCSMIN%5D2.0.CO%3B2](http://www.bioone.org/doi/abs/10.1676/0043-5643(2002)114%5B0528%3ATCSMIN%5D2.0.CO%3B2).
- Blus LJ, Henny CJ, Hoffman DJ, Grove RA. 1995. Accumulation in and effects of lead and cadmium on waterfowl and passerines in northern Idaho. [accessed 2015 Dec 04]; *Environmental Pollution*. 89(3):311–318.
<http://www.sciencedirect.com/science/article/pii/026974919400069P>.
- Bock CE. 1970. The ecology and behavior of the Lewis woodpecker (*Asyndesmus lewis*). Berkeley (CA): University of California Press. (University of California publications in zoology, vol. 92). 100 p.
- Bock CE, Saab VA, Rich TD, Dobkin DS. 1993. Effects of livestock grazing on neotropical migratory landbirds in western North America. In: Finch DM, Stangel PW, editors. Status and Management of Neotropical Migratory Birds; 1992 Sept 21–25, Estes

- Park, CO; Gen. Tech. Rep. RM-229. Fort Collins (CO): US Forest Service, Rocky Mountain Forest and Range Experiment Station. p. 296–309. [accessed 2015 Dec 21]. <http://www.treesearch.fs.fed.us/pubs/22913>.
- Bock CE, Webb B. 1984. Birds as grazing indicator species in southeastern Arizona. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 48(3):1045–1049. <http://www.jstor.org/stable/3801466>.
- Bogan MA, Valdez EW, Navo KW. c2015. WBWG species information: *Myotis ciliolabrum*. Western Bat Working Group. [accessed 2016 Feb 02]. <http://wbwg.org/western-bat-species/>.
- Boggs JR, Wood S. 2004. Northern bog lemmings and rare plants in the panhandle of Idaho. [place unknown]: Idaho Department of Fish and Game. 39 p. Final report submitted to Idaho Department of Fish and Game in fulfillment of grant SWG T-1-5-0403.
- Bohart GE, Knowlton GF. 1973. The bees of Curlew Valley (Utah and Idaho). [accessed 2015 Jun 01]; *Proceedings of the Utah Academy of Sciences, Arts, and Letters*. 50(1):1–9. http://digitalcommons.usu.edu/piru_pubs/790.
- Bollinger EK. 1995. Successional changes and habitat selection in hayfield bird communities. [accessed 2015 Dec 21]; *The Auk*. 112(3):720–730. http://thekeep.eiu.edu/cgi/viewcontent.cgi?article=1083&context=bio_fac.
- Bolster BC. c2015. WBWG species information: *Lasiurus cinereus*. Western Bat Working Group. [accessed 2015 Dec 09]. <http://wbwg.org/western-bat-species/>.
- Bond JC, Iverson SA, MacCallum N, Smith CM, Bruner HJ, Esler D. 2009. Variation in breeding season survival of female harlequin ducks. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 73(6):965–972. <http://onlinelibrary.wiley.com/doi/10.2193/2008-236/abstract>.
- Bond WB, Philips TK. 1999. Diversity, phenology, and flower hosts of anthophilous long-horned beetles (Coleoptera: Cerambycidae) in a southeastern Ohio forest. [accessed 2015 Jun 01]; *Entomological News*. 110(5):267–278. <http://www.biodiversitylibrary.org/page/2884261#page/291/mode/1up>.
- Booms TL, Holroyd GL, Gahbauer MA, Trefry HE, Wiggins DA, Holt DW, Johnson JA, Lewis SB, Larson MD, Keyes KL, et al. 2014. Assessing the status and conservation priorities of the short-eared owl in North America. [accessed 2015 Nov 19]; *The Journal of Wildlife Management*. 78(5):772–778. <http://dx.doi.org/10.1002/jwmg.719>.
- Borell A. 1939. Telephone wires fatal to sage grouse. [accessed 2016 Feb 17]; *Condor*. 41(1):85–86. <https://sora.unm.edu/sites/default/files/journals/condor/v041n02/p0085-p0086.pdf>.

- Bosworth W. 2012. Terrestrial gastropods of USFS Northern Region: materials developed for Idaho field guide. Boise (ID): Idaho Department of Fish and Game. [109] p.
- Bosworth W, Johnson–Maynard J, Baker L. 2012. Giant Palouse earthworm survey protocol. Final Performance Report. Traditional FWS Section 6 Grant. 22 p.
- Bouchart ML. 1991. Great gray owl habitat use in southeastern Manitoba and the effects of forest resource management [master's thesis]. Winnipeg, Manitoba (CA): University of Manitoba, Natural Resources Institute. 79 p. [accessed 2013 Jan 13]. http://mspace.lib.umanitoba.ca/bitstream/handle/1993/22915/Bouchart_Great_gray.pdf?sequence=1&isAllowed=y.
- Boulanger J, Stenhouse GB. 2014. The impact of roads on the demography of grizzly bears in Alberta. [accessed 2015 Jun 01]; *PloS One*. 9(12):e115535. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0115535>.
- Bowerman TS, Dorr J, Leahy S, Varga K, Warrick J. 1999. Targhee National Forest ecological unit inventory. (place unknown): US Forest Service. 787 p. Cooperators listed as US Natural Resources Conservation Service and University of Idaho, College of Agriculture.
- Bowne D, Bowers M. 2004. Interpatch movements in spatially structured populations: a literature review. [accessed 2015 Dec 04]; *Landscape Ecology*. 19(1):1–20. <http://dx.doi.org/10.1023/B%3ALAND.0000018357.45262.b9>.
- Boyles JG, Cryan PM, McCracken GF, Kunz TH. 2011. Economic importance of bats in agriculture. [accessed 2016 Jan 04]; *Science*. 332(6025):41–42. http://xa.yimg.com/kq/groups/16441323/226771198/name/Economic_Importance_of_Bats_in_Agriculture.pdf.
- Bradley RD, Ammerman LK, Baker RJ, Bradley LC, Cook JA, Dowler RC, Jones C, Schmidly DJ, Stangl FB, Jr., Van Den Bussche RA et al. 2014. Revised checklist of North American mammals north of Mexico, 2014. Occasional Papers, Museum of Texas Tech University. 327:1–27.
- Braun CE. 1998. Sage grouse declines in western North America: what are the problems? [publisher unknown]. (*Proceedings of the Western Association of State Fish and Wildlife Agencies* 78). p. 139–156. [accessed 2015 Dec 21]. https://www.researchgate.net/profile/Clait_Braun/publication/247440432_Sage-grouse_declines_in_western_North_America_what_are_the_problems/links/54b7eb150cf28faced60cd4a.pdf?inViewer=0&pdfJsDownload=0&origin=publication_detail.
- Braun CE, Oedekoven OO, Aldridge CL. 2002. Oil and gas development in western North America: effects on sagebrush steppe avifauna with particular emphasis on sage-grouse. In: Wildlife Management Institute, Publications Department, editor. *Transactions of the 67th North American Wildlife and Natural Resources Conference*; 2002 Apr 3–7; Dallas, TX. Washington (DC): Wildlife Management

- Institute. p. 337–349. [accessed 2016 Feb 17].
http://www.fws.gov/southwest/es/documents/R2ES/LitCited/LPC_2012/Braun_et_al_2002.pdf.
- Braun JK, Eaton Jr ST, Mares MA. 2011. *Marmota caligata* (Rodentia: Sciuridae). [accessed 2015 Jun 01]; Mammalian Species. 43(884):155–171.
<http://www.asmjournals.org/doi/pdf/10.1644/884.1>.
- Breault AM, Savard J-P. 1991. Status report on the distribution and ecology of harlequin ducks in British Columbia. Delta (BC): Canadian Wildlife Service, Pacific and Yukon Region. (Technical report series; no. 110). 108 p.
- Brekke L, Kuepper B, Vaddey S. 2010. Climate and hydrology datasets for use in the RMJOC agencies' longer-term planning studies: part I - future climate and hydrology datasets. Draft Report. Boise (ID): US Bureau of Reclamation, Pacific Northwest Region. 183 p.[revised 2011 Apr 27; accessed 2015 Jun 01].
<http://www.usbr.gov/pn/climate/planning/reports/part1.pdf>.
- Brennan LA. 1990. What happened to the mountain quail in Idaho? Quail Unlimited Magazine. 9(4):42–43, 69.
- Brennan LA. 1991. Regional tests of a mountain quail habitat model. [accessed 2015 Jun 01]; Northwestern Naturalist. 72(3):100–108.
http://www.jstor.org/stable/3536494?seq=1#page_scan_tab_contents.
- Brewer CE, Bleich VC, Foster JA, Hosch–Hebdon T, McWhirter DE, Rominger EM, Wagner MW, Weidman BP. 2014. Bighorn sheep: conservation challenges and management strategies for the 21st century. Cheyenne (WY): Western Association of Fish and Wildlife Agencies, Wild Sheep Working Group. 30 p. [accessed 2015 Jun 01].
http://www.cawsf.org/Bighorn_Sheep_Conservation_Challenges.pdf.
- Bridges CM, Semlitsch RD. 2000. Variation in pesticide tolerance of tadpoles among and within species of Ranidae and patterns of amphibian decline. [accessed 2015 Dec 04]; Conservation Biology. 14(5):1490–1499. <http://dx.doi.org/10.1046/j.1523-1739.2000.99343.x>.
- Briggs TS. 1974. Troglobitic harvestmen recently discovered in North American lava tubes (Travuniidae, Erebomastriidae, Triaenonychidae: Opiliones). [accessed 2015 Jun 01]; Journal of Arachnology. 1(3):205–214.
http://www.americanarachnology.org/JoA_free/JoA_v1_n3/JoA_v1_p205.pdf.
- Brigham RG, Ng J, Poulin RG, Grindal SG. 2011. Common nighthawk (*Chordeiles minor*). The Birds of North America Online. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2011 Aug 11; accessed 2016 Feb 02].
<http://bna.birds.cornell.edu/bna/species/213>.

- Brinson MM, Rheinhardt RD, Hauer FR, Lee LC, Nutter WL, Smith RD, Whigham DF. 1995. A guidebook for application of hydrogeomorphic assessments to riverine wetlands. Operational Draft. Vicksburg (MS): US Army Corps of Engineers, Waterways Experiment Station. 113 p. Wetlands Research Program Tech. Rep. No. WRP-DE-11. [accessed 2016 Jan 05]. <http://www.water-research.net/Waterlibrary/geologicdata/riverinehydrodynamics.pdf>.
- Brodie JF, Post E. 2010. Nonlinear responses of wolverine populations to declining winter snowpack. [accessed 2015 Jun 01]; *Population Ecology*. 52(2):279–287. http://izt.ciens.ucv.ve/ecologia/Archivos/ECO_POB%202010/ECOPO2_2010/Brodie%20y%20Post%202010.pdf.
- Brown C. 1985. Sand Creek elk. Job Completion Report, Project No. W-160-R. Boise (ID): Idaho Department of Fish and Game. (Southeast Idaho wildlife studies; vol. 1). 118 p.
- Brown CR, Brown MB. 1999. Barn swallow (*Hirundo rustica*). *The Birds of North America Online*. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/452>.
- Brown MT, Vivas MB. 2005. Landscape development intensity index. *Environmental Monitoring and Assessment*. 101(1–3):289–309.
- Brown J, Wyers A, Bach L, Aldous A. 2009. Groundwater-dependent biodiversity and associated threats: a statewide screening methodology and spatial assessment of Oregon. Portland (OR): The Nature Conservancy. 79 p. [accessed 2016 Feb 09]. <https://www.conservationgateway.org/Documents/OR-Groundwater-Main-low-res.pdf>.
- Buckett JS, Garner MR. 1967. A new family of cavernicolous millipedes with description of a new genus and species from Idaho (Diplopoda: Chordeumida: Chordeumidea). [accessed 2015 Jun 01]; *Michigan Entomologist*. 1(4):117–126. www.michentsoc.org/gle-pdfs/vol1no4.pdf.
- Bull EL, Duncan JR. 1993. Great gray owl (*Strix nebulosa*). *The Birds of North America Online*. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/041>.
- Burak G, Hopper D. 2012. 2012 Banbury Springs lanx monitoring report for Banbury, Box Canyon, Thousand, and Briggs Springs, Idaho. Internal status report. Boise (ID): US Fish and Wildlife Service, Idaho Fish and Wildlife Office. 25 p.
- Burak G, Hopper D. 2014. 2014 Banbury Springs lanx monitoring report for Banbury, Box Canyon, Thousand, and Briggs Springs, Idaho. Internal status report. Boise (ID): US Fish and Wildlife Service, Idaho Fish and Wildlife Office. 36 p.
- [BLM] Bureau of Land Management (US). 1997. Decision record and finding of no significant impact for the Medicine Lodge Resource Management Area Plan

- Amendment to Designate the Henrys Lake ACEC. [place unknown]: US Bureau of Land Management.
- [BLM] Bureau of Land Management (US). 2010. Raft River geothermal drilling project final environmental assessment. Burley (ID): US Bureau of Land Management. Environmental Assessment ID-220-2009-EA-3709. [accessed 2015 Dec 03]. http://prod-http-80-800498448.us-east-1.elb.amazonaws.com/w/images/9/90/Raft_River_Final_EA_2010_01_21.pdf.
- [BLM] Bureau of Land Management (US). 2010. South Fork Snake River. [accessed 2010 Aug 01]. http://www.blm.gov/id/st/en/visit_and_play/things_to_do/rivers/rivers/South_Fork_of_the_Snake_River.html.
- [BLM] Bureau of Land Management (US). 2014. Craters of the Moon National Monument & Preserve analysis of the management situation: draft management plan amendment and environmental impact statement. Shoshone (ID): US Bureau of Land Management. 104 p. [accessed 2015 Dec 03]. https://eplanning.blm.gov/epl-front-office/projects/nepa/35968/48688/52937/CRMO_AMS_508.pdf.
- [BLM] Bureau of Land Management (US). 2015. Jarbidge approved resource management plan. Twin Falls (ID): US Bureau of Land Management, Twin Falls District, Jarbidge Field Office. [accessed 2016 Feb 13]. <https://eplanning.blm.gov/epl-front-office/eplanning/planAndProjectSite.do?methodName=dispatchToPatternPage¤tPageId=48879>.
- [BLM] Bureau of Land Management (US). 2015. Record of decision and approved resource management plan amendments for the Great Basin region, including the Greater Sage-Grouse sub-Regions of Idaho and southwestern Montana, Nevada and northeastern California, Oregon, and Utah [accessed 2015 Oct 16]. <https://eplanning.blm.gov/epl-front-office/eplanning/planAndProjectSite.do?methodName=dispatchToPatternPage¤tPageId=42003>. Washington (DC): Bureau of Land Management (US).
- [BLM] Bureau of Land Management (US) Idaho. 2015. Instruction Memorandum No. ID-2015-009, Change 1. Idaho Bureau of Land Management (BLM) Special Status Species List Update. Boise (ID): Bureau of Land Management (US) Idaho.
- Burke M, Jorde K, Buffington JM, Braatne JH, Benjankar R. 2006. Spatial distribution of impacts to channel bed mobility due to flow regulation, Kootenai River, USA. Proceedings of the Eighth Federal Interagency Sedimentation Conference; 2006 April 2–6; Reno, NV. Washington (DC): US Geological Survey, Advisory Committee on Water Information, US Subcommittee on Sedimentation. http://www.fs.fed.us/rm/pubs_other/rmrs_2006_burke_m001.pdf.

- Burke TE. 1999. Management recommendations for terrestrial mollusk species: *Prophysaon coeruleum*, blue-gray tailedropper & *Prophysaon dubium*, papillose tailedropper V. 2.0. [place unknown]: US Forest Service. 42 p. Developed jointly with the US Bureau of Land Management. [accessed 2016 Jan 22]. <http://www.blm.gov/or/plans/surveyandmanage/files/mr-terrestrial-ig-4sp-1999-11-att3.pdf>.
- Burke TE. 2013. Land snails and slugs of the Pacific Northwest. Corvallis (OR): Oregon State University Press. 344 p.
- Burleigh TD. 1972. Birds of Idaho. Caldwell (ID): Caxton Printers, Ltd. 467 p.
- Bursik R, Moseley B. 1992. Prospectus: valley peatlands ecosystem project, Idaho. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. [accessed 2015 Dec 04]. https://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/bursr92e.pdf.
- Bursik RJ, Moseley RK. 1995. Ecosystem conservation strategy for Idaho Panhandle peatlands. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. 38 p. Cooperative project between Idaho Panhandle National Forests and IDFG.
- Cameron SA, Lozier JD, Strange JP, Koch JB, Cordes N, Solter LF, Griswold TL. 2011. Patterns of widespread decline in North American bumble bees. [accessed 2015 Jun 01]; Proceedings of the National Academy of Sciences. 108(2):662–667. <http://www.pnas.org/content/108/2/662.full.pdf+html>.
- Canfield JE, Lyon LJ, Hillis JM, Thompson MJ. 1999. Ungulates. In: Joslin G, Youmans H, editors. Effects of recreation on Rocky Mountain wildlife: a review for Montana. Helena (MT): Montanan Chapter of The Wildlife Society, Committee on Effects of Recreation on Wildlife. p. 6.1–6.25. [accessed 2016 Feb 03]. <http://www.montanatws.org/PDF%20Files/6ung.pdf>.
- Carlisle J, Moulton C. 2011. 2011 Abundance and productivity of long-billed curlews (*Numenius americanus*) in the Long-Billed Curlew Area of Critical Environmental Concern of southwest Idaho. Boise (ID): Boise State University, Department of Biological Sciences, Idaho Bird Observatory. 30 p. Annual report prepared for Idaho Department of Fish and Game, BLM Four Rivers Field Office, and US Fish and Wildlife Service, Region 6.
- Cassirer EF, Groves CR, Wallen RL. 1991. Distribution and population status of harlequin ducks in Idaho. [accessed 2015 Jun 01]; Wilson Bulletin. 103(4):723–725. <https://sora.unm.edu/sites/default/files/journals/wilson/v103n04/p0723-p0725.pdf>.
- Cassirer EF, Reichel JD, Wallen RL, Atkinson EC. 1996. Harlequin duck (*Histrionicus histrionicus*) United States Forest Service/Bureau of Land Management habitat conservation assessment and conservation strategy for the U.S. Rocky Mountains. Lewiston (ID): Idaho Department of Fish and Game. 50 p.

- Cavitt JF, Jones SL, Wilson NM, Dieni JS, Zimmerman TS, Doster RH, Howe WH. 2014. Atlas of breeding colonial waterbirds in the interior western United States. Denver (CO): US Fish and Wildlife Service. 12 p. Research report. [accessed 2016 Feb 01]. http://www.fws.gov/mountain-prairie/migbirds/species/birds/western_colonial/Atlas_WCWS_interior_1-23-2014_FINAL.pdf.
- [CEC] Commission for Environmental Cooperation. 2008. North American monarch conservation plan. Montreal (CA): Commission for Environmental Cooperation Secretariat, Communications Department. [accessed 2016 Jan 26]. http://www.mlmp.org/Resources/pdf/5431_Monarch_en.pdf.
- Cegelski C, Waits L, Anderson N, Flagstad O, Strobeck C, Kyle C. 2006. Genetic diversity and population structure of wolverine (*Gulo gulo*) populations at the southern edge of their current distribution in North America with implications for genetic viability. *Conservation Genetics*. 7(2):197–211.
- Chambers JC, Miller JR, Germanoski D. 2011. Chapter 1: introduction and overview. In: Chambers JC, Miller JR, editors. *Geomorphology, hydrology, and ecology of Great Basin meadow complexes—implications for management and restoration*. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. RMRS-GTR-258. p. 1–10. [accessed 2015 Nov 19]. www.fs.fed.us/rm/pubs/rmrs_gtr258.pdf.
- Chambers N, Tabor G, Converse Y, Olliff T, Finn S, Sojda R, Bischke S. 2013. The great northern landscape conservation cooperative strategic conservation framework. [publisher unknown]. 19 p. [accessed 2016 Jan 13]. http://greatnorthernlcc.org/sites/default/files/documents/gnlcc_framework_final_small.pdf.
- Chandler DS. 1999. Revision of the North American species of *Amblyderus* with a checklist of the world species (Coleoptera: Anthicidae). [accessed 2015 Jun 01]; *Transactions of the American Entomological Society*. 125(3):269–293. <http://scholars.unh.edu/cgi/viewcontent.cgi?article=1240&context=nhaes>.
- Chesser RT, Banks RC, Barker FK, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2009. Fiftieth supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 126(3):705–714.
- Chesser RT, Banks RC, Barker FK, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2010. Fifty-first supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 127(3):726–744.
- Chesser RT, Banks RC, Barker FK, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2011. Fifty-second supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 128(3):600–613.

- Chesser RT, Banks RC, Barker FK, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2012. Fifty-third supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 129(3):573–588.
- Chesser RT, Banks RC, Barker FK, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2013. Fifty-fourth supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 130(3):558–572.
- Chesser RT, Banks RC, Cicero C, Dunn JL, Kratter AW, Lovette IJ, Navarro-Sigüenza AG, Rasmussen PC, Remsen JV, Jr., Rising JD et al. 2014. Fifty-fifth supplement to the American Ornithologists' Union *Check-list of North American Birds*. *Auk*. 131(4):CSi-CSxv.
- Chong JP, Box JCB, Howard JK, Wolf D, Myers TL, Mock KE. 2008. Three deeply divided lineages of the freshwater mussel genus *Anodonta* in western North America. [accessed 2016 Jan 21]; *Conservation Genetics*. 9(5):1303–1309. http://www.sccp.ca/sites/default/files/species-habitat/documents/three%20deeply%20divided%20lineages%20of%20freshwater%20mussel%20genus%20anodonta%20in%20western%20na_chong%20et%20al%202008.pdf.
- Christensen TK, Lassen P, Elmeros M. 2012. High exposure rates of anticoagulant rodenticides in predatory bird species in intensively managed landscapes in Denmark. [accessed 2015 Jun 01]; *Archives of Environmental Contamination and Toxicology*. 63(3):437–444. <http://link.springer.com/article/10.1007%2Fs00244-012-9771-6>.
- Christiansen RL. 1982. Late Cenozoic volcanism of the Island Park area, eastern Idaho. In: Bonnicksen B, Breckenridge RM, editors. *Cenozoic geology of Idaho*. Moscow (ID): Idaho Department of Lands, Bureau of Mines and Geology. (IBMG Bull. 26). p. 345–368. [accessed 2013 Jan 13]. http://geology.isu.edu/Digital_Geology_Idaho/papers/B-26ch6-2.pdf.
- Christiansen RL. 2001. The Quaternary and Pliocene Yellowstone Plateau volcanic field of Wyoming, Idaho, and Montana. Menlo Park (CA): US Geological Survey. 145 p. Prof. Paper 729-G. [accessed 2016 Jan 13]. <http://pubs.er.usgs.gov/publication/pp729G>.
- Christy RE, West SD. 1993. Biology of bats in Douglas-fir forests. In: Huff MH, Holthausen RM, Aubry KB, editors. Portland (OR): US Forest Service,, Pacific Northwest Research Station. (Biology and management of old-growth forests; PNW-GTR-308). p. 1–28. [accessed 2015 Dec 04]. <http://www.treesearch.fs.fed.us/pubs/viewpub.jsp?index=5631>.
- Chuluunbat S, Morse JC, Lessard JAL, Benbow ME, Wesener MD, Hudson J. 2010. Evolution of terrestrial habitat in *Manophylax* species (Trichoptera:Apataniidae), with a new species from Alaska. [accessed 2016 Jan 26]; *Journal of the North American Benthological Society*. 29(2):413–430.

http://tigerprints.clemson.edu/cgi/viewcontent.cgi?article=1072&context=bio_pubs.

- Clark GM, Maret TR, Rupert MG, Maupin MA, Low WH, Ott DS. 1998. Water quality in the upper Snake River Basin, Idaho and Wyoming, 1992–95. Denver (CO): US Geological Survey, Water Resources Division. (US Geological Survey circular; no. 1160). p. 1–35. [revised 1998 Jun 18; accessed 2015 Jun 01]. <http://pubs.usgs.gov/circ/circ1160/>.
- Clark SG, Minta SC. 1994. Greater Yellowstone's future: prospects for ecosystem science, management, and policy. Moose (WY): Homestead Publishing. 160 p.
- Clark TW, Harvey AH, Dorn RD, Genter DL, Groves CR. 1989. Rare, sensitive, and threatened species of the Greater Yellowstone Ecosystem. Jackson (WY): Northern Rockies Conservation Cooperative. 153 p. [accessed 2015 Jun 01]. <http://www.biodiversitylibrary.org/item/135974>.
- Clark WH, Lester GT. 2005. Range extension and ecological information for *Orconectes virilis* (Hagen 1870) (Decapoda: Cambaridae) in Idaho, USA. [accessed 2016 Feb 18]; *Western North American Naturalist*. 65(2):164–169. <https://journals.lib.byu.edu/spc/index.php/wnan/article/download/27774/26237>.
- Cochnauer T, Claire C. 2009. Evaluate status of Pacific lamprey in the Clearwater River and Salmon River drainages, Idaho, 2009 Technical Report. Portland (OR): US Department of Energy, Bonneville Power Administration. 40 p. Project No. 2000-028-00. [accessed 2016 Jan 27]. <http://www.osti.gov/scitech/servlets/purl/962416>.
- Cole FR, Wilson DE. 2009. *Urocitellus canus* (Rodentia: Sciuridae). [accessed 2015 Jun 01]; *Mammalian Species*. 834:1–8. <http://www.science.smith.edu/msi/pdf/i1545-1410-834-1-1.pdf>.
- Comer PJ, Hak J. 2012. Landscape condition in the conterminous United States. Spatial model summary. Boulder (CO).
- Connelly JW, Gratson MW, Reese KP. 1998. Sharp-tailed grouse (*Tympanuchus phasianellus*). *The Birds of North America Online*. (Poole A, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Nov 19]. <http://bna.birds.cornell.edu/bna/species/354>.
- Connelly JW, Knick ST, Schroeder MA, Stiver SJ. 2004. Conservation assessment of greater sage-grouse and sagebrush habitats. Cheyenne (WY): Western Association of Fish and Wildlife Agencies. Unpublished report.
- Connelly JW, Schroeder MA, Sands AR, Braun CE. 2000. Guidelines to manage sage grouse populations and their habitats. [accessed 2015 Jun 01]; *Wildlife Society Bulletin*. 28(4):967–985. http://sagemap.wr.usgs.gov/Docs/Sage_Grouse_Guidelines.PDF.

- [CMP] Conservation Measures Partnership. 2013. Open standards for the practice of conservation. Version 3.0 / April 2013. Conservation Measures Partnership; [accessed 2014 Feb 20]. <http://www.conservationmeasures.org/wp-content/uploads/2013/05/CMP-OS-V3-0-Final.pdf>.
- [CMP] Conservation Measures Partnership. 2015. Threats and Actions Classification – v 2.0. [place unknown]: Conservation Measures Partnership; [accessed 2015 May 2]. <http://cmp-openstandards.org/using-os/tools/classification-beta-v-2-0/>.
- [CMP] Conservation Measures Partnership, Sitka Technology Group. 2013–2016. Miradi Adaptive Management Software for Conservation Projects. Conservation Measures Partnership, Sitka Technology Group; [accessed 2016 Feb 15]. <https://www.miradi.org/>.
- Cook PS, O'Laughlin J. 2008. Off-highway vehicle and snowmobile management in Idaho. Moscow (ID): University of Idaho, College of Natural Resources, Policy Analysis Group. 35 p. Report No. 27.
- Cook SP, Birch SM, Merickel FW, Lowe CC, Page–Dumroese D. 2011. Bumble bee (Hymenoptera: Apidae) community structure on two sagebrush steppe sites in southern Idaho. [accessed 2016 Jan 22]; *Pan-Pacific Entomologist*. 87(3):161–171. http://www.fs.fed.us/rm/pubs_other/rmrs_2011_cook_s001.pdf.
- Cooper SV, Jean C, Heidel B. 1999. Plant associations and related botanical inventory of the Beaverhead Mountains Section, Montana. Report prepared for US Bureau of Land Management. Helena (MT): Montana Natural Heritage Program. 193 p. + app. BLM Agreement No. 1422E930OA960015. [accessed 2015 Dec 21]. http://mtnhp.org/plants/reports/1999_beverhead_report.pdf.
- Cooper SV, Neiman KE, Roberts DW. 1991. Forest habitat types of northern Idaho: a second approximation. Ogden (UT): US Forest Service, Intermountain Research Station. 143 p. GTR-INT-236. [accessed 2015 Dec 04]. <http://treesearch.fs.fed.us/pubs/download/24623.pdf>.
- Copeland JP. 1996. Biology of the wolverine in central Idaho [master's thesis]. Moscow (ID): University of Idaho. 138 p. [accessed 2016 Feb 08]. https://www.researchgate.net/profile/Jeffrey_Copeland/publication/34538098_Biology_of_the_wolverine_in_Central_Idaho/links/00463529a13d401802000000.pdf?inViewer=0&pdfJsDownload=0&origin=publication_detail.
- Copeland JP, McKelvey KS, Aubry KB, Landa A, Persson J, Inman RM, Krebs J, Lofroth E, Golden H, Squires J, et al. 2010. The bioclimatic envelope of the wolverine (*Gulo gulo*): Do climatic constraints limit its geographic distribution? [accessed 2015 Jun 01]; *Canadian Journal of Zoology*. 88(3):233–246. <http://www.nrcresearchpress.com/doi/abs/10.1139/z09-136#.VczpVPm6dQL>.
- Cordell HK, Betz CJ, Green G, Owens M. 2005. Off-highway vehicle recreation in the United States, regions, and states: a national report from the National Survey on

- Recreation and the Environment (NSRE). Athens (GA): US Forest Service, Southern Research Station. 36 p. [accessed 2016 Jan 05].
<http://treearch.fs.fed.us/pubs/download/21307.pdf>.
- Corn PS, Fogleman JC. 1984. Extinction of montane populations of the northern leopard frog (*Rana pipiens*) in Colorado. [accessed 2015 Jun 01]; *Journal of Herpetology*. 18(2):147–152.
[https://wiki.umn.edu/pub/Wetlands7/WebHome/Extinction_of_Montane_Populations_of_the_Northern_Leopard_Frog_\(Rana_pipiens\)_in_Colorado\(cited_by_60+\).pdf](https://wiki.umn.edu/pub/Wetlands7/WebHome/Extinction_of_Montane_Populations_of_the_Northern_Leopard_Frog_(Rana_pipiens)_in_Colorado(cited_by_60+).pdf).
- [COSEWIC] Committee on the Status of Endangered Wildlife in Canada. 2007. COSEWIC assessment and update status of the greater short-horned lizard *Phrynosoma hernandesi* in Canada. Ottawa (CA): Committee on the Status of Endangered Wildlife in Canada. 41 p. [accessed 2015 Jun 01].
http://publications.gc.ca/collections/collection_2007/ec/CW69-14-532-2007E.pdf.
- Cossel J Jr, Oelrich K, Thoren K, Butler–Dawson J. 2004. Habitat use, home range size and relative abundance of the Great Basin collared lizard (*Crotaphytus bicinctores*) in southwestern Idaho. Final Report. Boise (ID): Idaho Department of Fish and Game. 41 p. Wildlife Conservation and Restoration Program Grant.
- Cousins K, Antonelli DS. 2008. 2007 Vegetation monitoring and evaluation study: Boundary Creek Wildlife Management Area, Albeni Falls Wildlife Mitigation Project. Final Report. Boise (ID): Idaho Department of Fish and Game. 28 p.
- Cousins K, Antonelli DS. 2008. 2007 Vegetation monitoring and evaluation study: Pend Oreille Wildlife Management Areas, Albeni Falls Wildlife Mitigation Project. Interim Report. Boise (ID): Idaho Department of Fish and Game. 38 p.
- Covell CV. 2005. A field guide to moths of eastern North America. Martinsville (VA): Virginia Museum of Natural History. (Special Publication No. 12). 496 p.
- Cowardin LM, Carter V, Golet FC, LaRoe ET. 1979. Classification of wetlands and deepwater habitats of the United States. Washington (DC): US Fish and Wildlife Service. [accessed 2016 Jan 06].
<http://www.fws.gov/wetlands/Documents/Classification-of-Wetlands-and-Deepwater-Habitats-of-the-United-States.pdf>.
- Cox M, Lutz DW, Wasley T, Fleming M, Compton BB, Keegan T, Stroud D, Kilpatrick S, Gray K, Carlson J, et al. 2009. Habitat guidelines for mule deer: Intermountain West ecoregion. Western Association of Fish and Wildlife Agencies, Mule Deer Working Group. [accessed 2016 Jan 05].
http://www.wafwa.org/Documents%20and%20Settings/37/Site%20Documents/Working%20Groups/Mule%20Deer/Publications/IMW_Mule_Deer_Habitat_Guidelines.pdf.

- Crawford CJ. 2013. Evidence for spring mountain snowpack retreat from a Landsat-derived snow cover climate data record. [accessed 2015 Dec 03]; *The Cryosphere Discuss.* 7(3):2089–2117. <http://www.the-cryosphere-discuss.net/7/2089/2013/>.
- Crawford R. 2011. Ecological integrity assessment: northern Rocky Mountain mesic montane mixed conifer forest. Olympia (WA): Washington State Department of Natural Resources, Natural Heritage Program. 12 p. Version 2.16.2011. [accessed 2015 Dec 04]. http://www1.dnr.wa.gov/nhp/refdesk/communities/pdf/eia/nrm_mesic_mix_conifer.pdf.
- Crother BI. 2012. Scientific and standard English names of amphibians and reptiles of North America north of Mexico, with comments regarding confidence in our understanding. *Society for the Study of Amphibians and Reptiles Herpetological Circular* 39:1–92. 7th ed.
- Crowley DW, Patten SM Jr. 1996. Breeding ecology of harlequin ducks in Prince William Sound, Alaska. Final report. Anchorage (AK): Alaska Department of Fish and Game, Division of Wildlife Conservation. 83 p. Restoration study number 71. [accessed 2015 Jun 01]. <http://www.evostc.state.ak.us/Store/FinalReports/1992-R071-Final.pdf>.
- Cryan PM, Bogan MA, Rye RO, Landis GP, Kester CL. 2004. Stable hydrogen isotope analysis of bat hair as evidence for seasonal molt and long-distance migration. [accessed 2016 Jan 04]; *Journal of Mammalogy.* 85(5):995–1001. <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1119&context=usgsstffpub>.
- [CSLWG] Challis Sage-grouse Local Working Group. 2007. Challis sage-grouse conservation plan. Final. 27 p. [accessed 2015 Dec 21]. <http://www.privatelandownernetnetwork.org/pdfs/LWGchallisPlan.pdf>.
- Csuti BA, Kimerling AJ, O'Neil TA, Shaughnessy MM, Gaines EP, Huso MMP. 1997. Atlas of Oregon wildlife: distribution, habitat, and natural history. 1st ed. Corvallis (OR): Oregon State University Press. 480 p.
- Cushman SA. 2006. Effects of habitat loss and fragmentation on amphibians: a review and prospectus. [accessed 2015 Dec 09]; *Biological Conservation.* 128(2):231–240. <http://www.sciencedirect.com/science/article/pii/S0006320705003940>.
- Cushman SA, Lewis JS, Landguth EL. 2013. Evaluating the intersection of a regional wildlife connectivity network with highways. [accessed 2015 Dec 09]; *Movement Ecology.* 1(1):e12. <http://www.movementecologyjournal.com/content/1/1/12>.
- Cushman SA, Lewis JS, Landguth EL. 2014. Why did the bear cross the road? Comparing the performance of multiple resistance surfaces and connectivity modeling

- methods. [accessed 2015 Dec 09]; *Diversity*. 6(4):844–854.
<http://www.mdpi.com/1424-2818/6/4/844/pdf>.
- Cushman SA, McRae B, Adriaensen F, Beier P, Shirley M, Zeller K. 2013. Biological corridors and connectivity. In: Macdonald DW, Willis KJ, editors. *Key topics in conservation biology 2*. First ed. Chichester, West Sussex (UK): John Wiley & Sons, Ltd. p. 384–404.
- Cypher BL, Spencer KA. 1998. Competitive interactions between coyotes and San Joaquin kit foxes. [accessed 2015 Jun 01]; *Journal of Mammalogy*. 79(1):204–214.
<http://www.jstor.org/stable/1382855>.
- Dahl T. 2006. Status and trends of wetlands in the conterminous United States 1998 to 2004. Washington (DC): US Fish and Wildlife Service. 112 p. [accessed 2016 Jan 07]. <http://www.fws.gov/wetlands/Documents/Status-and-Trends-of-Wetlands-in-the-Conterminous-United-States-1998-to-2004.pdf>.
- Dahl TE. 1990. Wetlands losses in the United States 1780's to 1980's. Washington (DC): US Fish and Wildlife Service. 13 p. [accessed 2016 Jan 05].
<http://www.fws.gov/wetlands/Documents/Wetlands-Losses-in-the-United-States-1780s-to-1980s.pdf>.
- Dale VH, Joyce LA, McNulty S, Neilson RP, Ayres MP, Flannigan MD, Hanson PJ, Irland LC, Lugo AE, Peterson CJ, et al. 2001. Climate change and forest disturbances. [accessed 2015 Nov 19]; *Bioscience*. 51(9):723–734.
http://flux.aos.wisc.edu/~adesai/documents/macrosys_papers-ankur/disturbance/Dale-Bioscience-Climatedisturbance.pdf
- Daubenmire R. 1966. Vegetation: identification of typical communities. [accessed 2015 Dec 21]; *Science*. 151(3708):291–298.
<http://www.ualberta.ca/~place/Daubenmire%201966.pdf>.
- Davidson A, Aycrigg JL, Grossman E, Kagan J, Lennartz S, McDonough S, Miewald T, Ohmann J, Sajwaj T, Tobalske C. 2013. Land cover classification and mapping. Chapter 2. In: Aycrigg JL, Mark A, Beauvais GP et al., editors. *Ecoregional gap analysis of the northwestern United States: Northwest Gap Analysis Project*. Draft Report. [place unknown]: US Geological Survey, Gap Analysis Program. p. 31–57. [accessed 2015 Jun 01].
http://www.researchgate.net/publication/255993283_NWGAP_Draft_Report_June_2013.
- Davies KW, Bates JD, Svejcar TJ, Boyd CS. 2010. Effects of long-term livestock grazing on fuel characteristics in rangelands: an example from the sagebrush steppe. [accessed 2015 Jun 01]; *Rangeland Ecology and Management*. 63(6):662–669.
<http://oregonstate.edu/dept/eoarc/sites/default/files/672.pdf>.
- DeByle NV, Winokur RP, editors. 1985. *Aspen: ecology and management in the western United States*. Fort Collins (CO): US Forest Service, Rocky Mountain Forest and

- Range Experiment Station. 265 p. Gen. Tech. Rep. RM-119. [accessed 2015 Dec 21]. http://www.fs.fed.us/rm/pubs_rm/rm_gtr119.pdf.
- De Graff MA (Boise state University, Department of Biological Sciences). 2015. Herbicide Impacts on Forb Performance in Degraded Sagebrush Steppe Ecosystems. Final Report. Boise (ID); Bureau of Land Management. 14 p. Project agreement no.: 14-CR-11221632-067.
- De Graff MA, Johns A. 2014. Herbicide impacts on forb performance in degraded sagebrush steppe ecosystems. Great Basin Native Plant Project. 2014 Progress Report. USDA Forest Service, Rocky Mountain Research Station and USDI Bureau of Land Management. p. 60–68. [accessed 2016 Feb 19]. http://www.fs.fed.us/rm/pubs_journals/2015/rmrs_2015_kilkenny_f002.pdf.
- Denning DG. 1964. The Genus *Homophylax* (Trichoptera: Limnephilidae). [accessed 1964-03-01 00:00:00]; *Annals of the Entomological Society of America*. 57(2):253–260. <http://aesa.oxfordjournals.org/content/57/2/253>.
- Denning DG. 1970. The genus *Psychoglypha* (Trichoptera: Limnephilidae). [accessed 2015 Jun 01]; *Canadian Entomologist*. 102(1):15–30. <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=8557066>.
- Discover Life. 2015. The Polistes Foundation, Inc. [accessed 2014 Dec 01]. <http://www.discoverlife.org/>.
- Dixon RD. 2010. Status and conservation of white-headed woodpecker (*Picoides albolarvatus*) in the interior West, USA: a metapopulation approach [dissertation]. Moscow (ID): University of Idaho. 204 p.
- Domenech R, Langner H, Slabe V. 2011. Blood-lead levels of fall migrant golden eagles in west-central Montana (abstract). Presented at the Montana Chapter of the Wildlife Society 49th annual meeting: Multiplying Human Impacts Bordering Open Space: Challenges for Wildlife Habitat and Connectivity Protection; Missoula, MT; 2009 Feb 22–25. [accessed 2016 Feb 17]; *Intermountain Journal of Sciences*. 17(1-4):45–46. <http://www.intermountainjournal.org/browse/types/mctws-presentation-abstract/>.
- Ducummon SL. 2000. Ecological and economic importance of bats. In: Vories KC, Throgmorton D, editors. *Proceedings of Bat Conservation and Mining: A Technical Interactive Forum*; 2000 Nov. 14–16; St. Louis. Alton (IL): US Department of the Interior, Office of Surface Mining. p. 7–16. [accessed 2015 Dec 04]. <http://69.90.183.227/financial/values/g-ecobats.pdf>.
- Durkalec M, Weldon C, Mack JJ, Bishop J. 2009. The state of wetlands in Cleveland Metroparks: implications for urban wetland conservation and restoration. Fairview Park (OH). No. Cleveland Metroparks Technical Report 2009/NR-07.

- Endangered and threatened wildlife, 50 CFR § 17.11 (10-1-15 Edition). 2015.
- [EC] Environment Canada. 2014. Recovery strategy for the half-moon hairstreak (*Satyrium semiluna*) in Canada [Proposed]. Ottawa (CA): Environment Canada. (Species at Risk Act recovery strategy series; 2 parts). [accessed 2015 Jun 01]. http://www.sararegistry.gc.ca/document/default_e.cfm?documentID=2663.
- Egea-Serrano A, Relyea RA, Tejedo M, Torralva M. 2012. Understanding of the impact of chemicals on amphibians: a meta-analytic review. [accessed 2016 Jan 14]; Ecology and evolution. 2(7):1382–1397. <http://onlinelibrary.wiley.com/doi/10.1002/ece3.249/epdf>.
- [EIAWG] Eastern Idaho Aspen Working Group. 2014. Aspen toolbox: tools, techniques and commonsense guidelines for promoting, restoring, and managing aspen on the landscape. Draft. [place unknown]: Eastern Idaho Aspen Working Group. 70 p. [accessed 2015 Dec 03]. <http://www.eiawg.org/uploads/AspenToolbox4-11-2014.pdf>.
- Eigenbrod F, Hecnar SJ, Fahrig L. 2009. Quantifying the road-effect zone: threshold effects of a motorway on anuran populations in Ontario, Canada. [accessed 2016 Feb 04]; Ecology and Society. 14(1):art 24. <http://eprints.soton.ac.uk/181359/1/EigenbrodThresholdEffectsMotorway2009.pdf>.
- Elliott CL, Flinders JT. 1984. Plant nutrient levels on two summer ranges in the River of No Return Wilderness Area, Idaho. [accessed 2015 Dec 21]; Great Basin Naturalist. 44(4):621–626. <https://journals.lib.byu.edu/spc/index.php/wnan/article/download/29194/27657>.
- Elliott WR. 1976. New cavernicolous Rhagidiidae from Idaho, Washington, and Utah (Prostigmata: Acari: Arachnida). Occasional Papers, Museum, Texas Tech University. 43:1–15.
- Ellis KL. 1984. Behavior of lekking sage grouse in response to a perched golden eagle. [accessed 2016 Feb 17]; Western Birds. 15(1):37–38. <https://sora.unm.edu/sites/default/files/journals/wb/v15n01/p0037-p0038.pdf>.
- Ellis KL. 1987. Effects of a new transmission line on breeding male greater sage-grouse at a lek in northeastern Utah. In: Roberson JC, editor. 15th Sage Grouse Workshop Transactions of the Western States Sage Grouse Committee; Western Association of Fish and Wildlife Agencies; 1987 Jul 28–30; Midway (UT). (Abstract).
- Ellison LE, O'Shea TJ, Bogan MA, Everette AL, Schneider DM. 2003. Existing data on colonies of bats in the United States: summary and analysis of the US Geological Survey's bat population database. In: O'Shea TJ, Bogan MA, editors. Monitoring trends in bat populations of the United States and territories: problems and prospects. (place unknown): US Geological Survey, Biological Resources Division. (Information and Technology Report No. USGS/BRD/ITR 2003-0003). p. 127–171. [accessed 2016 Jan 04].

<http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1016&context=usgspubs>.

- Engle J. 2001. Columbia spotted frog Great Basin population (Owyhee subpopulation) long-term monitoring plan: Owyhee and Twin Falls counties, Idaho. Report prepared for the US Fish and Wildlife Service, Boise, ID.
- Epanchin PN, Knapp RA, Lawler SP. 2010. Nonnative trout impact an alpine-nesting bird by altering aquatic-insect subsidies. [accessed 2016 Feb 02]; *Ecology*. 91 (8):2406–2415.
https://www.researchgate.net/profile/Peter_Epanchin/publication/46254441_Nonnative_trout_impact_an_alpine-nesting_bird_by_altering_aquatic-insect_subsidies/links/02e7e538891b6d1b85000000.pdf.
- Esler D, Iverson SA. 2010. Female harlequin duck winter survival 11 to 14 years after the Exxon Valdez oil spill. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 74(3):471–478. <http://onlinelibrary.wiley.com/doi/10.2193/2008-552/abstract>.
- Esler D, Schmutz JA, Jarvis RL, Mulcahy DM. 2000. Winter survival of adult female harlequin ducks in relation to history of contamination by the Exxon Valdez oil spill. *Journal of Wildlife Management*. 64(3):839–847.
- Essig Museum Online Database. c2014. Berkeley (CA): University of California [accessed 2014 Dec 18]. <https://essigdb.berkeley.edu/>.
- Euliss NH, Mushet DM. 2004. Impacts of water development on aquatic macroinvertebrates, amphibians, and plants in wetlands of a semi-arid landscape. [accessed 2016 Feb 13]; *Aquatic Ecosystem Health & Management*. 7(1):73–84.
<http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1261&context=usgspwrc>.
- Evans E, Thorp R, Jepsen S, Black SH. 2008. Status review of three formerly common species of bumble bee in the subgenus *Bombus*. Portland (OR): Xerces Society. 63 p. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2009/03/xerces_2008_bombus_status_review.pdf.
- Evers DC, Paruk JD, McIntyre JW, Barr JF. 2010. Common loon (*Gavia immer*). *The Birds of North America Online*. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2010 May 24; accessed 2016 Feb 01].
<http://bna.birds.cornell.edu/bna/species/313>.
- Faber–Langendoen D, Nichols J, Master L, Snow K, Tomaino A, Bittman R, Hammerson GA, Heidel B, Ramsay L, Teucher A et al. 2012. Conservation status assessments: methodology for assigning ranks. Arlington (VA): NatureServe; [accessed 2015 May 2].
http://www.natureserve.org/sites/default/files/publications/files/natureserveconservationstatusmethodology_jun12.pdf.

- Faber–Langendoen D, Rocchio J, Schafale M, Nordman C, Pyne M, Teague J, Foti T, Comer P. 2006. Ecological integrity assessment and performance measures for wetland mitigation. Arlington (VA).
- Fairbanks HL. 1984. A new species of *Oreohelix* (Gastropoda: Pulmonata: Oreohelicidae) from the Seven Devils Mountains, Idaho. *Proceedings of the Biological Society of Washington*. 97(1):179–185.
- Fellows S, Jones S. 2009. Status assessment and conservation action plan for the long-billed curlew (*Numenius americanus*). Denver (CO): US Fish and Wildlife Service, Region 6. 98 p. Biological Technical Publication BTP-R6012-2009. [accessed 2016 Feb 01]. <https://www.fws.gov/migratorybirds/pdf/management/focal-species/Long-billedCurlew.pdf>.
- Fennessy MS, Mack JJ, Deimeke E, Sullivan MT, Bishop J, Cohen M, Micacchion M, Knapp M. 2007. Assessment of wetlands in the Cuyahoga River watershed of northeast Ohio. Columbus (OH). No. Ohio EPA Technical Report WET/2007-4.
- Fenton MB, Barclay RMR. 1980. *Myotis lucifugus*. [accessed 2016 Feb 02]; *Mammalian Species*. 142:1–8.
<http://www.science.smith.edu/departments/biology/VHAYSEN/msi/pdf/i0076-3519-142-01-0001.pdf>.
- Ferris CD. 1974. Distribution of arctic-alpine *Lycaena phlaeas* L. (Lycaenidae) in North America with designation of a new subspecies. [accessed 2015 Jun 01]; *Bulletin of the Allyn Museum*. 18:1–14.
https://www.flmnh.ufl.edu/index.php/download_file/view/3038/1112/.
- Fisher JT, Bradbury S, Anholt B, Nolan L, Roy L, Volpe JP, Wheatley M. 2013. Wolverines (*Gulo gulo luscus*) on the Rocky Mountain slopes: natural heterogeneity and landscape alteration as predictors of distribution. [accessed 2015 Jun 01]; *Canadian Journal of Zoology*. 91(10):706–716.
<http://www.nrcresearchpress.com/doi/abs/10.1139/cjz-2013-0022#.Vcztdvm6dQI>.
- Fitch L, Ambrose N. 2003. Riparian areas: a user's guide to health. Lethbridge (AB): Alberta Riparian Habitat Management Society, Cows and Fish Program. 46 p. [accessed 2015 Dec 21]. <http://cowsandfish.org/pdfs/ugfull.pdf>.
- Fitzner RE. 1975. Owl mortality on fences and utility lines. [accessed 2015 Dec 21]; *Raptor Research*. 9(3-4):55–57.
<https://sora.unm.edu/sites/default/files/journals/jrr/v009n03-04/p00055-p00057.pdf>.
- Fleischner TL. 1994. Ecological costs of livestock grazing in western North America. [accessed 2015 Nov 19]; *Conservation Biology*. 8(3):629–644.
http://www.fws.gov/southwest/es/documents/R2ES/LitCited/LPC_2012/Fleischner_1994.pdf.

- Flint PL, Schamber JL, Trust KA, Miles AK, Henderson JD, Wilson BW. 2012. Chronic hydrocarbon exposure of harlequin ducks in areas affected by the Selendang Ayu oil spill at Unalaska Island, Alaska. [accessed 2015 Jun 01]; *Environmental Toxicology and Chemistry*. 31 (12):2828-2831.
<http://onlinelibrary.wiley.com/doi/10.1002/etc.1997/pdf>.
- Formann RTT, Alexander LE. 1998. Roads and their major ecological effects. [accessed 2015 Dec 09]; *Annual Review of Ecology and Systematics*. 29:207–231+C2.
<http://www.jstor.org/stable/221707>.
- Foster-Willfong JM. 2003. Foster-Willfong, J. M. (2003). Census methodology and habitat use of Long-billed Curlews (*Numenius americanus*) in Saskatchewan [master's thesis]. Regina (SK): University of Regina. 115 p.
- [FOS] Foundations of Success. 2009. Conceptualizing and planning conservation projects and programs: a training manual. Bethesda (MD): Foundations of Success.
- [FOS] Foundations of Success. 2016. Miradi Share™ Version 1.0.468.0 | Compiled 2016-01-14 03:19:41. Bethesda (MD): Foundations of Success; [accessed 2016 Feb 15].
<https://www.miradishare.org/>.
- Franklin AB. 1987. Breeding biology of the Great Gray Owl in southeastern Idaho and northwestern Wyoming [master's thesis]. Arcata (CA): Humboldt State University. 83 p.
- Franklin AB. 1988. Breeding biology of the Great Gray Owl in southeastern Idaho and northwestern Wyoming. [accessed 2016 Jan 14]; *Condor*. 90(3):689–696.
<https://sora.unm.edu/sites/default/files/journals/condor/v090n03/p0689-p0696.pdf>.
- Franson JC, Hansen SP, Pokras MA, Miconi R. 2001. Size characteristics of stones ingested by Common Loons. [accessed 2015 Dec 09]; *The Condor*. 103(1):189–191.
<http://www.nwhc.usgs.gov/publications/documents/01JCF.C01.pdf>.
- Frest TJ. 1999. A review of the land and freshwater mollusks of Idaho. Boise (ID): Idaho Department of Fish and Game, Idaho Conservation Data Center. 302 p.
- Frest TJ, Johannes EJ. 1997. Land snail survey of the lower Salmon River drainage, Idaho. Boise (ID): US Bureau of Land Management, Idaho State Office. 142 p. Technical bulletin no. 97-18. [accessed 2015 Jun 01].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.43949.File.dat/TB_97-18.pdf.
- Frest TJ, Johannes EJ. 1997. Land snails of the Lucile Caves ACEC. Boise (ID): US Bureau of Land Management, Idaho State Office. 9 p. Technical bulletin no. 97-16. [accessed 2015 Jun 01].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.59653.File.dat/TB_97-16.pdf.

- Frest TJ, Johannes EJ. 1999. Field guide to survey and manage freshwater mollusk species. Portland (OR): US Bureau of Land Management, Oregon State Office. 117 p. [accessed 2016 Feb 09].
http://www.blm.gov/or/plans/surveyandmanage/files/01-aquatic_guide.pdf.
- Frest TJ, Johannes EJ. 2000. An annotated checklist of Idaho land and freshwater mollusks. *Journal of the Idaho Academy of Science*. 36(2):1–51.
- Fryer JL. 2002. *Pinus albicaulis*. In: Fire Effects Information System [online]. [Missoula (MT)]: US Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory [accessed 2015 Dec 14].
<http://www.fs.fed.us/database/feis/plants/tree/pinalb/all.html>.
- Furniss RL, Carolin VM. 1977. Western forest insects. Washington (DC): US Forest Service. (Misc. Pub. No. 1339). p. 1–654. [accessed 2016 Jan 25].
http://www.co.monterey.ca.us/planning/major/Pebble%20Beach%20Company/Pebble_Beach_DEIR_Nov_2011/Pebble_Beach_DEIR_Admin_Records_Nov_2011/Furniss/Furniss_1977_Western_Forest_Insects-original.pdf.
- Gallant AL, Hansen AJ, Councilman JS, Monte DK, Betz DW. 2003. Vegetation dynamics under fire exclusion and logging in a Rocky Mountain watershed, 1856–1996. [accessed 2016 Jan 14]; *Ecological Applications*. 13(2):385–403.
<http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1046&context=bark-beetles>.
- Garrison BA. 1999. Bank swallow (*Riparia riparia*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Jun 01].
<http://bna.birds.cornell.edu/bna/species/414>.
- Garton EO, Connelly JW, Horne JS, Hagen CA, Moser A, Schroeder MA. 2011. Greater sage-grouse population dynamics and probability of persistence. In: Knick ST, Connelly JW, editors. Greater sage-grouse: ecology and conservation of a landscape species and its habitats. Berkeley (CA): University of California Press. (Studies in avian biology; vol. 38). p. 1–32. [accessed 2015 Jun 01].
<http://wdfw.wa.gov/publications/01322/>.
- Gates KK, Kerans BL. 2014. Habitat use of an endemic mollusc assemblage in a hydrologically altered reach of the Snake River, Idaho, USA. [accessed 2015 Jun 01]; *River Research and Applications*. 30(8):976–986.
<http://onlinelibrary.wiley.com/doi/10.1002/rra.2695/abstract>.
- Gates KK, Kerans BL, Keebaugh JL, Kalinowski S, Vu N. 2013. Taxonomic identity of the endangered Snake River physa, *Physa natricina* (Pulmonata: Physidae) combining traditional and molecular techniques. *Conservation Genetics*. 14(1):159–169.
- Gerber BD, Dwyer JF, Nesbitt SA, Drewien RC, Littlefield CD, Tacha TC, Vohs PA. 2014. Sandhill crane (*Grus canadensis*). The Birds of North America Online. (A. Poole,

- editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2014 Aug 17; accessed 2016 Feb 01]. <http://bna.birds.cornell.edu/bna/species/031>.
- Germino MJ. 2014. Sagebrush ecosystems in a changing climate. 52 p. Unpublished report to Northwest Climate Science Center for USGS Agreement Nos. FY12 COA # C1591 and FY13 COA # CM0005.
- Gillihan SW. 2006. Sharing the land with pinyon-juniper birds. Salt Lake City (UT): Partners in Flight Western Working Group. 37 p. [accessed 2015 Nov 19]. <http://www.rmbo.org/dataentry/postingArticle/dataBox/PJ%20manual%20Nov%2008%20low-res.pdf>.
- Gordon AE, Smith SD. 1974. A new species of *Cheumatopsyche* (Trichoptera, Hydropsychidae) from the northwestern United States. *Notulae Naturae*. 450:1–3.
- Gordon R, Brunson MW, Shindler B. 2014. Acceptance, acceptability, and trust for sagebrush restoration options in the Great Basin: a longitudinal perspective. [accessed 2015 Dec 15]; *Rangeland Ecology and Management*. 67(5):573–583. <http://dx.doi.org/10.2111/REM-D-13-00016.1>.
- Gray K, Hill J, Mancuso M. 2005. Updated Palouse goldenweed (*Pyrrocoma liatriformis*) occurrences on BLM land, Craig Mountain, Idaho. Boise (ID): Idaho Department of Fish and Game, Idaho Conservation Data Center. 15 p. Report prepared for Bureau of Land Management, Coeur d'Alene District, Cottonwood Field Office. [accessed 2016 Feb 18]. https://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/u05gra02.pdf.
- Green JS, Flinders JT. 1980. *Brachylagus idahoensis*. [accessed 2015 Dec 21]; *Mammalian Species*. 1–4. <http://www.science.smith.edu/departments/biology/VHAYSSEN/msi/pdf/i0076-3519-125-01-0001.pdf>.
- Gregory JS, Griffith JS. 2000. First-winter survival of caged wild and hatchery cutthroat trout in allopatry and in sympatry with brook trout. *Intermountain Journal of Sciences*. 6(3):217–222.
- Grigg JL. 2007. Gradients of predation risk affect distribution and migration of a large herbivore [master's thesis]. Bozeman (MT): Montana State University. 63 p. [accessed 2016 Feb 04]. <http://scholarworks.montana.edu/xmlui/bitstream/handle/1/1387/GriggJ1207.pdf?sequence=1>.
- Groves CR. 1994. Effects of timber harvest on small mammals and amphibians inhabiting old-growth coniferous forests on the Priest Lake Ranger District, Idaho Panhandle National Forests. Boise (ID): Idaho Department of Fish and Game. 18 p. [accessed 2016 Feb 02]. https://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/U94GRO02.pdf.

- Groves CR, Marks JS. 1985. Annotated checklist of Idaho vertebrates. *Tebiwa*. 22:10-27.
- Groves CR, Butterfield B, Lippincott A, Csuti B, Scott JM. 1997. Atlas of Idaho's wildlife: integrating gap analysis and natural heritage information. Boise (ID): Idaho Department of Fish and Game. 372 p. [accessed 2016 Feb 02]. <http://imnh.isu.edu/digitalatlas/bio/atlswf.pdf>.
- Groves CR, Yensen. E. 1989. Rediscovery of the northern bog lemming (*Synaptomys borealis*) in Idaho. *Northwestern Naturalist*. 70:14-15.
- Groves DJ. 2012. The 2010 North American trumpeter swan survey. A cooperative North American survey. Juneau (AK): US Fish and Wildlife Service, Migratory Bird Management Division. 17 p.
- Gruell G, Bunting S, Neuenschwander L. 1985. Influence of fire on curleaf mountain-mahogany in the Intermountain West. In: Lotan JE, Brown JK, editors. *Fire's Effects on Wildlife Habitat--Symposium Proceedings; 1984 Mar 21; Missoula , MT*. Ogden (UT): US Forest Service, Intermountain Research Station. INT-GTR-186. p. 58-72. [accessed 2015 Nov 19]. http://www.fs.fed.us/rm/pubs_int/int_gtr186.pdf.
- Gucker CL. 2006. *Cercocarpus ledifolius*. Fire Effects Information System [online]. [Missoula (MT)]: US Forest service, Rocky Mountain Research Station, Fire Sciences Laboratory. [accessed 2015 Nov 19]. <http://www.fs.fed.us/database/feis/plants/tree/cerled/all.html>.
- Gurney AB. 1971. North American grasshoppers of the genus *Argiachris*, including two new species from Idaho (Orthoptera: Acrididae: Catantopinae). *Proceedings of the Entomological Society of Washington*. 73(3):292-303.
- Gutiérrez RJ, Delehanty DJ. 1999. Mountain quail (*Oreortyx pictus*). *The Birds of North America Online*. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/457/>.
- H.R. Doc. No. 108-542, 108th Cong., 2d Sess. (2004).
- Hafner JC (Moore Laboratory of Zoology and Department of Biology, Occidental College, Los Angeles, CA). 2013. Conservation biology and status of kangaroo mice, genus *Microdipodops*, in Idaho. Final performance report. Boise (ID): Idaho Department of Fish and Game. 13 p. State Wildlife Grants Program; Grant No.: ID T-3-19.
- Hafner JC, Upham NS. 2011. Phylogeography of the dark kangaroo mouse, *Microdipodops megacephalus*: cryptic lineages and dispersal routes in North America's Great Basin. [accessed 2015 Jun 01]; *Journal of Biogeography*. 38(6):1077-1097. <http://wileyonlinelibrary.com/journal/jbi>.
- Hafner JC, Upham NS, Reddington E, Torres CW. 2008. Phylogeography of the pallid kangaroo mouse, *Microdipodops pallidus*: a sand-obligate endemic of the Great Basin, western North America. [accessed 2016 Feb 03]; *Journal of Biogeography*.

35(11):2102–2118. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2699.2008.01942.x/epdf>.

- Hagen CA. 2010. Impacts of energy development on prairie grouse ecology: a research synthesis. In: McCabe RE, Stockwell KA, editors. Transactions of the 75th North American Wildlife and Natural Resource Conference; 2010 March 22–27; Milwaukee, WI. [place unknown]: Wildlife Management Institute. p. 96–103. [accessed 2015 Jun 01]. http://www.fws.gov/southwest/es/documents/R2ES/LitCited/LPC_2012/Hagen_2004.pdf.
- Hahn L, Murphy C, Schmidt A, Fields T. 2005. Idaho wetland conservation prioritization plan. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. 17 p. [accessed 2015 Dec 14]. <https://www.idahoconservation.org/blog/files/wetland-priorities-for-idaho>.
- Halterman MD, Johnson MJ, Holmes JA, Laymon SA. 2015. A natural history summary and survey protocol for the western distinct population segment of the yellow-billed cuckoo. Final Draft. [place unknown]: US Fish and Wildlife Service. 31 p. [accessed 2015 Dec 03]. http://www.fws.gov/southwest/es/arizona/Documents/SpeciesDocs/YellowBilledCuckoo/YBCU_Survey_Protocol_FINAL%20DRAFT_06-08-2015.pdf.
- Hamerstrom F, Hamerstrom F. 1961. Status and problems of North American grouse. [accessed 2015 Nov 20]; *Wilson Bulletin*. 73(3):284–294. <https://sora.unm.edu/sites/default/files/journals/wilson/v073n03/p0284-p0294.pdf>.
- Hamlet AF, Mote PW, Clark MP, Lettenmaier DP. 2005. Effects of temperature and precipitation variability on snowpack trends in the western United States. [accessed 2015 Dec 03]; *Journal of Climate*. 18(21):4545–4561. <http://dx.doi.org/10.1175/JCLI3538.1>.
- Hamlin KL, Ross MS. 2002. Effects of hunting regulation changes on elk and hunters in the Gravelly-Snowcrest Mountains, Montana. Helena (MT): Montana Department of Fish, Wildlife, and Parks. 220 p. Federal Aid Project W-120-R. [accessed 2016 Jan 14]. <https://archive.org/details/effectsofhunting61haml>.
- Hammerson GA. 1982. Amphibians and reptiles in Colorado. 1st ed. Denver (CO): Colorado Division of Wildlife. 484 p.
- Hammerson GA, Santos–Barrera G. 2004. *Anaxyrus woodhousii*. The IUCN Red List of Threatened Species. Version 2014.2. [accessed 2014 Aug 29]. www.iucnredlist.org.
- Hammerson GA, Santos–Barrera G, Muths E. 2004. *Anaxyrus boreas*. The IUCN Red List of Threatened Species. Version 2014.2. [accessed 2014 Sep 26]. www.iucnredlist.org.

- Hammerson GA, Solis F, Ibanez R, Jaramillo C, Fuenmayor Q. 2004. *Lithobates pipiens*. The IUCN Red List of Threatened Species. Version 2014.2. [accessed 2014 Sep 03]. www.iucnredlist.org.
- Hammond PC. 1994. Rare butterfly assessment for the Columbia River Basin in the Pacific Northwest. [place unknown]: Eastside Ecosystems Management Strategy Project. [accessed 2015 Feb 19]. <http://www.icbemp.gov/science/hammond2.pdf>.
- Hampton N. 2005. Insects of the Idaho National Laboratory: a compilation and review. In: Shaw NL, Pellant M, Monsen SB, editors. Sage-grouse Habitat Restoration Symposium Proceedings; 2001 June 4–7; Boise, ID. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. p. 116–130. [accessed 2015 Jun 01]. http://www.fs.fed.us/rm/pubs/rmrs_p038.pdf.
- Hansen A. 2006. Yellowstone bioregional assessment: understanding the ecology and land use of Greater Yellowstone. Bozeman (MT): Montana State University, Landscape Biodiversity Lab. 46 p. Tech. Rep. #2. [accessed 2016 Jan 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5379235.pdf.
- Hansen AJ, Phillips LB. 2015. Which tree species and biome types are most vulnerable to climate change in the US Northern Rocky Mountains? [accessed 2015 Dec 14]; *Forest Ecology and Management*. 338:68–83. http://scholarworks.montana.edu/xmlui/bitstream/handle/1/8935/HansenandPhillips_FEM_%202015_POSTPRINT.pdf?sequence=1.
- Harding DP, Raizada MN. 2015. Controlling weeds with fungi, bacteria and viruses: a review. [accessed 2016 Jan 13]; *Frontiers in Plant Science*. 6:art 659. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4551831/>.
- Hardy R, Paragamian VL. 2013. A synthesis of Kootenai River burbot stock history and future management goals. [accessed 2016 Jan 28]; *Transactions of the American Fisheries Society*. 142(6):1662–1670. <http://dx.doi.org/10.1080/00028487.2013.790845>.
- Hardy RS, Stephenson SM, Neufeld MD, Young SP. 2015. Adaptation of lake-origin burbot stocked into a large river environment. [accessed 2016 Jan 28]; *Hydrobiologia*. 757(1):35–47. <http://dx.doi.org/10.1007/s10750-015-2226-0>.
- Harmata AR, Restani M. 2013. Lead, mercury, selenium and other trace elements in tissues of golden eagles in southwestern Montana, USA. [accessed 2016 Feb 17]; *Journal of Wildlife Diseases*. 49(1):114–124. <http://www.jwildlifedis.org/doi/pdf/10.7589/2012-01-004>.
- Haroldson MA, Frey K. 2014. Estimating sustainability of annual grizzly bear mortalities. In: van Manen FT, Haroldson MA, West K et al., editors. Yellowstone grizzly bear investigations: annual report of the Interagency Grizzly Bear Study Team 2013. Bozeman (MT): US Geological Survey. p. 27–31. [accessed 2015 Jun 01]. <http://nrm-sc.usgs.gov/files/norock/products/IGBST/2013report.pdf>.

- Harper F, Harper PP. 1986. An annotated key to the adult males of the northwestern Nearctic species of *Paraleptophlebia* Lestage (Ephemeroptera: Leptophlebiidae) with the description of a new species. *Canadian Journal of Zoology*. 64(7):1460–1468.
- Harrison RD, Chatterton NJ, Waldron BL, Davenport BW, Palazzo AJ, Horton WH, Asay KH. 2000. Forage kochia: its compatibility and potential aggressiveness on intermountain rangelands. Logan (UT): Utah State University, Utah Experiment Station. Res. Rep. 162. [accessed 2016 Feb 13].
http://www.ars.usda.gov/SP2UserFiles/Place/54281000/pdfs/Forage_Kochia.pdf.
- Hartman CA, Oring LW. 2009. Reproductive success of long-billed curlews (*Numenius americanus*) in northeastern Nevada hay fields. [accessed 2015 Jun 01]; *Auk*. 126(2):420–430. <http://www.bioone.org/doi/abs/10.1525/auk.2009.08062>.
- Harvey MJ, Altenbach JS, Best TL. 2011. *Bats of the United States and Canada*. Baltimore (MD): Johns Hopkins University Press.
- Hatfield R, Colla S, Jepsen S, Richardson L, Thorp R. 2014. IUCN assessments for North American *Bombus* spp.: Idaho species. Draft. Portland (OR): Xerces Society. [21] p.
- Hatfield R, Colla S, Jepsen S, Richardson L, Thorp R, Jordan SF. 2014. IUCN assessments for North American *Bombus* spp. Portland (OR): Xerces Society. Technical report for the North American IUCN Bumble Bee Specialist Group. [revised 2015 Feb 01; accessed 2016 Jan 22].
https://www.researchgate.net/profile/Sarina_Jepsen/publication/270162301_IUCN_Assessments_for_North_American_Bombus_spp_for_the_North_American_IUCN_Bumble_Bee_Specialist_Group/links/5548ef490cf205bce7abfd6b.pdf?inViewer=0&pdfJsDownload=0&origin=publication_detail.
- Hatfield R, Jepsen S, Black S, Shepherd M. 2012. *Conserving bumble bees: guidelines for creating and managing habitat for America's declining pollinators*. Portland (OR): Xerces Society. 32 p. [accessed 2016 Jan 22]. http://www.xerces.org/wp-content/uploads/2012/06/conserving_bb.pdf.
- Hathaway SA, Sheehan DP, Simovich MA. 1996. Vulnerability of branchiopod cysts to crushing. [accessed 2016 Feb 13]; *Journal of Crustacean Biology*. 16(3):448–452. <http://www.jstor.org/stable/1548734>.
- Hatten TD, Looney C, Strange JP, Bosque-Pérez NA. 2013. Bumble bee fauna of Palouse Prairie: survey of native bee pollinators in a fragmented ecosystem. [accessed 2015 Jun 01]; *Journal of Insect Science*. 13:art26.
<http://jinsectscience.oxfordjournals.org/content/jis/13/1/26.full.pdf>.
- Hauer FR, Cook BJ, Gilbert MC, Clairain EJ, Jr., Smith RD. 2002. *A regional guidebook for applying the hydrogeomorphic approach to assessing wetland functions of*

riverine floodplains in the Northern Rocky Mountains. Vicksburg (MS). No. ERDC/EL TR-02-21.

Havlina DW. 1995. Fire effects on vegetation diversity, structure, and successional dynamics in shrub-steppe and mixed conifer environments of the Hells Canyon, Idaho [master's thesis]. Corvallis (OR): Oregon State University. 133 p. [accessed 2016 Feb 08].
http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/6738/Havlina_Douglas_W_ocr.pdf?sequence=1.

Hayes G, Wiles GJ. 2013. Draft Washington State bat conservation plan. Olympia (WA): Washington Department of Fish and Wildlife. 158 p. [accessed 2015 Dec 04].
http://wdfw.wa.gov/publications/01504/draft_wdfw01504.pdf.

Hayward GD, Hayward PH. 1993. Boreal owl (*Aegolius funereus*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/063>.

Hayward GD, Verner J, editors. 1994. Flammulated, boreal, and great gray owls in the United States: a technical conservation assessment. Fort Collins (CO): US Forest Service, Rocky Mountain Forest and Range Experiment Station. 214 p. Gen Tech Rep. RM-253. [accessed 2016 Jan 14].
http://www.fs.fed.us/rm/pubs_rm/rm_gtr253.pdf.

Heath JP, Robertson GJ, Montevecchi WA. 2006. Population structure of breeding harlequin ducks and the influence of predation risk. [accessed 2015 Jun 01]; Canadian Journal of Zoology. 84(6):855–864. <http://www.nrcresearchpress.com/doi/abs/10.1139/z06-059#.Vc4Ecfm6dQI>.

Heath SR, Dunn EH, Agro DJ. 2009. Black tern (*Chlidonias niger*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [revised 2009 Jun 03; accessed 2015 Jun 01].
<http://bna.birds.cornell.edu/bna/species/147>.

Hein C, Gruver J, Arnett E. 2013. Relating pre-construction bat activity and post-construction bat fatality to predict risk at wind energy facilities: a synthesis. A report submitted to the National Renewable Energy Laboratory. Austin (TX): Bat Conservation International. [accessed 2016 Jan 04].
http://www.batsandwind.org/pdf/Pre-%20Post-construction%20Synthesis_FINAL%20REPORT.pdf.

Heinemeyer K, Squires J. 2012. Idaho wolverine—winter recreation research project: investigating the interactions between wolverines and winter recreation. 2011-2012 Progress Report. Salt Lake City (UT): Round River Conservation Studies. 21 p. [revised Technical Report; accessed 2015 Jun 01]. <http://www.roundriver.org/wp-content/uploads/pubs/wolverine/reports/Final-Idaho-Wolverine-Winter-Recreation-Project-2011-2012-Progress-Report-12Dec12.pdf>.

- Heinemeyer K, Squires J. 2014. Idaho wolverine—winter recreation research project: investigating the interactions between wolverines and winter recreation. 2014 Progress Report. Salt Lake City (UT): Round River Conservation Studies. 18 p. [accessed 2015 Dec 14]. <http://wolverinefoundation.org/wp-content/uploads/2015/01/Wolverine-Winter-Recreation-Project-2014-Progress-Report-Final.pdf>.
- Hendricks P, Maxell BA. 2005. Bat surveys on USFS Northern Region land in Montana: 2005. Helena (MT): Montana Natural Heritage Program. 12 p. Report to the US Forest Service, Northern Region. Agreement No. 05-CS-11015600-033. [accessed 2015 Dec 04]. <https://archive.org/stream/C26F4981-9BB9-40DA-AA60-B3369E23F6CA#page/n11/mode/2up>.
- Hendricks P, Maxell BA, Lenard S, Currier C. 2007. Land mollusk surveys on USFS Northern Region lands: 2006. Helena (MT): Montana Natural Heritage Program. 11 p. Agreement No. 05-CS-11015600-033. Report prepared for US Forest Service, Northern Region. [accessed 2016 Jan 21]. http://mtnhp.org/reports/USFS_Mollusc_2006.pdf.
- Hershler R. 1998. A systematic review of the hydrobiid snails (Gastropoda: Rissooidea) of the Great Basin, western United States. Part I. Genus *Pyrgulopsis*. [accessed 2016 Jan 21]; *The Veliger*. 41(1):1–132. http://ndwr.state.nv.us/hearings/past/springetal/browseabledocs/Exhibits%5CGBWN%20Exhibits/GBWN_Exh_016%20Hershler_Snail%20Report.pdf.
- Hershler R, Frest TJ. 1996. A review of the North American freshwater snail genus *Fluminicola* (Hydrobiidae). Washington (DC): Smithsonian Institution Press. (Smithsonian Contributions to Zoology No. 583). [accessed 2016 Jan 21]. http://www.sil.si.edu/smithsoniancontributions/Zoology/pdf_hi/SCTZ-0583.pdf.
- Hershler R, Liu HP. 2009. New species and records of *Pyrgulopsis* (Gastropoda: Hydrobiidae) from the Snake River Basin, southeastern Oregon: further delineation of a highly imperiled fauna. [accessed 2015 Jun 01]; *Zootaxa*. 2006:1–22. <http://www.mapress.com/zootaxa/2009/f/z02006p022f.pdf>.
- Hershler R, Liu HP. 2012. Molecular phylogeny of the western North American pebblesnails, genus *Fluminicola* (Rissooidea: Lithoglyphidae), with description of a new species. [accessed 2016 Jan 21]; *Journal of Molluscan Studies*. 78(4):321–329. <http://mollus.oxfordjournals.org/content/78/4/321.full.pdf+html>.
- Hershler R, Liu HP, Howard J. 2014. Springsnails: a new conservation focus in western North America. [accessed 2016 Jan 21]; *Bioscience*. 64(8):693–700. <http://bioscience.oxfordjournals.org/content/64/8/693.full.pdf+html>.
- Hicke JA, Logan J. 2009. Mapping whitebark pine mortality caused by a mountain pine beetle outbreak with high spatial resolution satellite imagery. [accessed 2015 Dec 21]; *International Journal of Remote Sensing*. 30(17):4427–4441. http://gis.fs.fed.us/wwetac/publications/hicke_logan_2009.pdf.

- Hladik ML, Kolpin DW. 2015. First national-scale reconnaissance of neonicotinoid insecticides in streams across the USA. [accessed 2016 Jan 06]; Environmental Chemistry. 13(1):12–20. <http://www.publish.csiro.au/paper/EN15061>.
- Hoffman G, Skaar D, Dalbey S, DeShazer J, Garrow L, Ostrowski T, Dunnigan J, Marotz B. 2002. Instream flows incremental methodology for Kootenai River, Montana. Final Report 1990-2000. Portland (OR): Bonneville Power Administration. 88 p. Report No.: DOE/BP-00006294-2.
- Hoffman RL, Pilliod DS, editors. 1999. The ecological effects of fish stocking on amphibian populations in high-mountain wilderness lakes. Final Report. Corvallis (OR): US Geological Survey, Biological Resources Division, Forest and Rangeland Ecosystem Science Center. 85 p.
- Hoffman RW, Thomas AE. 2007. Columbian sharp-tailed grouse (*Tympanuchus phasianellus columbianus*): a technical conservation assessment. [place unknown]: US Forest Service, Rocky Mountain Region, Eastside Ecosystems Management Strategy Project. [accessed 2015 Jun 01]. <http://www.fs.fed.us/r2/projects/scp/assessments/columbiansharptailedgrouse.pdf>
- Hoisington–Lopez JL, Waits LP, Sullivan J. 2012. Species limits and integrated taxonomy of the Idaho ground squirrel (*Urocitellus brunneus*): genetic and ecological differentiation. Journal of Mammalogy. 93(2):589–604.
- Holderman C, Anders P, Shafii B, Lester G. 2009. Characterization of the Kootenai River aquatic macroinvertebrate community before and after experimental nutrient addition, 2003-2006. Chapter 3; 2009 KTOI Report. Report prepared for the Kootenai Tribe of Idaho. [publisher unknown]. 88 p. Published through the Information Bridge: DOE Scientific and Technical Information. [accessed 2015 Jun 01]. <https://pisces.bpa.gov/release/documents/documentviewer.aspx?doc=P110393>.
- Hollenbeck JP, Saab VA, Frenzel RW. 2011. Habitat suitability and nest survival of white-headed woodpeckers in unburned forests of Oregon. [accessed 2015 Jun 01]; Journal of Wildlife Management. 75(5):1061–1071. <http://onlinelibrary.wiley.com/doi/10.1002/jwmg.146/full>.
- Holloway GL, Barclay RMR. 2001. *Myotis ciliolabrum*. [accessed 2016 Feb 03]; Mammalian Species. 670:1–5. http://www.science.smith.edu/departments/Biology/VHAYSEN/MSI/pdf/670_Myotis_ciliolabrum.pdf.
- Holsinger JR. 1974. Systematics of the subterranean amphipod genus *Stygobromus* (Gammaridae), Part 1: species of the western United States. Washington (DC): Smithsonian Institution Press. (Smithsonian contributions to zoology; no. 160). 63 p. [accessed 2016 Feb 18]. http://www.sil.si.edu/smithsoniancontributions/zoology/pdf_hi/SCTZ-0160.pdf.

- Hooper SR, Van Den Bussche RA. 2003. Molecular phylogenetics of the chiropteran family Vespertilionidae. *Acta Chiropterologica*. 5(supplement):1–63.
- Hooper SR, Van Den Bussche RA, Horáček I. 2006. Generic status of the American pipistrelles (Vespertilionidae) with description of a new genus. *Journal of Mammalogy*. 87(5):981–992.
- Hopper D, Burak G, Hardy N. 2014. Bruneau hot springsnail (*Pyrgulopsis bruneauensis*) 2013 range-wide surveys. Internal status report. Boise (ID): US Fish and Wildlife Service, Idaho Fish and Wildlife Office. 21 p.
- Hopwood J, Vaughan M, Shepherd M, Biddinger D, Mader E, Black SH, Mazzacano C. 2012. Are neonicotinoids killing bees? A review of research into the effects of neonicotinoid insecticides on bees, with recommendations for action. Portland (OR): Xerces Society. 32 p. [accessed 2015 Dec 09]. http://www.xerces.org/wp-content/uploads/2012/03/Are-Neonicotinoids-Killing-Bees_Xerces-Society1.pdf.
- Hossack BR, Newell RL, Ruitter DE. 2011. New collection records and range extension for the caddisfly *Arctopora salmon* (Smith, 1969) (Trichoptera: Limnephilidae). [accessed 2015 Jun 01]; *Pan-Pacific Entomologist*. 87(3):206–208. http://montanaecoservices.com/resources/Papers/Caddisfly-PanPacEnt_2011.pdf.
- Houlahan JE, Findlay CS, Schmidt BR, Meyer AH, Kuzmin SL. 2000. Quantitative evidence for global amphibian population declines. [accessed 2015 Dec 04]; *Nature*. 404(6779):752–755. <http://www.nature.com/nature/journal/v404/n6779/abs/404752a0.html>.
- Houston CS, Scott F. 2006. Entanglement threatens ospreys at Saskatchewan nests. [accessed 2015 Jun 01]; *Journal of Raptor Research*. 40(3):226–228. <http://www.bioone.org/doi/full/10.3356/0892-1016%282006%2940%5B226%3AETOASN%5D2.0.CO%3B2>.
- Hovingh P. 2004. Intermountain freshwater mollusks, USA (*Margaritifera*, *Anodonta*, *Gonidea*, *Valvata*, *Ferrissia*): geography, conservation, and fish management implications. [accessed 2015 Jun 01]; *Monographs of the Western North American Naturalist*. 2(1):109–135. <http://www.bioone.org/doi/abs/10.3398/1545-0228-2.1.109>.
- Howard RP, Wolfe ML. 1976. Range improvement practices and ferruginous hawks. [accessed 2015 Dec 30]; *Journal of Range Management*. 29(1):33–37. <https://journals.uair.arizona.edu/index.php/jrm/article/download/12732/12011#page=39>.
- Howe KB, Coates PS, Delehanty DJ. 2014. Selection of anthropogenic features and vegetation characteristics by nesting Common Ravens in the sagebrush ecosystem. [accessed 2016 Jan 13]; *The Condor*. 116(1):35–49. <http://www.aoucospubs.org/doi/abs/10.1650/CONDOR-13-115-R2.1>.

- Hughes JM. 2015. Yellow-billed Cuckoo (*Coccyzus americanus*). The Birds of North America Online. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2015 May 07; accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/418>.
- Huso MMP, Dalthorp D. 2014. Accounting for unsearched areas in estimating wind turbine-caused fatality. *Journal of Wildlife Management*. 78(2):347–358.
- Hychka KC, Wardrop DH, Brooks RP. 2007. Enhancing a landscape assessment with intensive data: a case study in the Upper Juniata watershed. *Wetlands*. 27(3):446–461.
- [IDEQ] Idaho Department of Environmental Quality. 2003. Implementation plan for the lower Boise River total maximum daily load. Boise (ID): Idaho Department of Environmental Quality. [accessed 2016 Feb 13]. https://www.deq.idaho.gov/media/451497-_water_data_reports_surface_water_tmdls_boise_river_lower_lbr_total_phosphorus_plan_final.pdf.
- [IDEQ] Idaho Department of Environmental Quality, Boise Regional Office. 2009. Cascade Reservoir watershed phase III water quality management plan and TMDL five year review. Boise (ID): Idaho Department of Environmental Quality. [accessed 2016 Feb 19]. http://www.deq.idaho.gov/media/452918-_water_data_reports_surface_water_tmdls_cascade_reservoir_cascade_reservoir_five_year_review_final_0209.pdf.
- [IDEQ] Idaho Department of Environmental Quality. 2010. Owyhee County ground water quality improvement and drinking water source protection plan. Boise (ID): Idaho Department of Environmental Quality. [accessed 2015 Jan 12]. http://www.deq.idaho.gov/media/471439-owyhee_co_gwq_dwsp_plan.pdf.
- [IDEQ] Idaho Department of Environmental Quality. 2015. Aquaculture in Idaho. [accessed 2015 Jan 12]. <https://www.deq.idaho.gov/water-quality/wastewater/aquaculture/>.
- [IDFG] Idaho Department of Fish and Game. 2005. Idaho comprehensive wildlife conservation strategy. Boise (ID): Idaho Department of Fish and Game; [accessed 2015 Dec 27]. <http://fishandgame.idaho.gov/public/wildlife/cwcs/>.
- [IDFG] Idaho Department of Fish and Game. 2006. Mountain goat species management plan. Draft. Boise (ID): Idaho Department of Fish and Game. 72 p.
- [IDFG] Idaho Department of Fish and Game. 2010. A summary of the fish and wildlife resources of the South Fork Snake River. Boise (ID): Idaho Department of Fish and Game. 7 p. Report prepared by IDFG Fisheries and Wildlife Staff, Upper Snake Regional Office.

- [IDFG] Idaho Department of Fish and Game. 2010. Idaho Bighorn Sheep management plan. Boise (ID): Idaho Department of Fish and Game.
- [IDFG] Idaho Department of Fish and Game. 2010. The Columbia spotted frog (*Rana luteiventris*) Great Basin population: conservation strategy. Draft. Boise (ID): Idaho Department of Fish and Game. 12 p.
- [IDFG] Idaho Department of Fish and Game. 2011. The status of Pacific lamprey (*Entosphenus tridentatus*) in Idaho. Boise (ID): Idaho Department of fish and Game. 59 p. [accessed 2016 Jan 28].
<http://idahodocs.cdmhost.com/utills/getdownloaditem/collection/p16293coll7/id/245182/filename/245183.pdf/mapsto/pdf>.
- [IDFG] Idaho Department of Fish and Game. 2013. Fisheries management plan 2013–2018. Boise (ID): Idaho Department of Fish and Game. 359 p. [accessed 2015 Dec 14].
<https://collaboration.idfg.idaho.gov/FisheriesTechnicalReports/Fisheries%20Management%20Plan%202013-2018.pdf>.
- [IDFG] Idaho Department of Fish and Game. 2014. Bird conservation strategy: reducing American white pelican/Yellowstone cutthroat trout conflicts. Boise (ID): Idaho Department of Fish and Game. 7 p.
- [IDFG] Idaho Department of Fish and Game. 2014. Idaho Fish and Wildlife Information System, Species Diversity Database. Idaho Natural Heritage Data. Accessed July, 2014.
- [IDFG] Idaho Department of Fish and Game. 2014. Management plan for the conservation of wolverines in Idaho 2014–2019. Boise (ID): Idaho Department of Fish and Game. 49 p. [accessed 2015 Jun 01].
<http://fishandgame.idaho.gov/public/wildlife/planWolverine.pdf>.
- [IDFG] Idaho Department of Fish and Game. 2015. Management plan for the conservation of American white pelicans in Idaho: a five-year plan to conserve American white pelican populations and manage impacts to fisheries resources in Idaho. In revision. Boise (ID): Idaho Department of Fish and Game. 62 p.
- [IDFG] Idaho Department of Fish and Game. 2015. Management plan for the conservation of Columbian sharp-tailed grouse in Idaho 2015–2025. Draft. Boise (ID): Idaho Department of Fish and Game. 61 p. [accessed 2016 Feb 01].
<http://fishandgame.idaho.gov/public/wildlife/draftPlanCSTG.pdf>.
- [IDFG] Idaho Department of Fish and Game. 2015. Southeast Idaho northern leopard frog and western toad status. Boise (ID): Idaho Department of Fish and Game. 11 p. Final Performance Report, Project F11AP00710.
- [IDFG] Idaho Department of Fish and Game, Nongame and Endangered Wildlife Program, Natural Heritage Section. Moseley R, Groves, C, compilers. 1990. Rare,

threatened and endangered plants and animals of Idaho. Boise (ID): Idaho Department of Fish and Game.

[IDFG] Idaho Department of Fish and Game, Nongame and Endangered Wildlife Program, Conservation Data Center. Moseley, R, Groves, C, compilers. 1992. Rare, threatened and endangered plants and animals of Idaho. Boise (ID): Idaho Department of Fish and Game.

[IISC] Idaho Invasive Species Council. 2007. 2008 Statewide strategic plan for Eurasian watermilfoil in Idaho. Boise (ID). 85 p. [accessed 2015 Nov 10].
<http://www.agri.idaho.gov/AGRI/Categories/PlantsInsects/NoxiousWeeds/Documents/Milfoil/EWM%20Strategy%20Final.pdf>.

[IISCTC] Idaho Invasive Species Council Technical Committee. 2007. Idaho aquatic nuisance species plan. A supplement to Idaho's strategic action plan for invasive species. Boise (ID): The Idaho Invasive Species Council Technical Committee. 60 p.

Idaho Sage-grouse Advisory Committee. 2006. Conservation Plan for the Greater Sage-grouse in Idaho. [Boise] (ID): [publisher unknown].

Idaho State Board of Land Commissioners. 2015. Greater Sage-Grouse Conservation Plan. Boise (ID): Idaho Department of Lands.

[ISCE] Idaho State Conservation Effort. 1996. Habitat conservation assessment and conservation strategy for the Idaho dunes tiger beetle. Boise (ID): Idaho State Conservation Effort. 32 p. Report no. 7. [accessed 2015 Dec 03].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.59659.File.dat/TB_96-14.pdf.

[ISDA] Idaho State Department of Agriculture. 1999. Idaho strategic plan for managing noxious weeds. Boise (ID): Idaho State Department of Agriculture. [accessed 2016 Feb 09].
http://www.wilderness.net/toolboxes/documents/invasive/Idaho_Strategic_Plan.pdf.

[ISDA] Idaho State Department of Agriculture. 2010. 2010 Grasshopper and Mormon cricket suppression program summary. Summary Report. Boise (ID): Idaho State Department of Agriculture. 6 p. [accessed 2015 Jun 01].
http://www.agri.state.id.us/Categories/PlantsInsects/GrasshopperMormonCricketControlProgram/Documents/FormsPublicationsReports/2010GHProgramSummarynoBudget%20_2_.pdf.

[ISDA] Idaho State Department of Agriculture. 2012. The Idaho invasive species strategic plan 2012–2016. Boise (ID): Idaho State Department of Agriculture.

[ISDA] Idaho State Department of Agriculture. 2015. Road-side inspection stations. [accessed 2015 Nov 10].

http://www.agri.idaho.gov/Categories/Environment/InvasiveSpeciesCouncil/Inspection_Stations_ALL.php.

- [IYGBDAT] Idaho's Yellowstone Grizzly Bear Delisting Advisory Team. 2002. State of Idaho Yellowstone grizzly bear management plan to accompany HCR 62, as modified by House Resource and Conservation Committee. Unpublished document.
- IDAPA 13.01.06.000, et seq., Rules of the Idaho Fish and Game Commission, IDAPA 13.01.06, "Rules Governing Classification and Protection of Wildlife". 2015.
- Inman RM, Brock BL, Inman KH, Sartorius SS, Aber BC, Giddings B, Cain SL, Orme ML, Fredrick JA, Oakleaf BJ, et al. 2013. Developing priorities for metapopulation conservation at the landscape scale: Wolverines in the western United States. [accessed 2015 Dec 03]; *Biological Conservation*. 166:276–286. http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1435&context=usfws_pubs.
- [ITIS] Integrated Taxonomic Information System. 2015. ITIS Integrated Taxonomic Information System. Reston (VA): Integrated Taxonomic Information System; [accessed 2015 Jun 13]. <http://www.itis.gov/>.
- [ICST] Interagency Conservation Strategy Team. 2007. Final conservation strategy for the grizzly bear in the Greater Yellowstone Area. [place unknown]: US Fish and Wildlife Service. 86 p. [accessed 2015 Dec 03]. <http://www.fws.gov/mountain-prairie/species/mammals/grizzly/ConservationStrategygrizzlybearGYA.pdf>.
- [IGBST] Interagency Grizzly Bear Study Team. 2012. Updating and evaluating approaches to estimate population size and sustainable mortality limits for grizzly bears in the Greater Yellowstone Ecosystem. Bozeman (MT): US Geological Survey, Northern Rocky Mountain Science Center. 53 p. [accessed 2016 Jan 14]. [http://www.nrmisc.usgs.gov/files/norock/IGBST/GYEGBMonMortWksRpt2012\(2\).pdf](http://www.nrmisc.usgs.gov/files/norock/IGBST/GYEGBMonMortWksRpt2012(2).pdf)
- [IGBST] Interagency Grizzly Bear Study Team. 2013. Response of Yellowstone grizzly bears to changes in food resources: a synthesis. Final report to the Interagency Grizzly Bear Committee and Yellowstone Ecosystem Subcommittee. Bozeman (MT): US Geological Survey, Northern Rocky Mountain Science Center. 54 p. [accessed 2016 Feb 10]. http://www.nrmisc.usgs.gov/files/norock/IGBST/IGBST_FoodSynReport120213.pdf.
- [IGBST] Interagency Grizzly Bear Study Team. 2015. Yellowstone grizzly bear investigations 2014: Annual report of the Interagency Grizzly Bear Study Team. (Van Manen FT, Haroldson MA, Soileau S, editors). Bozeman (MT): US Geological Survey, Northern Rocky Mountain Science Center. [accessed 2016 Feb 10]. <http://nrmisc.usgs.gov/files/norock/products/IGBST/2014Report.pdf>.
- [IUCN] International Union for Conservation of Nature. 2001. IUCN Red List categories and criteria: version 3.1. IUCN Species Survival Commission. Gland (Switzerland) and

- Cambridge (UK): IUCN; [accessed 2012 Apr 4].
<http://www.iucnredlist.org/technical-documents/categories-and-criteria>.
- Isaak DJ, Luce CH, Rieman BE, Nagel DE, Peterson EE, Horan DL, Parkes S, Chandler GL. 2010. Effects of climate change and wildfire on stream temperatures and salmonid thermal habitat in a mountain river network. [accessed 2016 Jan 28]; *Ecological Applications*. 20(5):1350–1371.
<http://onlinelibrary.wiley.com/doi/10.1890/09-0822.1/epdf>.
- Isaak DJ, Young MK, Nagel DE, Horan DL, Groce MC. 2015. The cold-water climate shield: delineating refugia for preserving salmonid fishes through the 21st century. [accessed 2015 Dec 09]; *Global Change Biology*. 21(7):2540–2553.
<http://dx.doi.org/10.1111/gcb.12879>.
- Iverson SA, Esler D. 2010. Harlequin duck population injury and recovery dynamics following the 1989 Exxon Valdez oil spill. [accessed 2015 Jun 01]; *Ecological Applications*. 20(7):1993–2006.
<http://www.sfu.ca/biology2/wildberg/papers/IversonEslerEcolApp10.pdf>.
- Ivey GL, Herziger CP. 2006. Intermountain West waterbird conservation plan, version 1.2. A plan associated with the Waterbird Conservation for the Americas Initiative. Portland (OR): US Fish and Wildlife Service. [accessed 2015 May 05].
<http://www.fws.gov/pacific/migratorybirds/PDF/IWWCP.pdf>.
- Jacobus LM, Kondratieff BC, Meyer MD, McCafferty WP. 2003. Contribution to the biology and systematics of *Ephemerella alleni* (Ephemeroptera: Ephemerellidae). [accessed 2015 Jun 01]; *Pan-Pacific Entomologist*. 79(3-4):207–211.
http://www.ephemeroptera-galactica.com/pubs/pub_j/pubjacobus12004p207.pdf.
- Jankovsky–Jones M. 1996. Conservation strategy for Henrys Fork basin wetlands. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. 30 p. [accessed 2016 Jan 14].
https://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/hforkpla.pdf.
- Jankovsky–Jones M. 1997. Conservation strategy for Big Wood River basin wetlands. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. 32 p. + app. US EPA Grant No.: CD990484-01-0. [accessed 2016 Jan 04].
https://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/bwplan.pdf.
- Jepsen S, LaBar C, Zarnoch J. 2012. Species profile: western pearlshell (*Margaritifera falcata*) (Gould, 1850) Bivalvia: Margaritiferidae. Portland (OR): Xerces Society. 24 p. [accessed 2015 Jun 01]. <http://www.xerces.org/wp-content/uploads/2008/09/xerces-status-review-margaritifera-falcata-2012.pdf>.
- Jepsen S, Schweitzer DF, Young B, Sears N, Ormes M, Black SH. 2015. Conservation status and ecology of the monarch butterfly in the United States. Arlington (VA): NatureServe. 36 p. Jointly published with The Xerces Society, Portland (OR).

- [accessed 2016 Jan 25]. http://www.xerces.org/wp-content/uploads/2015/03/NatureServe-Xerces_monarchs_USFS-final.pdf.
- Johnson CG Jr, Swanson DK. 2005. Bunchgrass plant communities of the Blue and Ochoco Mountains: a guide for managers. Portland (OR): US Forest Service, Pacific Northwest Research Station. 119 p. Gen. Tech. Rep. PNW-GTR-641. [accessed 2016 Jan 04]. <http://treesearch.fs.fed.us/pubs/download/20801.pdf>.
- Johnson G, Holloran M. 2010. Greater sage-grouse and wind energy development: a review of the issues. Portland (OR): Renewable Northwest Project. 78 p. [accessed 2015 Jun 01]. <http://www.rnp.org/node/RNP-sage-grouse-report>.
- Johnston KM, Freund KA, Schmitz OJ. 2012. Projected range shifting by montane mammals under climate change: implications for Cascadia's national parks. [accessed 2015 Jun 01]; *Ecosphere*. 3(11):art97. <http://dx.doi.org/10.1890/ES12-00077.1>.
- Jones SL, Nations CS, Fellows SD, McDonald LL. 2008. Breeding abundance and distribution of long-billed curlews (*Numenius americanus*) in North America. [accessed 2016 Feb 01]; *Waterbirds*. 31(1):1–14. [http://dx.doi.org/10.1675/1524-4695\(2008\)31\[1:BAADOL\]2.0.CO;2](http://dx.doi.org/10.1675/1524-4695(2008)31[1:BAADOL]2.0.CO;2).
- Jordan SF, Black SH. 2012. Effects of Forest Land Management on Terrestrial Mollusks: A Literature Review. Portland (OR): The Xerces Society. 87 p. [accessed 2015 Dec 10]. <http://www.xerces.org/wp-content/uploads/2012/04/forest-land-management-and-mollusks.pdf>.
- Jordan SF, Mazzacano C, Jepsen S, Black SH. 2010. Petition to list the straight snowfly (*Capnia lineata* Hanson, 1943) and the Idaho snowfly (*Capnia zukeli* Hanson, 1943) as endangered species under the US Endangered Species Act. Portland (OR): The Xerces Society. 36 p. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2010/06/capnia_lineata__capnia_zukeli_-petition.pdf.
- Joseph LN, Maloney RF, Possingham HP. 2009. Optimal allocation of resources among threatened species: a Project Prioritization Protocol. *Conservation Biology*. 23(2):328-338.
- Joslin G, Youmans H, editors. 1999. Effects of recreation on Rocky Mountain wildlife: a review for Montana. Helena (MT): Montana Chapter of the Wildlife Society, Committee on Effects of Recreation on Wildlife. 307 p. [accessed 2016 Feb 04]. <http://www.montanatws.org/pages/page4a.html>.
- Karl TR, Melillo JM, Peterson TC, editors. 2009. Global climate change impacts in the United States. Cambridge (UK): Cambridge University Press. 188 p. [accessed 2016 Feb 05]. <http://downloads.globalchange.gov/usimpacts/pdfs/climate-impacts-report.pdf>.

- Kasworm WF, Manley TL. 1990. Road and trail influences on grizzly bears and black bears in northwest Montana. In: Darling LM, Archibald WR, editors. Bears: Their Biology and Management; a Selection of Papers from the Eighth International Conference on Bear Research and Management; 1989 Feb 20–25; Victoria (BC). [place unknown]: International Association for Bear Research and Management. p. 79–84. [accessed 2015 Jun 01].
http://www.bearbiology.com/fileadmin/tpl/Downloads/URSUS/Vol_8/Kasworm_Manley_8.pdf.
- Katzner TE, Parker KL. 1997. Vegetative characteristics and size of home ranges used by pygmy rabbits (*Brachylagus idahoensis*) during winter. [accessed 2015 Dec 22]; Journal of Mammalogy. 78(4):1063–1072.
<http://jmmammal.oxfordjournals.org/content/jmmammal/78/4/1063.full.pdf>.
- Kauffman JB, Krueger WC. 1984. Livestock impacts on riparian ecosystems and streamside management implications. a review. [accessed 2015 Nov 20]; Journal of Range Management. 37(5):430–438.
<https://journals.uair.arizona.edu/index.php/jrm/article/viewFile/12827/12104#page=51>.
- Kay CE. 1997. Is aspen doomed? [accessed 2016 Feb 10]; Journal of Forestry. 95(5):4–11.
[http://idahoforwildlife.com/Charles Kay/9- Is Aspen Doomed.pdf](http://idahoforwildlife.com/Charles%20Kay/9-Is%20Aspen%20Doomed.pdf).
- Kay CE (Wildlife Management Services). 2001. The condition and trend of aspen communities on BLM administered lands in central Nevada – with recommendations for management. Final Report. Battle Mountain (NV): US Bureau of Land Management. 152 p. Work Order No.: FGP000039. [accessed 2016 Jan 05].
<https://archive.org/download/conditiontrendof01kayc/conditiontrendof01kayc.pdf>.
- Keane RE, Ryan KC, Veblen TT, Allen CD, Logan J, Hawkes B. 2002. Cascading effects of fire exclusion in Rocky Mountain ecosystems: a literature review. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. 24 p. RMRS-GTR-91. [accessed 2015 Dec 10]. http://www.fs.fed.us/rm/pubs/rmrs_gtr091.pdf.
- Keane RE, Tomback DF, Aubry CA, Bower AD, Campbell EM, Cripps CL, Jenkins MB, Mahalovich MF, Manning M, McKinney ST, et al. 2012. A range-wide restoration strategy for whitebark pine (*Pinus albicaulis*). Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. 108 p. RMRS-GTR-279. [accessed 2015 Dec 22]. <http://treesearch.fs.fed.us/pubs/download/40884.pdf>.
- Kegley S, Gibson K. 2004. Protecting whitebark pine trees from mountain pine beetle attack using verbenone. Missoula (MT): US Forest Service, Northern Region. 4 p. Forest Health Protection Report no.: 04-8. [accessed 2015 Dec 10].
<http://www.planetnatural.com/wp-content/uploads/verbenone.pdf>.

- Keiter RB, Boyce MS, editors. 1991. The greater Yellowstone ecosystem: redefining America's wilderness heritage. New Haven (CT): Yale University Press. 428 p.
- Kendall KC, Macleod AC, Boyd KL, Boulanger J, Royle JA, Kasworm WF, Paetkau D, Proctor MF, Annis K, Graves TA. 2016. Density, distribution, and genetic structure of grizzly bears in the Cabinet–Yaak Ecosystem. *The Journal of Wildlife Management*. 80(2):314–331.
- Kerns BK, Naylor BJ, Buonopane M, Parks CG, Rogers B. 2009. Modeling tamarisk (*Tamarix* spp.) habitat and climate change effects in the northwestern United States. [accessed 2015 Jun 01]; *Invasive Plant Science and Management*. 2(3):200–215. <http://naldc.nal.usda.gov/download/37164/PDF>.
- Kerr JT, Pindar A, Galpern P, Packer L, Potts SG, Roberts SM, Rasmont P, Schweiger O, Colla SR, Richardson LL, et al. 2015. Climate change impacts on bumblebees converge across continents. [accessed 2016 Jan 22]; *Science*. 349(6244):177–180. <http://science.sciencemag.org/sci/349/6244/177.full.pdf>.
- Kiesecker JM, Blaustein AR, Belden LK. 2001. Complex causes of amphibian population declines. [accessed 2015 Dec 10]; *Nature*. 410(6829):681–684. <http://dx.doi.org/10.1038/35070552>.
- Kipfmüller KF, Baker WL. 2000. A fire history of a subalpine forest in south-eastern Wyoming, USA. [accessed 2015 Nov 20]; *Journal of Biogeography*. 27(1):71–85. <http://dx.doi.org/10.1046/j.1365-2699.2000.00364.x>.
- Kjelstrom LC. 1992. Assessment of spring discharge to the Snake River, Milner Dam to King Hill, Idaho. [Reston (VA)]: US Geological Survey. (Water Fact Sheet. Open-File Report; no. 92-147). [accessed 2016 Feb 18]. 2 p. <http://pubs.usgs.gov/of/1992/0147/report.pdf>.
- Klute DS, Ayers LW, Green MT, Howe WH, Jones SL, Shaffer JA, Sheffield SR, Zimmerman TS. 2003. Status assessment and conservation plan for the western burrowing owl in the United States. Washington (DC): US Fish and Wildlife Service. 108 p. Biol. Tech. Pub. FWS/BTP-R6001-2003. [accessed 2016 Jan 13]. <http://www.fws.gov/mountain-prairie/migbirds/species/birds/wbo/Western%20Burrowing%20Owlrev73003a.pdf>.
- Knapp PA, Soulé PT, Grissino–Mayer HD. 2001. Post-drought growth responses of western juniper (*Juniperus occidentalis* var. *occidentalis*) in central Oregon. *Geophysical Research Letters*. 28(13):2657–2660.
- Knick ST, Dobkin DS, Rotenberry JT, Schroeder MA, Vander Haegen WM, van Riper C, III. 2003. Teetering on the edge or too late? Conservation and research issues for avifauna of sagebrush habitats. *Condor*. 105(4):611–634.
- Knisley CB, Kippenhan M, Brzoska D. 2014. Conservation status of United States tiger beetles. [accessed 2015 Jun 01]; *Terrestrial Arthropod Reviews*. 7(2-4):93–145. http://bison-m.org/documents/48302_TAR_1077_Knisley_et.al.pdf.

- Knisley CB, Woodcock MR, Kippenhan MG. 2012. A morphological and mtDNA analysis of the badlands tiger beetle, *Cicindela* (*s. str.*) *decemnotata* Say, 1817 (Coleoptera: Carabidae: Cicindelinae) with the description of three new subspecies. [accessed 2016 Jan 22]; *Insecta Mundi*. 0214:1–49. <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1730&context=insectamundi>
- Knowles N, Dettinger MD, Cayan DR. 2006. Trends in snowfall versus rainfall in the western United States. [accessed 2015 Dec 03]; *Journal of Climate*. 19(18):4545–4559. <http://journals.ametsoc.org/doi/pdf/10.1175/JCLI3850.1>.
- Knudsen GR, Dixon RD, Amelon SK. 2013. Potential spread of white-nose syndrome of bats to the Northwest: epidemiological considerations. [accessed 2015 Dec 04]; *Northwest Science*. 87(4):292–306. <http://dx.doi.org/10.3955/046.087.0401>.
- Koch ED, Peterson CR. 1995. Amphibians and reptiles of Yellowstone and Grand Teton national parks. Salt Lake City (UT): University of Utah Press. 188 p.
- Koch J, Strange J, Williams P. 2012. Bumble bees of the western United States. Washington (DC): US Forest Service. 143 p. [accessed 2015 Jun 01]. <http://www.fs.fed.us/wildflowers/pollinators/documents/BumbleBeeGuideWestern2012.pdf>.
- Koch JB. 2011. The decline and conservation status of North American bumble bees [master's thesis]. Logan (UT): Utah State University. [accessed 2016 Feb 04]. <http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=2023&context=etd>.
- Kochert MN, Steenhof K. 2002. Golden eagles in the U.S. and Canada: status, trends, and conservation challenges. [accessed 2016 Feb 01]; *Journal of Raptor Research*. 36(1 Supplement):32–40. http://aguilarealmexico.com/home_biblioteca/Conservacion/Conservaci%C2%A2n.%201-Golden%20Eagles%20in%20the%20US%20and%20Canada.pdf.
- Kochert MN, Steenhof K, McIntyre CL, Craig EH. 2002. Golden eagle (*Aquila chrysaetos*). *The Birds of North America Online*. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 01]. <http://bna.birds.cornell.edu/bna/species/684>.
- Kohler S. 2007. A description of a new subspecies of *Lycaena phlaeas* (Lycaenidae: Lycaeninae) from Montana, United States, with a comparative study of Old and New World populations. [accessed 2015 Jun 01]; *Taxonomic Report of The International Lepidoptera Survey*. 7(1):1–19. <http://lepsurvey.carolinanature.com/ttr/ttr-7-1.pdf>.
- Kondratieff BC, Baumann RW. 2009. A contribution to the knowledge of *Sweltsa exquisita* (Frison) and *S. occidentis* (Frison) and description of a new species of *Sweltsa* from the northern Rocky Mountains, U.S.A. (Plecoptera: Chloroperlidae). [accessed

- 2016 Jan 25]; *Illiesia*. 5(3):20–29. <http://www2.pms-lj.si/illiesia/papers/Illiesia05-03.pdf>.
- [KTOI] Kootenai Tribe of Idaho. 2009. Kootenai River habitat restoration project master plan: a conceptual feasibility analysis and design framework. Bonners Ferry (ID): Kootenai Tribe of Idaho. [accessed 2016 Feb 08]. http://www.kootenai.org/documents/KRHRP-MP-0709-Print_001.pdf.
- [KTOI] Kootenai Tribe of Idaho, Montana Fish, Wildlife & Parks,. 2004. Kootenai Subbasin plan. Part I: Kootenai River Subbasin assessment. Portland (OR): Northwest Power and Conservation Council. 555 p. Report prepared for Northwest Power and Conservation Council. [accessed 2016 Feb 08]. https://www.nwcouncil.org/media/119099/Kootenai_Assessment.pdf.
- [KVRI] Kootenai Valley Resource Initiative Burbot Committee. 2005. Kootenai River/Kootenay Lake burbot conservation strategy. [place unknown]: Kootenai Tribe of Idaho. 74 p. Document prepared with assistance from S. P. Cramer and Associates. [accessed 2016 Jan 28]. http://www.fishsciences.net/reports/download_report.php?rid=3544.
- Kozlowski AJ, Gese EM, Arjo WM. 2008. Niche overlap and resource partitioning between sympatric kit foxes and coyotes in the Great Basin Desert of western Utah. [accessed 2015 Jun 01]; *American Midland Naturalist*. 160(1):191–208. <http://naldc.nal.usda.gov/catalog/19222>.
- Kozlowski AJ, Gese EM, Arjo WM. 2012. Effects of intraguild predation: evaluating resource competition between two canid species with apparent niche separation. [accessed 2015 Jun 01]; *International Journal of Ecology*. 2012:art 628426. <http://www.hindawi.com/journals/ijecol/2012/629246/>.
- Krausman PR, Naugle DE, Frisina MR, Northrup R, Bleich VC, Block WM, Wallace MC, Wright JD. 2009. Livestock grazing, wildlife habitat, and rangeland values. *Rangelands*. 31(5):15–19.
- Krebs J, Lofroth EC, Parfitt I. 2007. Multiscale habitat use by wolverines in British Columbia. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 71(7):2180–2192. <http://onlinelibrary.wiley.com/doi/10.2193/2007-099/pdf>.
- Kreuzer MP, Huntly NJ. 2003. Habitat-specific demography: evidence for source-sink population structure in a mammal, the pika. [accessed 2015 Jun 01]; *Oecologia*. 134(3):343–349. <http://www.ncbi.nlm.nih.gov/pubmed/12647141>.
- Kuck L. 1984. Impacts of phosphate mining on mule deer, elk and moose in southeast Idaho. Job completion report W-160-R. Boise (ID): Idaho Department of Fish and Game. (Southeast Idaho wildlife studies; vol. 1). 399 p.

- Kulakowski D, Kaye MW, Kashian DM. 2013. Long-term aspen cover change in the western US. [accessed 2015 Dec 22]; *Forest Ecology and Management*. 299:52–59. <http://www.sciencedirect.com/science/article/pii/S0378112713000297>.
- Kunkel KE, Stevens LE, Stevens SE, Sun L, Janssen E, Wuebbles D, Redmond KT, Dobson JG. 2013. Regional climate trends and scenarios for the U.S. National Climate Assessment. Part 6. Climate of the Northwest U.S. Washington (DC): National Oceanic and Atmospheric Administration. NOAA Tech. Rep. NESDIS 142-6. [accessed 2016 Jan 05]. http://www.nesdis.noaa.gov/technical_reports/NOAA_NESDIS_Tech_Report_142-6-Climature_of_the_Northwest_U.S.pdf.
- Kunz TH, Arnett EB, Cooper BM, Erickson WP, Larkin RP, Mabee T, Morrison ML, Strickland MD, Szewczak JM. 2007. Assessing impacts of wind-energy development on nocturnally active birds and bats: a guidance document. [accessed 2016 Jan 04]; *The Journal of Wildlife Management*. 71 (8):2449–2486. <http://onlinelibrary.wiley.com/doi/10.2193/2007-270/epdf>.
- Kunz TH, Braun de Torrez E, Bauer D, Lobo T, Fleming TH. 2011. Ecosystem services provided by bats. [accessed 2016 Jan 04]; *Annals of the New York Academy of Sciences*. 1223:1–38. <http://www.privatelandownernetnetwork.org/pdfs/wns%20kunz%20april%205%20%202011.pdf>.
- Kunz TH, Racey PA. 1998. *Bat biology and conservation*. Washington (DC): Smithsonian Institution Press. 365 p.
- Kunz TH, Reichard JD. 2010. Status review of the Little Brown Myotis (*Myotis lucifugus*) and determination that immediate listing under the Endangered Species Act is scientifically and legally warranted. Boston (MA): Boston University, Center for Ecology and Conservation Biology. 30 p. [accessed 2016 Feb 02]. http://www.biologicaldiversity.org/campaigns/bat_crisis_white-nose_syndrome/pdfs/Final-Status-Review.pdf.
- LaBonte JR. 1995. Possible threatened or endangered terrestrial predaceous Coleoptera of the Columbia River Basin. [publisher unknown]. 31 p. Report prepared for the US Bureau of Land Management/ US Forest Service--Eastside Ecosystem Management Project. [accessed 2015 Jun 01]. <http://www.icbemp.gov/science/labontejames38.pdf>.
- Lammers WM, Collopy MW. 2007. Effectiveness of avian predator perch deterrents on electric transmission lines. [accessed 2016 Feb 17]; *The Journal of Wildlife Management*. 71 (8):2752–2758. <http://environment.unr.edu/academy/about/CollopyPubs/LammersCollopy2007.pdf>.
- Langston N. 1995. *Forest dreams, forest nightmares : the paradox of old growth in the Inland West*. Seattle (WA): University of Washington Press.

- Lankford-Bingle AJ, Svancara LK, Vierling K. 2015. A new framework for spatio-temporal climate change impact assessment for terrestrial wildlife. [accessed 2016 Feb 02]; *Environmental Management*. 56(6):1514–1527. <http://dx.doi.org/10.1007/s00267-015-0583-0>.
- Larrucea ES, Brussard PF. 2008. Shift in location of pygmy rabbit (*Brachylagus idahoensis*) habitat in response to changing environments. [accessed 2015 Jun 01]; *Journal of Arid Environments*. 72(9):1636–1643. <http://www.sciencedirect.com/science/article/pii/S0140196308000815>.
- Larsen ER, Williams BW. 2015. Historical biogeography of *Pacifastacus* crayfishes and their Branchiobdellidan and Entocytherid ectosymbionts in western North America. In: Kawai T, Faulkes Z, Scholtz G, editors. *Freshwater crayfish: a global overview*. Boca Raton (FL): CRC Press. p. 404–447. [accessed 2016 Feb 13]. https://www.researchgate.net/profile/Eric_Larson6/publication/275770403_Historical_Biogeography_of_Pacifastacus_Crayfishes_and_their_Branchiobdellidan_and_Entocytherid_Ectosymbionts_in_Western_North_America/links/554655930cf234bd21d8cdc.pdf?inViewer=0&pdfJsDownload=0&origin=publication_detail.
- Larson ER, Olden JD. 2011. The state of crayfish in the Pacific Northwest. [accessed 2016 Jan 26]; *Fisheries*. 36(2):60–73. <http://www.tandfonline.com/doi/abs/10.1577/03632415.2011.10389069>.
- Latif QS, Saab VA, Mellen-Mclean K, Dudley JG. 2015. Evaluating habitat suitability models for nesting white-headed woodpeckers in unburned forest. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 79(2):263–273. http://www.fs.fed.us/rm/pubs_journals/2015/rmrs_2015_latif_q001.pdf.
- Launchbaugh K, Brammer B, Brooks ML, Bunting S, Clark P, Davison J, Fleming M, Kay R, Pellant M, Pyke DA et al. 2008. Interactions among livestock grazing, vegetation type, and fire behavior in the Murphy Wildland Fire Complex in Idaho and Nevada, July 2007: US Geological Survey Open-File Report 2008–1214. Reston (VA): US Geological Survey.
- Lavergne S, Molofsky J. 2007. Increased genetic variation and evolutionary potential drive the success of an invasive grass. [accessed 2015 Dec 10]; *Proceedings of the National Academy of Sciences*. 104(10):3883–3888. <http://www.pnas.org/content/104/10/3883.full.pdf>.
- Lawler JJ. 2009. Climate change adaptation strategies for resource management and conservation planning. [accessed 2015 Nov 20]; *Annals of the New York Academy of Sciences*. 1162:79–98. <http://dx.doi.org/10.1111/j.1749-6632.2009.04147.x>.
- Lawler JJ, Safford HD, Girvetz EH. 2012. Martens and fishers in a changing climate. In: Aubry KB, Zielinski WJ, Raphael MG et al., editors. *Biology and conservation of martens, sables, and fishers: a new synthesis*. Ithaca (NY): Comstock Publishing

- Associates, Division of Cornell University Press. p. 371–397. [accessed 2015 Jun 01]. <http://www.jstor.org/stable/10.7591/j.cttn34sk>.
- Lefcort H, Abbott D, Cleary D, Howell E, Keller N, Smith M. 2004. Aquatic snails from mining sites have evolved to detect and avoid heavy metals. *Archives of Environmental Contamination and Toxicology*. 46(4):478–484.
- Lefcort H, Freedman Z, House S, Pendleton M. 2008. Hormetic effects of heavy metals in aquatic snails: Is a little bit of pollution good? [accessed 2016 Jan 21]; *EcoHealth*. 5(1):10–17. http://www-personal.umich.edu/~zacf/Publications_files/Lefcort%20%26%20Freedman_2008_EcoHealth.pdf.
- Lefcort H, Wehner EA, Cocco PL. 2013. Pre-exposure to heavy metal pollution and the odor of predation decrease the ability of snails to avoid stressors. *Archives of Environmental Contamination and Toxicology*. 64(2):273–280.
- Lemly JM, Gilligan L, Fink M. 2011. Statewide strategies to improve effectiveness in protecting and restoring Colorado's wetland resource: including the Rio Grande Headwaters Pilot Wetland Condition Assessment. Fort Collins (CO).
- Lemoine M, Young MK, McKelvey KS, Eby L, Pilgrim KL, Schwartz MK. 2014. *Cottus schitsuumsh*, a new species of sculpin (Scorpaeniformes: Cottidae) in the Columbia River basin, Idaho–Montana, USA. *Zootaxa*. 3755(3):241–258.
- Leonard WP, Chichester L, Ovaska K. 2003. *Prophysaon dubium* Cockerell, 1890, the papillose taildropper (Gastropoda: Arionidae): distribution and anatomy. *The Nautilus*. 117(2):62–67.
- Leonard WP, Chichester L, Richart CH, Young TA. 2011. *Securicauda hermani* and *Carinacauda stormi*, two new genera and species of slug from the Pacific Northwest of the United States (Gastropoda: Stylommatophora: Arionidae), with notes on *Gliabates oregonius* Webb 1959. [accessed 2015 Jun 01]; *Zootaxa*. 2746:43–56. <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.296.8330&rep=rep1&type=pdf>.
- Leonard WP, McAllister KR, Friesz RC. 1999. Survey and assessment of northern leopard frog (*Rana pipiens*) populations in Washington State [abstract]. [accessed 2015 Jun 01]; *Northwestern Naturalist*. 80(2):51–60. http://www.jstor.org/stable/3536929?seq=1#page_scan_tab_contents.
- Lepidopterists' Society Season Summary Database. 2015. The Lepidopterists' Society. Occurrence data for *Callophrys johnsoni*. [accessed 2015 Mar 18]. <http://www.flmnh.ufl.edu/lepsoc/>.
- Lester GT, McCafferty WP, Edmondson MR. 2002. New mayfly (Ephemeroptera) records from Idaho. *Entomological News*. 113(2):131–136.

- Levad RG, Potter KM, Shultz CW, Gunn C, Doerr JG. 2008. Distribution, abundance, and nest-site characteristics of black swifts in the southern Rocky Mountains of Colorado and New Mexico. [accessed 2016 Feb 02]; *The Wilson Journal of Ornithology*. 120(2):331–338.
<http://www.rmbo.org/dataentry/postingArticle/dataBox/DISTRIBUTION-ABUNDANCE-AND-NEST-SITE-CHARACTERISTICS-OF-BLACK-SWIFTS-IN-THE-SOUTHERN-ROCKY-MOUNTAINS-OF-COLORADO-AND-NEW-MEXICO.pdf>.
- Lichthardt J. 2004. Conservation strategy for Idaho Panhandle peatlands. Boise (ID): Idaho Department of Fish and Game, Idaho Conservation Data Center.
- Light JE, Hafner JC, Upham NS, Reddington E. 2013. Conservation genetics of kangaroo mice, genus *Microdipodops*. [accessed 2015 Jun 01]; *Journal of Mammalian Evolution*. 20(2):129–146. <http://link.springer.com/article/10.1007/s10914-012-9193-2>.
- Lingo HA. 2013. Beaver reintroduction correlates with spotted frog population restoration and terrestrial movement patterns of newly metamorphosed Columbia spotted frogs in Owyhee Uplands of southwestern Idaho [master's thesis]. Boise (ID): Boise State University. 114 p.
<http://scholarworks.boisestate.edu/cgi/viewcontent.cgi?article=1904&context=td>
- Linsley EG, Chemsak JA. 1976. *Cerambycidae of North America. Part VI, no 2: taxonomy and classification of the subfamily Lepturinae*. Berkeley (CA): Univ. of California Press. 186 p.
- Linzey AV, Hammerson GA. 2008. *Marmota caligata*. The IUCN red list of threatened species 2008. e.T42456A10707639. [accessed 2016 Feb 03].
<http://www.iucnredlist.org/pdf/link.10707639>.
- Littell JS, McKenzie D, Peterson DL, Westerling AL. 2009. Climate and wildfire area burned in western U.S. ecoprovinces, 1916–2003. [accessed 2015 Dec 22]; *Ecological Applications*. 19(4):1003–1021. <http://dx.doi.org/10.1890/07-1183.1>.
- Liu H-P, Hershler R, Rossel CS. 2015. Taxonomic status of the Columbia dusksnail (*Truncatelloidea*, *Amnicolidae*, *Colligyus*). [accessed 2016 Jan 21]; *ZooKeys*. (514):1–13. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4525021/>.
- Loeb SC, Rodhouse TJ, Ellison LE, Lausen CL, Reichard JD, Irvine KM, Ingersoll TE, Coleman JTH, Thogmartin WE, Sauer JR et al. 2015. A plan for the North American Bat Monitoring Program (NABat). Gen. Tech. Rep. SRS-208. Asheville (NC): USDA Forest Service, Southern Research Station. p. 100 p.
- Lohr K, Yensen E, Munger JC, Novak SJ. 2013. Relationship between habitat characteristics and densities of southern Idaho ground squirrels. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 77(5):983–993.
<http://onlinelibrary.wiley.com/doi/10.1002/jwmg.541/epdf>.

- Loomis J. 2005. The economic value of recreational fishing and boating to visitors and communities along the Upper Snake River. Fort Collins (CO): Colorado State University, Department of Agricultural and Resource Economics. 90 p. [accessed 2016 Jan 14].
https://henrysfork.org/files/Completed%20Research%20Projects/Economic_Value_of_Recreational_to_Communities-Loomis.pdf.
- Looney C. 2008. Habitat loss and fragmentation on the Palouse and its impact on arthropod conservation [dissertation]. Moscow (ID): University of Idaho. [accessed 2016 Feb 04]. <http://digital.lib.uidaho.edu/cdm/ref/collection/etd/id/342>.
- Lotan JE, Perry DA. 1983. Ecology and regeneration of lodgepole pine. Washington (DC): US Forest Service. (Agriculture Handbook No. 606). 51 p.
- Lowther P, Poole AF, Gibbs JP, Melvin S, Reid FA. 2009. American Bittern (*Botaurus lentiginosus*). The Birds of North America Online. (Poole A, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Dec 15].
<http://bna.birds.cornell.edu/bna/species/018>.
- Lowther PE, Collins CT. 2002. Black swift (*Cypseloides niger*). The Birds of North America Online. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/676>.
- Lucid, MK, Robinson L, Ehlers SE. 2016. Multi-species Baseline Initiative project report. 2010–2014. Coeur d'Alene (ID): Idaho Department of Fish and Game.
- Luzier CW, Schaller HA, Brostrom JK, Cook-Tabor C, Goodman DH, Nelle R, Ostrand K, Streif B. 2011. Pacific lamprey (*Entosphenus tridentatus*) assessment and template for conservation measures. Portland (OR): US Fish and Wildlife Service, Region 1. 282 p. [accessed 2015 Dec 14].
<http://www.fws.gov/pacific/Fisheries/sphabcon/Lamprey/lampreytemplate.html>.
- Lybarger HR. 2014. Detection of heavy metals in Rocky Mountain tailed frog (*Ascaphus montanus*) tadpoles near abandoned mines in northern Idaho [master's thesis]. Edwardsville (IL): Southern Illinois University Edwardsville. 46 p.
<http://gradworks.umi.com/1557838.pdf>.
- Lysne S. 2003. Annual monitoring report on the Bruneau hot springsnail. Boise (ID): US Fish and Wildlife Service, Snake River Fish and Wildlife Office.
- Lysne S. 2009. A guide to southern Idaho's freshwater mollusks. Boise (ID): US Fish and Wildlife Service. 43 p. [accessed 2015 Jun 01].
<http://www.fws.gov/idaho/home/snailguidefinal92009topkg.pdf>.
- Lysne S, Krouse BR. 2011. *Margaritifera falcata* in Idaho: using museum collections and GIS to demonstrate a declining trend in regional distribution. Journal of the Idaho Academy of Science. 47(2):33–40.

- Lysne SJ, Clark WH. 2009. Mollusc survey of the lower Bruneau River, Owyhee County, Idaho, USA. [accessed 2015 Jun 01]; American Malacological Bulletin. 27(1–2):167–172. <http://www.bioone.org/doi/abs/10.4003/006.027.0214>.
- Lysne SJ, Garcia G, Krouse BR. 2011. Molluscan community composition and richness in four high-elevation Idaho streams includes a nonnative taxon. [accessed 2015 Jun 01]; American Malacological Bulletin. 29(1–2):127–133. <http://www.bioone.org/doi/abs/10.4003/006.029.0204>.
- Mace RD, Waller JS, Manley TL, Lyon LJ, Zuuring H. 1996. Relationships among grizzly bears, roads and habitat in the Swan Mountains, Montana. [accessed 2015 Jun 01]; Journal of Applied Ecology. 33(6):1395–1404. <http://www.jstor.org/stable/2404779>.
- Mack RN, Thompson JN. 1982. Evolution in steppe with few large, hooved mammals. [accessed 2015 Jun 01]; American Naturalist. 119(6):757–773. http://www.jstor.org/stable/2460961?seq=1#page_scan_tab_contents.
- Mader E, Shepherd M, Vaughan M, Black SH, LeBuhn G. 2011. Attracting native pollinators: protecting North America's bees and butterflies. North Adams (MA): Storey Publishing. 380 p.
- Maestas JD, Campbell SB. 2014. Mapping potential ecosystem resilience and resistance across sage-grouse range using soil temperature and moisture regimes. [place unknown]: Sage Grouse Initiative. 4 p. Fact Sheet. [accessed 2015 Dec 22]. <http://www.sagegrouseinitiative.com/wp-content/uploads/2013/07/Soil-Temp-Moist-Data-Fact-Sheet-HIGH-RES-012215.pdf>.
- Maier CA, Ivie MA, Johnson JB, Maddison DR. 2010. A new northern-most record for the family Hydroscaphidae (Coleoptera: Myxophaga), with description of a new Nearctic species. [accessed 2015 Jun 01]; Coleopterists Bulletin. 64(4):289–302. <http://www.bioone.org/doi/abs/10.1649/0010-065X-64.4.289>.
- Makela PD. 1994. Burley district tiger beetle inventory. [place unknown]: Idaho Bureau of Land Management. 21 p. Gen. Tech. Bull. No.: 94-2. [accessed 2015 Dec 03]. http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.63745.File.dat/TB%2094-2.pdf.
- Makela PD. 1998. A survey for northern leopard frogs (*Rana pipiens*) in the Snake River Resource Area: 1997. Boise (ID): US Bureau of Land Management, Idaho State Office. 55 p. Technical Bulletin 98-8.
- Mallett J. 2000. Idaho Department of Fish and Game response to the 90-day finding on a petition to list the Columbian sharp-tailed grouse as threatened. Administrative record of the Status Review Team, US Fish and Wildlife Service, Portland, Oregon, USA.

- Maret TR, Cain DJ, MacCoy DE, Short TM. 2003. Response of benthic invertebrate assemblages to metal exposure and bioaccumulation associated with hard-rock mining in northwestern streams, USA. [accessed 2015 Dec 04]; *Journal of the North American Benthological Society*. 22(4):598–620. <http://www.jstor.org/stable/1468356>.
- Maret TR, Hortness JE, Ott DS. 2006. Instream flow characterization of Upper Salmon River Basin streams, central Idaho, 2005. [place unknown]: US Geological Survey. Scientific Investigations Report 2006–5230. [accessed 2015 Dec 22]. <http://pubs.usgs.gov/sir/2006/5230/pdf/sir20065230.pdf>.
- Maret TR, MacCoy DE. 2002. Fish assemblages and environmental variables associated with hard-rock mining in the Coeur d'Alene River Basin, Idaho. [accessed 2015 Dec 04]; *Transactions of the American Fisheries Society*. 131(5):865–884. [http://dx.doi.org/10.1577/1548-8659\(2002\)131<0865:FAAEVA>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(2002)131<0865:FAAEVA>2.0.CO;2).
- Marsh H, Dennis A, Hines H, Kutt A, McDonald K, Weber E, Williams S, Winter J. 2007. Optimizing allocation of management resources for wildlife. *Conservation Biology*. 21(2):387–399.
- Martin JW, Carlson BA. 1998. Sage sparrow (*Artemisospiza belli*). *The Birds of North America Online*. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/326>.
- Master LL, Faber–Langendoen D, Bittman R, Hammerson GA, Heidel B, Ramsay L, Snow K, Teucher A, Tomaino A. 2012. NatureServe conservation status assessments: factors for evaluating species and ecosystem risk. Arlington (VA): NatureServe; [accessed 2015 May 2]. http://www.natureserve.org/sites/default/files/publications/files/natureserveconservationstatusfactors_apr12.pdf.
- Mawdsley JR, O'Malley R, Ojima DS. 2009. A review of climate-change adaptation strategies for wildlife management and biodiversity conservation. [accessed 2015 Dec 10]; *Conservation Biology*. 23(5):1080–1089. <http://dx.doi.org/10.1111/j.1523-1739.2009.01264.x>.
- Mazzacano C. 2008. *Capnia zukeli* (Hanson 1943), Idaho snowfly, Plecoptera: Capniidae. Portland (OR): Xerces Society. [accessed 2016 Jan 25]. http://www.xerces.org/wp-content/uploads/2008/09/capnia_zukeli.pdf.
- Mazzacano C. 2008. *Sericostriata surdickae* (Wiggins, Weaver and Unzicker 1995): a Northern Rocky Mountain Refugium caddisfly Trichoptera: Uenoidae. Portland (OR): Xerces Society. [accessed 12 Jan. 2015]. http://www.xerces.org/wp-content/uploads/2008/09/sericostriata_surdickae.pdf.
- Mazzacano C. 2009. *Capnia lineata* (Hanson 1943), straight stonefly, Plecoptera: Capniidae. Portland (OR): Xerces Society. [accessed 2015 Jun 01].

http://www.xerces.org/wp-content/uploads/2009/12/capnia_lineata_profile_v2.pdf.

McDonald M. 1996. Amphibian inventory of the Jarbidge and Snake River Resource areas. Final report. US Bureau of Land Management, Idaho State Office. Tech. Bull. No.: 96-13. [accessed 2016 Feb 13].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.40203.File.dat/TB%2096-13.pdf.

McGee M, Keinath D. 2004. Species assessment for boreal toad (*Bufo boreas boreas*) in Wyoming. [publisher unknown]. Prepared for US Bureau of Land Management, Wyoming State Office. [accessed 2016 Jan 28].
http://www.uwyo.edu/wyndd/_files/docs/reports/wynddreports/u04mcg01wyus.pdf.

McKelvey KS, Copeland JP, Schwartz MK, Littell JS, Aubry KB, Squires JR, Parks SA, Elsner MM, Mauger GS. 2011. Climate change predicted to shift wolverine distributions, connectivity, and dispersal corridors. [accessed 2015 Jun 01]; *Ecological Applications*. 21 (8):2882–2897.
http://scholarworks.umn.edu/cgi/viewcontent.cgi?article=1073&context=wildbio_pubs.

Meehl GA, Stocker TF, Collins WD, Friedlingstein P, Gaye AT, Gregory JM, Kitoh A, Knutti R, Murphy JM, Noda A, et al. 2007. Global climate projections. In: Solomon S, Qin D, Manning M et al., editors. *Climate change 2007: the physical science basis. Contribution of Working Group I to the fourth assessment report of the Intergovernmental Panel on Climate Change*. Cambridge (UK) and New York (NY): Cambridge University Press. p. 749–845. [accessed 2015 Dec 04].
<http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-chapter10.pdf>.

Merigliano MF. 1996. Ecology and management of the South Fork Snake River cottonwood forest. Boise (ID): US Bureau of Land Management, Idaho State Office. 66 p. Tech. Bull. 96-9. [accessed 2015 Dec 03].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.57754.File.dat/TB.

Merrill JC. 1897. Notes on the birds of Fort Sherman, Idaho. [accessed 2015 Jun 01]; *Auk*. 14(4):347–357. <http://www.jstor.org/stable/4068468>.

Merrill T, Mattson D. 2003. The extent and location of habitat biophysically suitable for grizzly bears in the Yellowstone region. [accessed 2015 Dec 22]; *Ursus*. 14(2):171–187. <http://www.jstor.org/stable/3873017>.

Messmer TA, Hasenyager R, Burruss J, Liguori S. 2013. Stakeholder contemporary knowledge needs regarding the potential effects of tall structures on sage-grouse. [accessed 2016 Feb 17]; *Human-Wildlife Interactions*. 7(2):273–298.
<http://berrymaninstitute.org/files/uploads/Messmer.pdf>.

- Miller GC, Graul WD. 1980. Status of sharp-tailed grouse in North America. In: Vohs PA Jr, Knopf FL, editors. Proceedings of the Prairie Grouse Symposium; 1980 Sep 17-18; Oklahoma State University, Stillwater, Oklahoma, USA. [publisher unknown]. p. 18–28.
- Miller JC, Hammond PC. 2003. Lepidoptera of the Pacific Northwest: caterpillars and adults. Morgantown (WV): US Forest Service, Forest Health Technology Enterprise Team. 324 p. [accessed 2015 Jun 01].
http://www.fs.fed.us/foresthealth/technology/pdfs/FHTET_03_11.pdf.
- Miller JC, Hammond PC. 2007. Butterflies and moths of Pacific Northwest forests and woodlands: rare, endangered, and management-sensitive species. Morgantown (WV): US Forest Service, Forest Health Technology Enterprise Team. 234 p. [accessed 2015 Jun 01].
http://www.fs.fed.us/foresthealth/technology/pdfs/MILLER_LEPIDOPTERA_WEB.pdf
- Miller MW, Knowles DP, Bulgin MS. 2008. Pasteurellosis transmission risks between domestic and wild sheep. Ames (IA): Council for Agricultural Science and Technology. 8 p. CAST Commentary QTA2008-1. [accessed 2015 Nov 18]. <http://www.cast-science.org/download.cfm?PublicationID=2939&File=1030baf75ce0a1df3d2611277434121c4778TR>.
- Miller RA, deKramer KE, Carlisle JD. 2013. Black Swift surveys within and around the Idaho Panhandle National Forest 2013. Final Report. Boise (ID): Boise State University, Department of Biological Sciences, Idaho Bird Observatory. 5 p. Challenge Cost Share Project No. 11-CS-11015600-016.
- Miller RA, Paprocki N, Stuber M, Moulton C, Carlisle J. In Review. Short-eared owl (*Asio flammeus*) surveys in the North American Intermountain West: utilizing citizen scientists to conduct long-term monitoring.
- Miller RF, Eddleman LL. 2001. Spatial and temporal changes of sage grouse habitat in the sagebrush biome. Corvallis (OR): Oregon State University, Agricultural Experiment Station. 35 p. Tech. Bull. no. 151. [accessed 2015 Nov 20].
<http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/20881/tb151.pdf>.
- Miller RF, Tausch RJ. 2001. The role of fire in pinyon and juniper woodlands: a descriptive analysis. In: Galley KEM, Wilson TP, editors. Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species; Tallahassee, FL. Tall Timbers Research Station. p. 15–30. [accessed 2015 Nov 20].
http://www.sagestep.org/educational_resources/bibliographies/articles/2002_MillerTausch.pdf.
- Millsap BA, Zimmerman GS, Sauer JR, Nielson RM, Otto M, Bjerre E, Murphy R. 2013. Golden eagle population trends in the western United States: 1968–2010. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 77(7):1436–1448.
<http://onlinelibrary.wiley.com/doi/10.1002/jwmg.588/epdf>.

- Mineau P, Palmer C. 2013. The impact of the nation's most widely used insecticides on birds. The Plains (VA): American Bird Conservancy. [accessed 2016 Jan 06]. <http://extension.entm.purdue.edu/neonicotinoids/PDF/TheImpactoftheNationsMostWidelyUsedInsecticidesonBirds.pdf>.
- Mitchell CD, Eichholz MW. 2010. Trumpeter Swan (*Cygnus buccinator*). The Birds of North America Online. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2010 Jul 12; accessed 2016 Jan 29]. <http://bna.birds.cornell.edu/bna/species/105>.
- Mita D, DeKeyser E, Kirby D, Eason G. 2007. Developing a wetland condition prediction model using landscape structure variability. *Wetlands*. 27(4):1124–1133.
- Miyasaki H. 2013. Surveys and inventories. 2013 statewide report: mountain goat: study I, job 5, July 1, 2012 to June 30, 2013. Technical Report. Boise (ID): Idaho Department of Fish and Game. 70 p. [accessed 2015 Jun 01]. <https://collaboration.idfg.idaho.gov/WildlifeTechnicalReports/Mtn%20Goat%20Statewide-2013.pdf>.
- Mladenka GC. 1992. The ecological life history of the Bruneau Hot Springs snail (*Pyrgulopsis bruneauensis*) [master's thesis]. Pocatello (ID): Idaho State University, Department of Biological Sciences, Stream Ecology Center.
- Monroe C, Fallon C, Frey D, Stevens S. 2015. Western monarch Thanksgiving count data from 1997–2014. [spreadsheet]. [accessed 2016 Jan 25]. <http://www.xerces.org/wp-content/uploads/2011/04/WMTC-Data-1997-2014.pdf>.
- Montana Field Guide. 2015. Helena (MT): Montana Natural Heritage Program. Northern Rocky Mountain Refugium Caddisfly - *Goereilla baumanni*. [accessed 2015 Jan 12]. <http://fieldguide.mt.gov/speciesDetail.aspx?elcode=IIIRIF8010>.
- Morelli TL, Carr SC. 2011. A review of the potential effects of climate change on quaking aspen (*Populus tremuloides*) in the western United States and a new tool for surveying sudden aspen decline. Albany (CA): US Forest Service, Pacific Southwest Research Station. 31 p. Gen. Tech. Rep. PSW-GTR-235. [accessed 2015 Dec 22]. http://www.fs.fed.us/psw/publications/documents/psw_gtr235/psw_gtr235.pdf.
- Moseley RK. 1995. Report on the conservation status of *Lepidium davisii*. Boise (ID): Idaho Department of Fish and Game, Conservation Data Center. 34 p. Status survey report prepared for Idaho Department of Parks and Recreation.
- Moser A. 2004. Statewide survey for mountain quail 2003–2004. Boise (ID): Idaho Department of Fish and Game. 45 p.
- Moser A, Murphy C. 2015. Sand Creek WMA habitat monitoring results, 2014. Boise (ID): Idaho Department of Fish and Game. 43 p.

- Mote PW. 2003. Trends in temperature and precipitation in the Pacific Northwest during the twentieth century. [accessed 2015 Dec 03]; Northwest Science. 77(4):271–282. <https://research.libraries.wsu.edu:8443/xmlui/bitstream/handle/2376/1032/v77%20p271%20Mote.PDF?sequence=1&isAllowed=y>.
- Mote PW, Hamlet AF, Clark MP, Lettenmaier DP. 2005. Declining mountain snowpack in western North America. [accessed 2015 Jun 01]; Bulletin of the American Meteorological Society. 86(1):39–49. <http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/28018/MotePhilipW.CEOAS.DecliningMountainSnowpack.pdf?sequence=1>.
- Moulton C. 2012. Long-billed curlew (*Numenius americanus*) and burrowing owl (*Athene cunicularia*) populations in the BLM Four Rivers Field Office: 2011 Annual Report. Boise (ID): Idaho Department of Fish and Game. 12 p.
- Moulton C, Carlisle J, Brenner K, Cavallaro R. 2013. Assessment of foraging habitats of white-faced ibis near two important breeding colonies in eastern Idaho. Boise (ID): Idaho Department of Fish and Game, Wildlife Diversity Program. 18 p. [accessed 2016 Feb 02]. http://iwjv.org/sites/default/files/upper_snake_white-faced_ibis_project_report_0.pdf.
- Moulton C, Wackenhut MC. In Review. Changes in population size, productivity, and distribution of western American white pelicans (*Pelecanus erythrorhynchos*), 1960-2013.
- Mueggler WF. 1988. Aspen community types of the Intermountain Region. Ogden (UT): US Forest Service, Intermountain Research Station. 135 p. Gen. Tech. Rep. INT-250. [accessed 2015 Dec 22]. <http://treesearch.fs.fed.us/pubs/download/32906.pdf>.
- Muhlfeld CC, Albeke SE, Gunckel SL, Writer BJ, Shepard BB, May BE. 2015. Status and conservation of interior redband trout in the western United States. [accessed 2015 Jul 01]; North American Journal of Fisheries Management. 35(1):31–53. <http://dx.doi.org/10.1080/02755947.2014.951807>.
- Muller MJ. 1995. Pied-billed grebes nesting on Green Lake, Seattle, Washington. Washington Birds. 4:35–59.
- Muller MJ, Storer RW. 1999. Pied-billed grebe (*Podilymbus podiceps*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Laboratory of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/410/>.
- Munger JC, Barnett BR, Novak SJ, Ames AA. 2003. Impacts of off-highway motorized vehicle trails on the reptiles and vegetation of the Owyhee Front: Idaho, Idaho Bureau of Land Management Technical Bulletin No. 03-3. Boise (ID): Bureau of Land Management (US), Idaho.
- Munger JC, Gerber M, Madrid K, Carroll MA, Petersen W, Heberger L. 1998. U.S. National Wetland Inventory classifications as predictors of the occurrence of Columbia

spotted frogs (*Rana luteiventris*) and Pacific treefrogs (*Hyla regilla*). [accessed 2015 Jun 01]; Conservation Biology. 12(2):320–330.
[http://onlinelibrary.wiley.com/doi/10.1111/j.1523-1739.1998.97012.x/abstract?userIsAuthenticated=false&deniedAccessCustomisedMessage=.](http://onlinelibrary.wiley.com/doi/10.1111/j.1523-1739.1998.97012.x/abstract?userIsAuthenticated=false&deniedAccessCustomisedMessage=)

- Munger JC, Peterson CR, McDonald M, Carrigan T. 1997. Conservation strategy for the Columbia spotted frog (*Rana luteiventris*) in Idaho. Draft submitted to the Idaho State Conservation Effort. [Unpublished report].
- Munger JC, Peterson CR, McDonald M, Carrigan T. 2002. Habitat conservation assessment for the Columbia Spotted Frog (*Rana luteiventris*) in Idaho (Draft: 2002 Oct 3). Submitted to the Idaho State Conservation Effort. Boise (ID): Idaho Conservation Effort.
- Murphy C. 2014. Idaho's wetland program plan: a plan for implementing the Idaho Wetland Conservation Strategy focused on Idaho Department of Fish and Game's wetland and riparian habitats. Boise (ID): Idaho Department of Fish and Game, Wildlife Bureau, Habitat Section. 99 p. Report prepared for US Environmental Protection Agency, Region 10, Wetland Program Development Grant.
- Murphy C, Schmidt A. 2010. Development of a landscape-scale wetland condition assessment tool for Idaho. Boise (ID).
- Murphy C, Miller J, Schmidt A. 2012. Idaho's landscape-scale wetland condition assessment tool—methods and applications in conservation and restoration planning. Boise (ID): Idaho Department of Fish and Game, Wildlife Bureau and Information Systems Bureau.
- Murphy C, Miller J, Schmidt A. 2012. Idaho wetland conservation prioritization plan—2012. Boise (ID): Idaho Department of Fish and Game. 29 p. Report prepared for Idaho Department of Parks and Recreation. [accessed 2016 Jan 14].
http://www.recpro.org/assets/Library/SCORPs/id_scorp_2012-wetland_consv_plan.pdf.
- Murphy C, Weekley T. 2012. Measuring outcomes of wetland restoration, enhancement, and creation in Idaho—Assessing potential functions, values, and condition in a watershed context. Boise (ID): Idaho Department of Fish and Game, Wildlife Bureau, Habitat Section. Report prepared for US Environmental Protection Agency, Region 10, Wetland Program Development Grant.
- Myler CD, Minshall GW. 2000. 1999 Annual monitoring report: Bruneau hot-spring springsnail (*Pyrgulopsis bruneauensis*). Pocatello (ID): Idaho State University, Department of Biological Sciences, Stream Ecology Center. 50 p. Report prepared for the US Bureau of Land Management, Lower Snake River District, Boise, ID. [accessed 2016 Jan 12].

http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.73553.File.dat/TB%2001-10.pdf.

Myler CD, Mladenka GC, Minshall GW. 2007. Trend analysis shows decline of an endangered thermophilic springsnail (*Pyrgulopsis bruneauensis*) in southwestern Idaho. [accessed 2015 Jun 01]; *Western North American Naturalist*. 67(2):199–205. <https://journals.lib.byu.edu/spc/index.php/wnan/article/download/27634/26097>.

National Audubon Society. 2010. Christmas Bird Count Historical Results [online]. [accessed 2014 Dec 14]. <http://birds.audubon.org/christmas-bird-count>.

[NMFS] National Marine Fisheries Service (US). 2011. Draft Idaho management unit plan for spring/summer Chinook & steelhead. Portland (OR): National Marine Fisheries Service, West Coast Region. [revised 2014 Oct 22; accessed 2015 Jun 01]. http://www.westcoast.fisheries.noaa.gov/protected_species/salmon_steelhead/recovery_planning_and_implementation/snake_river/current_snake_river_recovery_plan_documents.html.

[NMFS] National Marine Fisheries Service (US). 2015. Draft ESA recovery plan for Idaho Snake River spring/summer chinook salmon (*Oncorhynchus tshawytscha*) and Snake River steelhead (*Oncorhynchus mykiss*) populations. Portland (OR): National Marine Fisheries Service, West Coast Region.

[NMFS] National Marine Fisheries Service (US). 2015. ESA recovery plan for Snake River sockeye salmon (*Oncorhynchus nerka*). Portland (OR): National Marine Fisheries Service. 405 p. [accessed 2016 Jan 28]. http://www.nmfs.noaa.gov/pr/recovery/plans/snake_river_sockeye_recovery_plan_june_2015.pdf.

[NMFS] National Marine Fisheries Service (US). 2015. Listing endangered or threatened species; 90-day finding on a petition to delist the Snake River fall-run chinook salmon evolutionarily significant unit. [accessed 2016 Jan 07]; *Fed Regist*. 80(77):22468–22472. <https://www.gpo.gov/fdsys/pkg/FR-2015-04-22/pdf/2015-09358.pdf>.

[NMFS] National Marine Fisheries Service (US). 2015. Proposed ESA recovery plan for Snake River fall chinook salmon (*Oncorhynchus tshawytscha*). Portland (OR): National Marine Fisheries Service. 326 p. [accessed 2016 Jan 28]. http://www.nmfs.noaa.gov/pr/hot_topics/2015/Nov/proposed_snake_river_fall_chinook_recovery_plan_october_2015.pdf.

[NOAA] National Oceanic and Atmospheric Administration. 2014. 50 CFR Parts 223 and 224 [Docket No. 130501429–4198–02] RIN 0648–XC659 Endangered and Threatened Wildlife; Final rule to revise the Code of Federal Regulations for species under the jurisdiction of the National Marine Fisheries Service. *Fed Regist*. 79(71):20802–20817.

- [NPS; BLM], National Park Service, Bureau of Land Management (US). 2007. Management plan for Craters of the Moon National Monument and Preserve. [place unknown]: US Department of the Interior. [accessed 2015 Dec 03]. <http://www.nps.gov/crmo/parkmgmt/upload/Presentation%20Plan.pdf>.
- [NRC] National Research Council of the National Academies (US). 2007. Status of pollinators in North America. Washington (DC): National Academies Press. 307 p. [accessed 2015 Jun 01]. <http://www.nap.edu/catalog/11761/status-of-pollinators-in-north-america>. NatureServe. 2015. NatureServe Explorer: An online encyclopedia of life. Version 7.1. Arlington (VA): NatureServe. [accessed 2016 Jan 22]. <http://explorer.natureserve.org>.
- [NRCS] Natural Resources Conservation Service. 2016. The PLANTS Database. Greensboro (NC): National Plant Data Team; [accessed 2016 Jan 14]. <http://plants.usda.gov>.
- NatureServe. 2012. NatureServe Conservation Status Assessments: Rank Calculator version 3.1. Arlington (VA): NatureServe; [accessed 2012 Aug 26]. http://connect.natureserve.org/publications/StatusAssess_Download.
- NatureServe. 2015a. Global Conservation Status Definitions. Arlington (VA): NatureServe; [accessed 2015 May 14]. <http://explorer.natureserve.org/granks.htm>.
- NatureServe. 2015b. National and Subnational Conservation Status Definitions. Arlington (VA): NatureServe; [accessed 2015 May 14]. <http://explorer.natureserve.org/nsranks.htm>.
- NatureServe. 2015c. NatureServe Conservation Status Assessments: Rank Calculator, Version 3.185. Arlington (VA): NatureServe; [accessed 2015 May 2]. http://connect.natureserve.org/publications/StatusAssess_RankCalculator.
- Naugle DE, Doherty KE, Walker BL, Holloran MJ, Copeland HE. 2011. Energy development and greater sage-grouse. In: Knick ST, Connelly JW, editors. Greater sage-grouse: ecology and conservation of a landscape species and its habitats. Berkeley (CA): University of California Press. (Studies in avian biology; vol. 38). p. 489–504. [accessed 2015 Jun 01]. <http://grazingforgrouse.com/sites/default/files/Naugle%20Doherty%20Walker%20011.pdf>
- Nedeau EJ, Smith AK, Stone J, Jepsen S. 2009. Freshwater mussels of the Pacific Northwest. 2nd Edition. Portland (OR): Xerces Society. 51 p. [accessed 2016 Jan 21]. http://www.xerces.org/wp-content/uploads/2009/06/pnw_mussel_guide_2nd_edition.pdf.
- Nelson CR, Baumann RW. 1987. The winter stonefly genus *Capnura* (Plecoptera: Capniidae) in North America: systematics, phylogeny, and zoogeography. [accessed 2016 Jan 25]; Transactions of the American Entomological Society (1890–). 113(1):1–28. <http://www.jstor.org/stable/25078403>.

- Nelson GH, Walters Jr GC, Haines RD, Bellamy CL. 2008. A catalog and bibliography of the Buprestoidea of America north of Mexico. North Potomac (MD): Coleopterists Society. (Special publications of the Coleopterists Society; no. 4). 274 p.
- Neuenschwander LF, Byler JW, Harvey AE, McDonald GI, Ortiz DS, Osborne HL, Snyder GC, Zack A. 1999. White pine in the American West: a vanishing species—can we save it? Ogden (UT): US Forest Service, Rocky Mountain Research Station. 20 p. RMRS-GTR-35. [accessed 2016 Feb 08].
http://www.fs.fed.us/rm/pubs/rmrs_gtr035.pdf.
- Newbold TAS. 2005. Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*). [accessed 2015 Jun 01]; Southwestern Naturalist. 50(1):17–23.
http://www.jstor.org/stable/3672635?seq=1#page_scan_tab_contents.
- Newell RL, Minshall GW. 1977. Aquatic Invertebrates of Southeastern Idaho II. Trichoptera (Caddisflies). Journal of the Idaho Academy of Science. 15(2):33–51.
- Newton I. 1979. Population ecology of raptors. Berkhemstad (GB): T & A D Poyser.
- Nimmo AP. 1987. The adult Arctopsychidae and Hydropsychidae (Trichoptera) of Canada and adjacent United States. Quaestiones Entomologicae. 23(1):1–189.
- Nocera JJ, Forbes G, Milton GR. 2007. Habitat relationships of three grassland breeding bird species: broadscale comparisons and hayfield management implications. [accessed 2015 Dec 22]; Avian Conservation and Ecology. 2(1):art 7.
<http://www.ace-eco.org/vol2/iss1/art7/>.
- [NACBI] North American Bird Conservation Initiative. 2014. The state of the birds 2014 report. Washington (DC): US Department of the Interior. 16 p. [accessed 2016 Feb 13]. http://www.stateofthebirds.org/2014%20SotB_FINAL_low-res.pdf.
- Northern Idaho Ground Squirrel Technical Working Group. 2008. Position statement: Impacts of proposed Lost Valley Reservoir expansion on northern Idaho ground squirrels. Unpublished document.
- [NPCC] Northwest Power and Conservation Council. 2003. Draft Clearwater subbasin assessment. Portland (OR): Columbia River Basin Fish and Wildlife Program. [accessed 2016 Feb 19].
<https://www.nwcouncil.org/fw/subbasinplanning/clearwater/plan>.
- [NPCC] Northwest Power and Conservation Council. 2004. Salmon subbasin assessment. Portland (OR): Columbia River Basin Fish and Wildlife Program. [accessed 2016 Feb 19]. <https://www.nwcouncil.org/fw/subbasinplanning/salmon/plan>.
- [NPCC] Northwest Power and Conservation Council. 2004. Boise-Payette-Weiser subbasins assessment. Portland (OR): Columbia River Basin Fish and Wildlife Program. [accessed 2016 Feb 19].
<https://www.nwcouncil.org/fw/subbasinplanning/boise/plan>.

- [NPCC] Northwest Power and Conservation Council. 2004. Bruneau subbasin plan. Portland (OR): Columbia River Basin Fish and Wildlife Program. [revised 2015 Sep 15; accessed 2016 Jan 12]. <https://www.nwcouncil.org/fw/subbasinplanning/bruneau/plan>.
- [NPCC] Northwest Power and Conservation Council. 2004b. Owyhee subbasin plan. Portland (OR): Columbia River Basin Fish and Wildlife Program. [accessed 2016 Jan 12]. https://www.nwcouncil.org/media/119769/Entire_Plan.pdf.
- [NPCC] Northwest Power and Conservation Council. 2014. Columbia River basin fish and wildlife program 2014. Portland (OR): Columbia River basin fish and wildlife program. 125 p. Document no. 2014-12. [accessed 2015 Dec 14]. <http://www.nwcouncil.org/fw/program/2014-12>.
- Noss RF, Carroll C, Vance–Borland K, Wuerthner G. 2002. A multicriteria assessment of the irreplaceability and vulnerability of sites in the Greater Yellowstone Ecosystem. [accessed 2016 Jan 14]; *Conservation Biology*. 16(4):895–908. [accessed 2016 Feb 18]. <http://www.montana.edu/hansen/documents/labreadings2011/nossetal2002.pdf>.
- Noss RF, LaRoe ET 3rd, Scott JM. 1995. Endangered ecosystems of the United States: a preliminary assessment of loss and degradation. Washington (DC): US Department of the Interior, National Biological Service. 58 p. Biological Report no. 28. <http://digitalmedia.fws.gov/utills/getdownloaditem/collection/document/id/1720/filename/1721.pdf/mapsto/pdf>.
- Oberhauser KS, Cotter D, Davis D, Decarie R, Behnumea AE, Galino–Leal C, Gallina Tessaro MP, Howard E, Lauriault J, Maczieski W. 2008. North American monarch conservation plan. Montreal (QC): Commission on Environmental Cooperation Secretariat, Communications Department. 50 p. [accessed 2015 Dec 21]. <http://www3.cec.org/islandora/en/item/2350-north-american-monarch-conservation-plan-en.pdf>.
- O'Farrell MJ, Blaustein AR. 1974. *Microdipodops megacephalus*. *Mammalian Species*. 46:1–3.
- Oliver WW, Ryker RA. 1990. *Pinus ponderosa* Dougl. ex Laws. Ponderosa pine. In: Burns RM, Honkala BH, editors. *Silvics of North America: 1. Conifers*. Washington (DC): US Forest Service. [accessed 2016 Feb 02]. http://na.fs.fed.us/spfo/pubs/silvics_manual/Volume_1/pinus/ponderosa.htm.
- Olson C. 2002. Human-related causes of raptor mortality in western Montana: things are not always as they seem. Avian interactions with utility and communication structures: proceedings of a workshop held in Charleston, South Carolina; 1999 Dec 2–3. Palo Alto (CA): Electric Power Research Institute. p. 299–322. [accessed 2016 Feb 17].

<http://www.epri.com/abstracts/Pages/ProductAbstract.aspx?ProductId=00000000001005180>.

Olson D. 2002. 2002 Mid-winter trumpeter swan survey. Lakeview (MT): US Fish and Wildlife Service, Red Rock Lakes National Wildlife Refuge. 8 p.

Olson LE, Sauder JD, Albrecht NM, Vinkey RS, Cushman SA, Schwartz MK. 2014. Modeling the effects of dispersal and patch size on predicted fisher (*Pekania [Martes] pennanti*) distribution in the U.S. Rocky Mountains. [accessed 2015 Jun 01]; Biological Conservation. 169:89–98.
http://www.fs.fed.us/rm/pubs_other/rmrs_2014_olson_l001.pdf.

Opler PA, Wright AB, Peterson RT. 1999. Peterson field guide to western butterflies. Wilmington (DE): Houghton Mifflin Company, Trade & Reference Division.

Ormiston JH. 1966. The food habits, habitat and movements of mountain quail in Idaho [master's thesis]. Moscow (ID): University of Idaho. 40 p.

O'Shea TJ, Bogan MA. 2003. Introduction. In: O'Shea TJ, Bogan MA, editors. Monitoring trends in bat populations of the United States and territories: problems and prospects. (place unknown): US Geological Survey, Biological Resources Division. (Information and Technology Report No. USGS/BRD/ITR 2003-0003). p. 1–7. [accessed 2016 Jan 04].
<http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1016&context=usgspublications>.

Otte D. 2012. Eighty new *Melanoplus* species from the United States (Acrididae: Melanoplinae). [accessed 2015 Jun 01]; Transactions of the American Entomological Society. 138(1–2):73–167.
<http://www.bioone.org/doi/abs/10.3157/061.138.0103?journalCode=taes>.

Otter CL. 2012. Federal Alternative of Governor C.L. "Butch" Otter for Greater Sage-Grouse Management in Idaho, September 5, 2012 Version. September 5, 2012 Version ed. Boise: State of Idaho.

Otter CL, "Butch". 2015. Executive Order No. 2015-04: Adopting Idaho's Sage-Grouse Management Plan. Boise (ID): State of Idaho, Executive Department, Office of the Governor.

[PFC] Pacific Flyway Council. 2015. Pacific flyway council recommendations, informational notes, and subcommittee reports. 145 p. [accessed 2016 Feb 01].
http://pacificflyway.gov/Documents/Recs_mar.pdf.

[PNM] Pacific Northwest Moths. 2014. Species profile: *Grammia eureka* from Pacific Northwest Moth Database. [accessed 2016 Jan 26].
<http://pnwmoths.biol.wvu.edu/browse/family-erebidae/subfamily-arctiinae/tribe-arctiini/grammia/grammia-eureka/>.

- Page GW, Gill Jr RE. 1994. Shorebirds in western North America: late 1800s to late 1900s. In: Jehl JR, Johnson NK, editors. A Century of Avifaunal Change in Western North America: Proceedings of an International Symposium at the Centennial Meeting of the Cooper Ornithological Society; 1993 April 17; Sacramento, CA. [place unknown]: Cooper Ornithological Society. p. 147–160. [accessed 2015 Jun 01]. https://sora.unm.edu/sites/default/files/journals/sab/sab_015.pdf.
- Page LM, Espinosa–Pérez H, Findley LT, Gilbert CR, Lea RN, Mandrak NE, Mayden RL, Nelson JS. 2013. Common and scientific names of fishes from the United States, Canada, and Mexico. 7th ed. American Fisheries Society, Special Publication 34. Bethesda (MD): American Fisheries Society.
- Paige C. 2012. A landowner's guide to wildlife friendly fences: how to build fence with wildlife in mind. 2nd edition revised and updated 2012. Helena (MT): Montana Fish, Wildlife & Parks, Private Land Technical Assistance Program. p. 56 p.
- Paragamian V. 2012. Kootenai River white sturgeon: synthesis of two decades of research. *Endangered Species Research*. 17(2):157–167.
- Paragamian VL, Hansen MJ. 2011. Stocking for rehabilitation of burbot in the Kootenai River, Idaho, USA and British Columbia, Canada. [accessed 2016 Jan 28]; *Journal of Applied Ichthyology*. 27:22–26. <https://collaboration.idfg.idaho.gov/FisheriesTechnicalReports/Stocking%20for%20Rehabilitation%20of%20burbot%20in%20Kootenai%20River%20Idaho%20and%20B.C.pdf>.
- Paragamian VL, Pyper BJ, Daigneault MJ, Beamesderfer RCP, Ireland SC. 2008. Population dynamics and extinction risk of burbot in the Kootenai River, Idaho, USA and British Columbia. [accessed 2016 Jan 28]; *American Fisheries Society Symposium*. 59:213–234. http://www.fishsciences.net/reports/AFS_Symposiums_text_books/AFS_Symp_59_213-34_Pop_dyn_ext_risk_burbot_Kootenai.pdf.
- [PIF] Partners in Flight, Science Committee. 2013. Population Estimates Database, version 2013. [accessed 2015 Dec 09]. <http://rmbo.org/pifpopestimates>.
- Patil V. 2010. The interactive effects of climate, social structure, and life history on the population dynamics of hoary marmots (*Marmota caligata*) [master's thesis]. Edmonton (CA): University of Alberta. [accessed 2016 Feb 03]. <https://era.library.ualberta.ca/downloads/tb09j7174>.
- Patil VP, Morrison SF, Karels TJ, Hik DS. 2013. Winter weather versus group thermoregulation: what determines survival in hibernating mammals? [accessed 2016 Feb 03]; *Oecologia*. 173(1):139–149. <http://dx.doi.org/10.1007/s00442-013-2612-0>.
- Paysen TE, Ansley RJ, Brown JK, Gottfried GJ, Haase SM, Harrington MG, Narog MG, Sackett SS, Wilson RC. 2000. Chapter 6: Fire in western shrubland, woodland, and

- grassland ecosystems. In: Brown JK, Kapler J, editors. Wildland fire in ecosystems: Effects of fire on flora. Ogden (UT): US forest Service, Rocky Mountain Research Station. (Gen. Tech. Rep. RMRS-GTR-42-vol. 2). p. 121–159. [accessed 2016 Jan 13]. <http://vernon.tamu.edu/files/2012/11/ANS2000-01-Payson-RMRS-GTR-42-Chap-6.pdf>.
- Peacock S. 2011. Projected 21st century climate change for wolverine habitats within the contiguous United States. [accessed 2015 Jul 01]; Environmental Research Letters. 6(1):art 014007. <http://iopscience.iop.org/1748-9326/6/1/014007/fulltext/>.
- Pearl CA, Adams MJ, Bury RB, McCreary B. 2004. Asymmetrical effects of introduced bullfrogs (*Rana catesbeiana*) on native ranid frogs in Oregon. [accessed 2016 Feb 13]; Copeia. 2004(1):11–20. http://fresc.usgs.gov/products/papers/1239_pearl.pdf.
- Pearson DL, Knisley CB, Duran DP, Kazilek CJ. 2015. A field guide to the tiger beetles of the United States and Canada: identification, natural history, and distribution of the Cicindelinae. 2nd ed. New York (NY): Oxford University Press. 251 p.
- Pearson DL, Knisley CB, Kazilek CJ. 2005. A field guide to the tiger beetles of the United States and Canada: identification, natural history, and distribution of the Cicindelidae. 1st ed. New York (NY): Oxford University Press. 227 p.
- Pederson GT, Graumlich LJ, Fagre DB, Kipfer T, Muhlfeld CC. 2010. A century of climate and ecosystem change in western Montana: what do temperature trends portend? [accessed 2015 Jun 01]; Climatic Change. 98(1–2):133–154. <http://gnpclimatechangeinfo.files/Resouces/Other/Century%20of%20Climate%20and%20Ecosystem%20Change%20in%20Western%20MT.pdf>.
- Perkins M. c2015. WBWG species information: *Lasionycteris noctivagans*. Western Bat Working Group. [accessed 2015 Dec 09]. <http://wbwg.org/western-bat-species/>.
- Pierce DW, Cayan DR. 2013. The uneven response of different snow measures to human-induced climate warming. [accessed 2016 Jan 05]; Journal of Climate. 26(12):4148–4167. <http://dx.doi.org/10.1175/JCLI-D-12-00534.1>.
- Pierson ED, Wackenhut MC, Altenbach JS, Bradley P, Call P, Genter DL, Harris CE, Keller BL, Lengus B, Lewis L, et al. 1999. Species conservation assessment and strategy for Townsend's big-eared bat (*Corynorhinus townsendii townsendii* and *Corynorhinus townsendii pallescens*). Boise (ID): Idaho Department of Fish and Game. 51 p.
- Pilliod D, Duncan D, Peterson C, Yeo J. 1996. Spatial distribution and habitat associations of amphibians in the Bighorn Crags of the Frank Church River of No Return Wilderness. 1994 Final Report to USDA Forest Service. Boise (ID): US Forest Service, Intermountain Research Station.

- Pilliod DS, Peterson CR. 2001. Local and landscape effects of introduced trout on amphibians in historically fishless watersheds. [accessed 2015 Dec 30]; *Ecosystems*. 4(4):322–333. <http://dx.doi.org/10.1007/s10021-001-0014-3>.
- Pilliod DS, Scherer RD. 2015. Managing habitat to slow or reverse population declines of the Columbia spotted frog in the northern Great Basin. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 79(4):579–590. <http://onlinelibrary.wiley.com/doi/10.1002/jwmg.868/abstract?>
- Pimentel D, Zuniga R, Morrison D. 2005. Update on the environmental and economic costs associated with alien-invasive species in the United States. [accessed 2015 Dec 10]; *Ecological Economics*. 52(3):273–288. <http://www.sciencedirect.com/science/article/pii/S0921800904003027>.
- Pleszczynska WK. 1978. Microgeographic prediction of polygyny in the lark bunting. [accessed 2015 Dec 22]; *Science*. 201(4359):935–937. <http://www.sciencemag.org/content/201/4359/935.abstract>.
- Poff B, Koestner KA, Neary DG, Henderson V. 2011. Threats to riparian ecosystems in western North America: an analysis of existing literature. [accessed 2016 Feb 02]; *Journal of the American Water Resources Association*. 47(6):1241–1254. <http://www.treesearch.fs.fed.us/pubs/download/38738.pdf>.
- Pollet IL, Shuttler D, Chardine J, Ryder JP. 2012. Ring-billed gull (*Larus delawarensis*). *The Birds of North America Online*. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2012 Apr 24; accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/033>.
- Poole AF, Bierregaard RO, Martell MS. 2002. Osprey (*Pandion haliaetus*). *The Birds of North America Online*. (A Poole, editor). Ithaca: Cornell Lab of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/683/>.
- Pope V, Munger JC (Department of Biology, Boise State University, Boise, ID). 2003. Threats to collared lizards in Idaho. Boise (ID): Idaho Bureau of Land Management. 12 p. Technical Report No. 03-4. BLM Order No.: 1422D010P980065. [accessed 2015 Jun 01]. http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.94089.File.dat/TB%2003-4.pdf.
- Powell JA, Opler PA. 2009. *Moths of western North America*. Berkeley (CA): University of California Press.
- Price AJ, Rachlow JL. 2011. Development of an index of abundance for pygmy rabbit populations. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 75(4):929–937. <http://onlinelibrary.wiley.com/doi/10.1002/jwmg.103/abstract>.

- PRISM Climate Group. 2012. Norm81m. PRISM normals, 1981–2010. [created Jul 2012] Corvallis (OR): Oregon State University. [accessed 2015 Dec 10]. <http://prism.oregonstate.edu/>.
- Proctor MF, Paetkau D, McLellan BN, Stenhouse GB, Kendall KC, Mace RD, Kasworm WF, Servheen C, Lausen CL, Gibeau ML, et al. 2012. Population fragmentation and inter-ecosystem movements of grizzly bears in western Canada and the northern United States. [accessed 2015 Jun 01]; *Wildlife Monographs*. 180(1):1–46. <http://onlinelibrary.wiley.com/doi/10.1002/wmon.6/full>.
- Proulx G, Aubry K, Birks J, Buskirk S, Fortin C, Frost H, Krohn W, Mayo L, Monakhov V, Payer D, et al. 2005. World distribution and status of the genus *Martes* in 2000. In: Harrison DJ, Fuller AK, Proulx G, editors. *Martens and Fishers (Martes) in human-altered environments: an international perspective*. New York (NY): Springer Science + Business Media, LLC. p. 21–76. [accessed 2015 Dec 04]. <http://alphawildlife.ca/wp-content/uploads/2015/03/86-2004-Martes-world-distribution.pdf>.
- Pruett CL, Patten MA, Wolfe DH. 2009. It's not easy being green: wind energy and a declining grassland bird. [accessed 2015 Jun 01]; *Bioscience*. 59(3):257–262. <http://bioscience.oxfordjournals.org/content/59/3/257.full>.
- Pyke CR, Marty J. 2005. Cattle grazing mediates climate change impacts on ephemeral wetlands. [accessed 2016 Feb 13]; *Conservation Biology*. 19(5):1619–1625. <http://people.eri.ucsb.edu/~trobinson/COMB/downloads/references/pyke-marty-2005.pdf>.
- Quigley TM, Gravenmier RA, Arbelbide SJ, Bigler Cole H, Graham RT, Haynes RW. 1999. *The Interior Columbia Basin Ecosystem Management Project: scientific assessment*. Portland (OR).
- Rachlow JL, Sanchez DM, Estes–Zumpf WA. 2005. Natal burrows and nests of free-ranging pygmy rabbits (*Brachylagus idahoensis*). [accessed 2015 Dec 22]; *Western North American Naturalist*. 65(1):136–139. <http://www.jstor.org/stable/41717435>.
- Ratti JT, Kadlec JA. 1992. *Concept plan for the preservation of wetland habitat of the Intermountain West : North American Waterfowl Management Plan*. Portland (OR): US Fish and Wildlife Service. 146 p.
- Rehfeldt GE, Ferguson DE, Crookston NL. 2009. Aspen, climate, and sudden decline in western USA. [accessed 2015 Dec 22]; *Forest Ecology and Management*. 258(11):2353–2364. http://www7.nau.edu/mpcer/direnet/publications/publications_r/files/Rehfeldt_GE_et%20al_2009.pdf.
- Reichard JD. [date unknown]. Wing-damage index used for characterizing wing condition of bats affected by white-nose syndrome. [accessed 2015 Dec 13].

- https://www.whitenosesyndrome.org/sites/default/files/resource/reichard_scarrin_g_index_bat_wings.pdf.
- Reichard JD, Kunz TH. 2009. White-nose syndrome inflicts lasting injuries to the wings of little brown myotis (*Myotis lucifugus*). *Acta Chiropterologica*. 11 (2):457–464.
- Reichel JD, Corn JG. 1997. Northern bog lemmings: survey, population parameters, and population analysis. Helena (MT): Montana Natural Heritage Program. 22 p. Report to the Kootenai National Forest. [accessed 2016 Feb 08]. http://mtnhp.org/animal/reports/mammals/NBLSurvey_pop_parm_anly.pdf.
- Renfrew R, Strong AM, Perlut NG, Martin SJ, Gavin TA. 2015. Bobolink (*Dolichonyx oryzivorus*). *The Birds of North America Online*. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [revised 2015 Aug 13; accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/176>.
- Reynolds TD, Hinckley CI. 2005. A survey for yellow-billed cuckoo in recorded historic and other likely locations in Idaho. Final Report. Rigby (ID): TREC, Inc. 34 p. Idaho BLM technical bulletin 2005-05. Co-publishers listed as [Idaho Falls, Idaho] : [Bureau of Land Management, Idaho Falls Field Office]. [accessed 2015 Jun 01]. http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.1830.File.dat/tb05-05.pdf.
- Reynolds TD, Rich TD, Stephens DA. 1999. Sage thrasher (*Oreoscoptes montanus*). *The Birds of North America Online*. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/463>.
- Reynolds TD, Trost CH. 1981. Grazing, crested wheatgrass, and bird populations in southeastern Idaho. *Northwest Science*. 55(3):225–234.
- Ricciardi A, Hoopes MF, Marchetti MP, Lockwood JL. 2013. Progress toward understanding the ecological impacts of nonnative species. [accessed 2015 Dec 10]; *Ecological Monographs*. 83(3):263–282. <http://dx.doi.org/10.1890/13-0183.1>.
- Rich T, Wisdom M, Saab V. 2005. Conservation of sagebrush steppe birds in the interior Columbia Basin. In: Ralph C, Rich T, editors. *Bird Conservation Implementation and Integration in the Americas: Proceedings of the Third International Partners in Flight Conference; 2002 March 20–24; Asilomar, CA*. Albany (CA): US Forest Service, Pacific Southwest Research Station. p. 589–606. Gen. Tech. Rep. PSW-GTR-191. [accessed 2015 Dec 22]. <http://tresearch.fs.fed.us/pubs/download/32009.pdf>.
- Richards DC, Arrington TD. 2008. Threatened Bliss Rapids snail's susceptibility to desiccation: potential impact from hydroelectric facilities. [accessed 2016 Jan 21]; *American Malacological Bulletin*. 24(1):91–96. <http://dx.doi.org/10.4003/0740-2783-24.1.91>.

- Richard CH, Hedin M. 2013. Three new species in the harvestmen genus *Acuclavella* (Opiliones, Dyspnoi, Ischyropsalidoidea), including description of male *Acuclavella quattuor* Shear, 1986. [accessed 2015 Jun 01]; ZooKeys. 311:19–68. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3698555/>.
- Rieman BE, Isaak DJ. 2010. Climate change, aquatic ecosystems, and fishes in the Rocky Mountain West: implications and alternatives for management. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. Gen. Tech. Rep. RMRS-GTR-250. [accessed 2015 Dec 22]. <http://treesearch.fs.fed.us/pubs/download/37029.pdf>.
- Rigg J. 1984. Phalangids in the T-maze cave system, Shoshone, Idaho. Boise (ID): Gem State Grotto. 19 p. Co-publisher is listed as Boise State University.
- Robel RJ, Harrington Jr JA, Hagen CA, Pitman JC, Reker RR. 2004. Effect of energy development and human activity on the use of sand sagebrush habitat by lesser prairie-chickens in southwestern Kansas. In: Wildlife Management Institute Publications Department, editor. Transactions of the Sixty-ninth North American Wildlife and Natural Resources Conference; 2004 March 16–20; Spokane, WA. [place unknown]: Wildlife Management Institute. p. 251–266. [accessed 2015 Jun 01]. <http://www.wildlifemanagementinstitute.org/store/product.php?productid=16183>.
- Roberge JM, Angelstam PER. 2004. Usefulness of the umbrella species concept as a conservation tool. [accessed 2016 Jan 13]; Conservation Biology. 18(1):76–85. <http://se-server.ethz.ch/staff/af/Fi159/R/Ro186.pdf>.
- Robertson GJ, Goudie RI. 1999. Harlequin duck (*Histrionicus histrionicus*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Laboratory of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/466/>.
- Robinson JA, Reed MJ, Skorupa JP, Oring LW. 1999. Black-necked stilt (*Himantopus mexicanus*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Laboratory of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/449/>.
- Rocchio FJ, Crawford RC. 2009. Monitoring desired ecological conditions on Washington State Wildlife Areas using an ecological integrity assessment framework. Olympia (WA).
- Rodgers RD, Hoffman RW. 2005. Prairie grouse population response to conservation reserve grasslands: an overview. In: Allen AW, Vandever MW, editors. The Conservation Reserve Program—Planting for the Future: Proceedings of a National Conference, 2004 Jun 6-9; Fort Collins, CO. Reston (VA): U. S. Geological Survey. Scientific Investigation Report 2005-5145. p. 120–128. [accessed 2015 Nov 20]. http://www.fws.gov/southwest/es/documents/R2ES/LitCited/LPC_2012/Rodgers_and_Hoffman_2005.pdf.

- Roemhild G. 1982. The Trichoptera of Montana with distributional and ecological notes. Northwest Science. 561:8–13.
- Rogers DC, Quinney DL, Weaver J, Olesen J. 2006. A new giant species of predatory fairy shrimp from Idaho, USA (Branchiopoda: Anostraca). [accessed 2015 Jun 01]; Journal of Crustacean Biology. 26(1):1–12. <http://www.bioone.org/doi/full/10.1651/C-2509.1>.
- Rogers PC, Landh usser SM, Pinno BD, Ryel RJ. 2014. A functional framework for improved management of western North American aspen (*Populus tremuloides* Michx.). [accessed 2015 Dec 03]; Forest Science. 60(2):345–359. http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=2457&context=wild_facpub.
- Rosenberg KV, Pashley DN, Andres B, Blancher PJ, Butcher GS, Hunter WC, Mehlman D, Panjabi AO, Parr M, Wallace G et al. 2014. The State of the Birds 2014 Watch List. Washington (DC): North American Bird Conservation Initiative, US Committee.
- Ross SH, Savage CN. 1967. Idaho earth science: geology, fossils, climate, water, and soils. Moscow (ID): Idaho Bureau of Mines and Geology. (Earth science series no. 1). [accessed 2015 Sep 28]. [http://www.idahogeology.org/PDF/Earth_Science_Reports_\(E\)/E-1.pdf](http://www.idahogeology.org/PDF/Earth_Science_Reports_(E)/E-1.pdf)
- Rotenberry JT. 1998. Avian conservation research needs in western shrublands: exotic invaders and the alteration of ecosystem process. In: Marzluff JM, Sallabanks R, editors. Avian conservation: research and management. Washington (DC): Island Press. p. 261–272.
- Ruiter DE. 1995. The adult *Limnephilus leach* (Trichoptera: Limnephilidae) of the New World. Columbus (OH): The Ohio State University, College of Biological Sciences. (Ohio Biological Survey Bulletin Vol. 11, No. 1). 206 p.
- Runquist EB. 2012. Patterns and mechanisms of divergence in butterflies across spatial scales [dissertation]. Davis (CA): University of California, Davis. 117 p.
- Russell RE, Franson JC. 2014. Causes of mortality in eagles submitted to the National Wildlife Health Center 1975–2013. [accessed 2016 Feb 17]; Wildlife Society Bulletin. 38(4):697–704. <http://dx.doi.org/10.1002/wsb.469>.
- Russell RE, Thogmartin WE, Erickson RA, Szymanski J, Tinsley K. 2015. Estimating the short-term recovery potential of little brown bats in the eastern United States in the face of White-nose syndrome. Ecological Modelling. 314:111–117.
- Rust HJ. 1915. An annotated list of the birds of Kootenai County, Idaho. [accessed 2015 Jun 01]; Condor. 17(3):118–129. <http://www.jstor.org/stable/1362345>.
- Rust SK. 1999. Pinyon-juniper woodland classification and description in Research Natural Areas in southeastern Idaho. In: Monsen SB, Stevens R, editors. Proceedings: Ecology and Management of Pinyon-Juniper Communities Within the Interior

- West; 1997 Sep. 15–18; Provo, UT. Ogden (UT): US Forest Service, Rocky Mountain Research Station. RMRS-P-9. p. 82–93. [accessed 2015 Nov 23].
http://www.fs.fed.us/rm/pubs/rmrs_p009/rmrs_p009_082_093.pdf.
- Rust SK, Wolken P. 2008. Classification of the plant communities of Craters of the Moon National Monument and Preserve, Idaho. Fort Collins (CO): National Park Service. 22 p. Natural Resource Technical Report NPS/UCBN/NRTR – 2008/096.
- Ruth JM. 2015. Status assessment and conservation plan for the grasshopper sparrow (*Ammodramus savannarum*). Version 1.0. Lakewood (CO): US Fish and Wildlife Service. 90 p. [accessed 2016 Feb 02].
<http://www.fws.gov/migratorybirds/pdf/management/focal-species/GrasshopperSparrow.pdf>.
- Ryder RA, Manry DE. 1994. White-faced ibis (*Plegadis chihi*). The Birds of North America Online. (A. Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 01]. <http://bna.birds.cornell.edu/bna/species/130>.
- Ryser FA. 1985. Birds of the Great Basin: a natural history. Reno (NV): University of Nevada Press. 604 p.
- Saab VA, Bock CE, Rich TD, Dobkin DS. 1995. Livestock grazing effects in western North America. In: Martin TE, Finch DM, editors. Ecology and management of neotropical migratory birds. New York (NY): Oxford University Press. p. 311–353.
- Saab VA, Dudley JG. 1998. Responses of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine/Douglas-fir forests of southwestern Idaho. Ogden (UT): US Forest Service, Rocky Mountain Research Station. 17 p. Res. Pap. RMRS-RP-11. [accessed 2015 Dec 22].
<http://treesearch.fs.fed.us/pubs/download/23853.pdf>.
- Saab VA, Rich TD. 1997. Large-scale conservation assessment for Neotropical migratory land birds in the interior Columbia River basin. Portland (OR): US Forest Service, Pacific Northwest Research Station. 56 p. Gen. Tech. Rep. PNW-GTR-399. [accessed 2015 Dec 22]. <http://treesearch.fs.fed.us/pubs/download/7597.pdf>.
- Saalfeld ST, Conway WC, Haukos DA, Rice M, Jones SL, Fellows SD. 2010. Multiscale habitat selection by long-billed curlews (*Numenius americanus*) breeding in the United States. [accessed 2016 Jan 14]; *Waterbirds*. 33(2):148–161.
<http://www.bioone.org/doi/pdf/10.1675/063.033.0203>.
- Sada DW, Williams JE, Silvey JC, Halford A, Ramakka J, Summers P, Lewis L. 2001. Riparian area management: A guide to managing, restoring, and conserving springs in the western United States. Denver (CO): US Bureau of Land Management. 70 p. Tech. Ref. 1737-17. [accessed 2016 Jan 12].
http://www.blm.gov/nstc/library/pdf/TR_1737-17-copyright_free_version-updated.pdf.

- Salafsky N, Salzer D, Stattersfield AJ, Hilton-Taylor C, Neugarten R, Butchart SHM, Collen B, Cox N, Master LL, O'Connor S et al. 2008. A standard lexicon for biodiversity conservation: unified classifications of threats and actions. *Conservation Biology*. 22(4):897-911.
- Sánchez-de León Y, Johnson-Maynard J. 2008. Dominance of an invasive earthworm in native and non-native grassland ecosystems. [accessed 2016 Jan 26]; *Biological Invasions*. 11(6):1393–1401. <http://dx.doi.org/10.1007/s10530-008-9347-6>.
- Sanders KD. 2006. A rancher's guide to monitoring rangelands. Moscow (ID): University of Idaho, College of Natural Resources. Contribution No. 1010 of the Idaho Forest, Wildlife and Range Experiment Station.
- Santisteban L, Benkman CW, Fetz T, Smith JW. 2012. Survival and population size of a resident bird species are declining as temperature increases. [accessed 2015 Nov 23]; *Journal of Animal Ecology*. 81(2):352–363. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2656.2011.01918.x/epdf>.
- Sauder JD, Rachlow JL. 2014. Both forest composition and configuration influence landscape-scale habitat selection by fishers (*Pekania pennanti*) in mixed coniferous forests of the Northern Rocky Mountains. [accessed 2016 Feb 02]; *Forest Ecology and Management*. 314:75–84. <http://www.sciencedirect.com/science/article/pii/S0378112713007846>.
- Sauder JD, Rachlow JL. 2015. Forest heterogeneity influences habitat selection by fishers (*Pekania pennanti*) within home ranges. [accessed 2016 Feb 02]; *Forest Ecology and Management*. 347:49–56. https://www.researchgate.net/profile/Janet_Rachlow/publication/274514406_Forest_heterogeneity_influences_habitat_selection_by_fishers_Pekania_pennanti_within_home_ranges/links/5523d7940cf2c815e0733747.pdf.
- Sauer JR, Hines JE, Fallon JE, Pardieck KL, Ziolkowski Jr DJ, Link WA. 2015. The North American Breeding Bird Survey, Results and Analysis 1966 - 2013. Version 01.30.2015. Laurel (MD): USGS Patuxent Wildlife Research Center. [accessed 2015 Dec 01]. <http://www.mbr-pwrc.usgs.gov/bbs/>.
- Schaming TD. 2015. Population-wide failure to breed in the Clark's nutcracker (*Nucifraga columbiana*). [accessed 2015 Dec 14]; *PloS One*. 10(5):e0123917. <http://journals.plos.org/plosone/article/asset?id=10.1371%2Fjournal.pone.0123917>. PDF.
- Schmidt BC. 2009. Taxonomic revision of the genus *Grammia* Rambur (Lepidoptera: Noctuidae: Arctiinae). [accessed 2016 Jan25]; *Zoological Journal of the Linnean Society*. 156(3):507–597. <http://dx.doi.org/10.1111/j.1096-3642.2008.00496.x>.
- Schoennagel T, Veblen TT, Romme WH. 2004. The interaction of fire, fuels, and climate across Rocky Mountain forests. [accessed 2015 Oct 14]; *Bioscience*. 54(7):661–676. <http://bioscience.oxfordjournals.org/content/54/7/661.full.pdf+html>.

- Schommer TJ, Woolever MM. 2008. A review of disease related conflicts between domestic sheep and goats and bighorn sheep. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. 16 p. RMRS-GTR-209. [accessed 2015 Nov 18]. <http://gis.fs.fed.us/qoi/documents/2009/CWGA-zpfile000.pdf>.
- Schorzman K, Baldwin J, Bokor J. 2009. Possible sources of nitrate to the springs of southern Gooding County, eastern Snake River Plain, Idaho. Boise (ID): Idaho Department of Environmental Quality, Technical Services and Twin Falls Regional Office. 41 p. Ground water quality technical report no. 38. [accessed 2015 Jun 01]. https://www.deq.idaho.gov/media/471155-_water_data_reports_ground_water_southern_gooding_county_nitrate_38.pdf.
- Schwandt J. 2006. Whitebark pine in peril: a case for restoration. Missoula (MT): US Forest Service, Forest Health Protection. 20 p. Report no. R1-06-28. [accessed 2015 Dec 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5341409.pdf.
- Schwartz CC, Gude PH, Landenburger L, Haroldson MA, Podruzny S. 2012. Impacts of rural development on Yellowstone wildlife: linking grizzly bear *Ursus arctos* demographics with projected residential growth. [accessed 2015 Jun 01]; *Wildlife Biology*. 18(3):246–257. <http://www.bioone.org/doi/pdf/10.2981/11-060>.
- Schwartz CC, Haroldson MA, White GC. 2010. Hazards affecting grizzly bear survival in the Greater Yellowstone Ecosystem. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 74(4):654–667. <http://onlinelibrary.wiley.com/doi/10.2193/2009-206/epdf>.
- Schwartz MK, Copeland JP, Anderson NJ, Squires JR, Inman RM, McKelvey KS, Pilgrim KL, Waits LP, Cushman SA. 2009. Wolverine gene flow across a narrow climatic niche. [accessed 2015 Dec 12]; *Ecology*. 90(11):3222–3232. http://scholarworks.umt.edu/cgi/viewcontent.cgi?article=1077&context=wildbio_pubs.
- Schwartz MK, DeCesare NJ, Jimenez BS, Copeland JP, Melquist WE. 2013. Stand- and landscape-scale selection of large trees by fishers in the Rocky Mountains of Montana and Idaho. [accessed 2016 Feb 02]; *Forest Ecology and Management*. 305:103–111. <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1272&context=usdafsfacpub>.
- [SAIC] Science Applications International Corporation. 2013. Ecoregional Assessment Report: Northern Great Basin Rapid Ecoregional Assessment. [place unknown]: US Bureau of Land Management. 130 p. Contract no. L10PC00483. [accessed 2015 Nov 23]. http://www.blm.gov/style/medialib/blm/wo/Communications_Directorate/public_affairs/landscape_approach/documents1.Par.76251.File.dat/NGB_REA_Main_Report_and_App_A1.pdf.

- Scott JM, Goble DD, Wiens JA, Wilcove DS, Bean M, Male T. 2005. Recovery of imperiled species under the Endangered Species Act: the need for a new approach. [accessed 2016 Jan 14]; *Frontiers in Ecology and the Environment*. 3(7):383–389. <http://www.jstor.org/stable/3868588?origin=JSTOR-pdf>.
- Secord AL, Patnode KA, Carter C, Redman E, Gefell DJ, Major AR, Sparks DW. 2015. Contaminants of emerging concern in bats from the northeastern United States. *Archives of Environmental Contamination and Toxicology*. 1–11.
- Servheen G, Morgan P, Weddell B, Gessler P, McDaniel P. 2002. Wetlands of the Palouse Prairie: historical extent and plant composition. Final Report. Boise (ID): Environmental Protection Agency. 16 p. Grant No.: CD-980545-01-0. [accessed 2015 Dec 03]. http://palouseprairie.org/pubs/Weddell__Wetlands_of_palouse.pdf.
- Severns PM. 2005. Response of a terrestrial mollusc community to an autumn prescribed burn in a rare wetland prairie of western Oregon, USA. *Journal of Molluscan Studies*. 71(2):181–187.
- Severns PM. 2007. Does standing water and predator presence structure a wetland terrestrial mollusc community? [accessed 2015 Jun 01]; *Wetlands*. 27(4):964–971. [http://link.springer.com/article/10.1672/0277-5212\(2007\)27%5B964:DSWAPP%5D2.0.CO%3B2](http://link.springer.com/article/10.1672/0277-5212(2007)27%5B964:DSWAPP%5D2.0.CO%3B2).
- Shaffer JA, Johnson DH. 2009. Displacement effects of wind developments on grassland birds in the northern Great Plains. In: Schwartz SS, editor. *Wind Wildlife Research Meeting VII*; 2008 Oct. 28–29; Milwaukee, WI. Washington (DC): National Wind Coordinating Collaborative. p. 57–61. [accessed 2015 Jun 01]. https://nationalwind.org/wp-content/uploads/assets/research_meetings/Research_Meeting_VII_Proceedings.pdf.
- Sharp DE, Dubovsky JA, Kruse KL. 2004. Population status and harvests: Mid-Continent and Rocky Mountain populations of sandhill cranes 2004. Denver (CO): US Fish and Wildlife Publications. 8 p. Paper 391. Recommended citation: Sharp, D.E., J.A. Dubovsky, and K.L. Kruse. 2004. Status and harvests of the Mid-Continent and Rocky Mountain Populations of sandhill cranes. Unnumbered. Administrative Report, US Fish and Wildlife Service, Denver, Colorado 8pp. [accessed 2015 Jun 01]. <http://digitalcommons.unl.edu/usfwspubs/391>.
- Shea RE, Nelson HK, Gillette LN, King JG, Weaver DK. 2002. Restoration of trumpeter swans in North America: a century of progress and challenges. [accessed 2016 Jan 29]; *Waterbirds: The International Journal of Waterbird Biology*. 25:296–300. <http://www.jstor.org/stable/1522366>.
- Shear WA. 1986. A cladistic analysis of the opilionid superfamily Ischyropsalidoidea, with descriptions of the new family Ceratolasmatidae, the new genus *Acuclavella*, and four new species. [accessed 2016 Jan 21]; *American Museum Novitates*. 2844:1–29.

<http://digitallibrary.amnh.org/bitstream/handle/2246/3579/v2/dspace/ingest/pdfSource/nov/N2844.pdf?sequence=1&isAllowed=y>.

- Shear WA. 2007. Cave millipeds of the United States. V. The genus *Idagona* Buckett & Gardner (Chordeumatida, Conotylidae, Idagoninae). [accessed 2015 Jun 01]; Zootaxa. 1463:1–12. <http://mapress.com/zootaxa/2007f/zt01463p012.pdf>.
- Shepherd MD. 2005. Species profile: *Andrena aculeata*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/09/andrena_aculeata.pdf.
- Shepherd MD. 2005. Species profile: *Eucera frater lata*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/08/eucera_frater_lata.pdf.
- Shepherd MD. 2005. Species profile: *Hesperapis kayella*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/09/hesperapis_kayella.pdf.
- Shepherd MD. 2005. Species profile: *Hoplitis orthognathus*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/09/hoplitis_orthognathus.pdf.
- Shepherd MD. 2005. Species profile: *Perdita barri*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. <http://www.xerces.org/perdita-barri/>.
- Shepherd MD. 2005. Species profile: *Perdita salicis euxantha*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/09/perdita_salicis_euxantha.pdf.
- Shepherd MD. 2005. Species profile: *Perdita wyomingensis sculleni*. In: Shepherd MD, Vaughan DM, Black SH, editors. Red list of pollinator insects of North America. [CD-ROM] Version 1. Portland (OR): Xerces Society. [accessed 2015 Jun 01]. http://www.xerces.org/wp-content/uploads/2008/09/perdita_wyomingensis_sculleni.pdf.
- Shepperd WD, Binkley D, Bartos DL, Stohlgren TJ, Eskew LG. 2001. Sustaining aspen in western landscapes: symposium proceedings. 2000 Jun 13–15; Grand Junction, CO. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. 460 p. [accessed 2016 Jan 06]. http://www.fs.fed.us/rm/pubs/rmrs_p018.pdf.

- Sherman PW, Runge MC. 2002. Demography of a population collapse: the northern Idaho ground squirrel (*Spermophilus brunneus brunneus*). [accessed 2015 Jun 01]; Ecology. 83(10):2816–2831. [http://www.esajournals.org/doi/abs/10.1890/0012-9658\(2002\)083%5B2816:DOAPCT%5D2.0.CO%3B2](http://www.esajournals.org/doi/abs/10.1890/0012-9658(2002)083%5B2816:DOAPCT%5D2.0.CO%3B2).
- Shiely LA, Davila TB, Thines NJ, Elias BA. 2006. Nutritional requirements and diet choices of the pygmy rabbit (*Brachylagus idahoensis*): a sagebrush specialist. [accessed 2016 Feb 02]; Journal of Chemical Ecology. 32(11):2455–2474. <http://dx.doi.org/10.1007/s10886-006-9156-2>.
- Shive JP, Forman AD, Aho K, Hafila JR, Blew RD, Edwards KT. 2011. Vegetation community classification and mapping of the Idaho National Laboratory site. Appendix D: fact sheets. Idaho Falls (ID): Gonzales-Stoller Surveillance, LLC, Environmental Surveillance, Education and Research Program 92 p. Report No.: GSS-ESER-144. [accessed 2015 Dec 03]. <http://www.gsseser.com/PDF/VEgMapReport/Appendix%20D%20-%20Fact%20Sheets.pdf>.
- Shook GA. 1981. The status of the Columbia tiger beetle (*Cicindela columbica* Hatch) in Idaho (Coleoptera: Cicindelidae). Pan-Pacific Entomologist. 57(2):359–363.
- Sigler WF, Sigler JW. 1987. Fishes of the Great Basin: a natural history. Reno (NV): University of Nevada Press. 425 p.
- Six D. c2015. Mountain pine beetles expansion in the West. Washington (DC): American Forests. [accessed 2015 Nov 10]. <http://www.americanforests.org/our-programs/endangered-western-forests/mountain-pine-beetles-expansion-in-the-west/>.
- Smith BL, Dieni JS, Rogers RL, Anderson SH. 2001. Effects of ungulate browsing on aspen regeneration in northwestern Wyoming [abstract]. In: Shepperd WD, Binkley D, Bartos DL et al., editors. Sustaining aspen in western landscapes: Symposium proceedings; 2000 Jun 13–15; Grand Junction, CO. Fort Collins (CO): US Forest Service, Rocky Mountain Research Station. p. 163–164. Proceedings RMRS-P-18. [accessed 2015 Dec 22]. <http://treesearch.fs.fed.us/pubs/download/35816.pdf>.
- Smith JK, Fischer WC. 1997. Fire ecology of the forest habitat types of northern Idaho. Ogden (UT): US Forest Service, Intermountain Research Station. 142 p. Gen. Tech. Rep. INT-GTR-363. [accessed 2015 Dec 12]. http://www.fs.fed.us/rm/pubs_int/int_gtr363.pdf.
- Smith SD. 1968. The Rhyacophila of the Salmon River drainage of Idaho with special reference to larvae. [accessed 2016 Jan 26]; Annals of the Entomological Society of America. 61(3):655–674. <http://aes.oxfordjournals.org/aesa/61/3/655.full.pdf>.
- Smith SD. 1969. Two new species of Idaho Trichoptera with distributional and taxonomic notes on other species. [accessed 2015 Jun 01]; Journal of the Kansas

- Entomological Society. 42(1):46–53.
http://www.jstor.org/stable/25083762?seq=1#page_scan_tab_contents.
- Smith SD. 1971. Notes and new species of limnephilid caddisflies from Idaho (Trichoptera: Limnephilidae). *Pan-Pacific Entomologist*. 47:184–188.
- [SSAR] Society for the Study of Amphibians and Reptiles. 2015. North American checklist of scientific and common names. [Walnut Ridge (AR)]: Society for the Study of Amphibians and Reptiles.
- Sovada MA, Igl LD, Pietz PJ, Bartos AJ. 2014. Influence of climate change on productivity of American white pelicans, *Pelecanus erythrorhynchos*. [accessed 2015 Jun 01]; *PloS One*. 9(1):e83430.
<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0083430>.
- Stafford MP, Barr WF, Johnson JB. 1986. Coleoptera of the Idaho National Engineering Laboratory: an annotated checklist. [accessed 2016 Jan 22]; *Western North American Naturalist*. 46(2):287–293.
<https://ojs.lib.byu.edu/spc/index.php/wnan/article/view/29065/27528>.
- Stagliano DM, Maxell BA. 2010. Aquatic invertebrate species of concern: updated distributions, vital watersheds and predicted sites within USFS Northern Region lands. Helena (MT): Montana Natural Heritage Program. 30 p. Report to US Forest Service, Northern Region. Agreement No.: 05-CS-11015600-036. [accessed 2015 Jun 01]. <http://mtnhp.org/reports/2008RegionSOCAqInvert.pdf>.
- Stagliano DM, Stephens GM, Bosworth WR. 2007. Aquatic invertebrate species of concern on USFS Northern Region lands. Helena (MT): Montana Natural Heritage Program. 95 p. Report to US Forest Service, Northern Region. Agreement No.: 05-CS-11015600-036. Jointly published by Idaho Conservation Data Center, Boise, ID. [accessed 2015 Jun 01].
http://fishandgame.idaho.gov/ifwis/idnhp/cdc_pdf/2007_R1_aq_invert.pdf.
- Stanger JA, Baumann RW. 1993. A revision of the stonefly genus *Taenionema* (Plecoptera: Taeniopterygidae). [accessed 2016 Jan 25]; *Transactions of the American Entomological Society* (1890–). 119(3):171–229.
<http://www.jstor.org/stable/25078571>.
- Stanley TR, Skagen SK. 2007. Estimating the breeding population of long-billed curlew in the United States. [accessed 2016 Feb 01]; *The Journal of Wildlife Management*. 71(8):2556–2564. <http://dx.doi.org/10.2193/2007-023>.
- Stark BP, Gustafson DL. 2004. New species and records of *Soliperla* Ricker, 1952 from western North America (Insecta, Plecoptera, Peltoperlidae). *Spixiana*. 27(2):97–105.
- Stauber E, Finch N, Talcott PA, Gay JM. 2010. Lead poisoning of bald (*Haliaeetus leucocephalus*) and golden (*Aquila chrysaetos*) eagles in the US Inland Pacific

- Northwest region—an 18-year retrospective study: 1991–2008. [accessed 2016 Feb 17]; *Journal of Avian Medicine and Surgery*. 24(4):279–287.
<http://new.soarraptors.org/wp-content/uploads/WSU2010LeadInEagles.pdf>.
- Stebbins RC. 2003. *A field guide to western reptiles and amphibians*. New York (NY): Houghton Mifflin Company.
- Steenhof K, Brown JL, Kochert MN. 2014. Temporal and spatial changes in golden eagle reproduction in relation to increased off highway vehicle activity. *Wildlife Society Bulletin*. 38(4):682–688.
- Stefanic T. 2014. Butterflies and moths (Lepidoptera) of CRMO. [place unknown]: US Department of the Interior, National Park Service, Craters of the Moon National Monument and Preserve. 17 p. [accessed 2015 Jun 01].
<https://data.doi.gov/dataset/butterflies-and-moths-lepidoptera-of-crmo>.
- Stephens GM, Ferris CD. 2002. Butterflies (Lepidoptera: Rhopalocera) of Cecil D. Andrus Wildlife Management Area, Washington County, Idaho. [accessed 2015 Jun 01]; *Journal of the Idaho Academy of Science*. 38(1–2):7–11.
<http://www.highbeam.com/doc/1G1-96305524.html>.
- Stephens GM, Ferris CD. 2002. Butterflies (Lepidoptera: Rhopalocera) of the Mud Flat Road, Owyhee County, Idaho, with comments on the discovery of *Thessalia leanira* (C. & R. Felder) (Lepidoptera: Nymphalidae) in Idaho. [accessed 2015 Jun 01]; *Journal of the Idaho Academy of Science*. 38(1–2):1–5.
<http://www.highbeam.com/doc/1G1-96305522.html>.
- Stephens SL, McIver JD, Boerner REJ, Fettig CJ, Fontaine JB, Hartsough BR, Kennedy PL, Schwikl DW. 2012. The effects of forest fuel-reduction treatments in the United States. [accessed 2015 Dec 22]; *Bioscience*. 62(6):549–560.
<http://bioscience.oxfordjournals.org/content/62/6/549.full.pdf+html>.
- Stevens BS, Reese KP, Connelly JW, Musil DD. 2012. Greater sage-grouse and fences: does marking reduce collisions? [accessed 2015 Dec 22]; *Wildlife Society Bulletin*. 36(2):297–303. http://www.sagegrouseinitiative.com/wp-content/uploads/2013/07/Stevens_Marking-ReduceCollisions-2.pdf.
- Stevens LE, Meretsky VJ, editors. 2008. *Aridland springs in North America: ecology and conservation*. Tucson (AZ): University of Arizona Press. 406 p.
- Stevens SR, Frey DF. 2010. Host plant pattern and variation in climate predict the location of natal grounds for migratory monarch butterflies in western North America. [accessed 2016 Jan 25]; *Journal of Insect Conservation*. 14(6):731–744.
<http://dx.doi.org/10.1007/s10841-010-9303-5>.
- Stewart IT, Cayan DR, Dettinger MD. 2005. Changes toward earlier streamflow timing across western North America. [accessed 2015 Dec 22]; *Journal of Climate*. 18(8):1136–1155. <http://journals.ametsoc.org/doi/pdf/10.1175/JCLI3321.1>.

- Stine A, Vaughan M, Adamson N, Gill K, Mader E, Schrader C, Barbour PJ, Henry H. 2015. Using 2014 farm bill programs for pollinator conservation. 2nd edition. Washington (DC): US Department of Agriculture NRCS. 14 p. Biol. Tech. Note No. 78. [accessed 2015 Dec 15].
<http://directives.sc.egov.usda.gov/OpenNonWebContent.aspx?content=37370.wba>.
- Stoddard JL, Peck DV, Paulsen SG, Van Sickle J, Hawkins CP, Herlihy AT, Hughes RM, Kaufmann PR, Larsen DP, Lomnický G et al. 2005. An ecological assessment of western streams and rivers. Washington (DC). No. EPA 620/R-05/005.
- Strand EK, Launchbaugh KL, Limb R, Torell LA. 2014. Livestock grazing effects on fuel loads for wildland fire in sagebrush dominated ecosystems. *Journal of Rangeland Applications*. 1:35–57.
- Stuart SN, Chanson JS, Cox NA, Young BE, Rodrigues AS, Fischman DL, Waller RW. 2004. Status and trends of amphibian declines and extinctions worldwide. [accessed 2015 Dec 14]; *Science*. 306(5702):1783–1786.
<http://crawl.prod.proquest.com.s3.amazonaws.com/fpcache/aafd3ed0b747e54095b7c1d989272fc5.pdf?AWSAccessKeyId=AKIAJF7V7KNV2KKY2NUQ&Expires=1455046364&Signature=QNu1T0y4k0MO1IZCzu%2BaMn3YRxs%3D>.
- Tack JD, Fedy BC. 2015. Landscapes for energy and wildlife: conservation prioritization for golden eagles across large spatial scales. *PLoS ONE*. 10(8):e0134781.
- Taylor DM. 2000. Status of the yellow-billed cuckoo in Idaho. [accessed 2015 Jun 01]; *Western Birds*. 21(4):252–254.
<https://sora.unm.edu/sites/default/files/journals/wb/v31n04/p0252-p0254.pdf>.
- Tepedino VJ, Griswold TL. 1995. The bees of the Columbia Basin. Portland (OR): US Forest Service. Final report. [accessed 2016 Jan 22].
http://www.researchgate.net/profile/Vincent_Tepedino/publication/242699897_THE_BEES_OF_THE_COLUMBIA_BASIN/links/02e7e52a8b8f75f2f1000000.pdf.
- Tesky JL. 1993. *Ovis canadensis*. In: Fire Effects Information System [online]. [Missoula (MT)]: US Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory [accessed 2016 Jan 04].
<http://www.fs.fed.us/database/feis/animals/mammal/ovca/all.html>.
- Tetra Tech. 2015. Rockland Wind Farm 2014 post-construction monitoring. 23 p. Unpublished report prepared for Atlantic Power Corp.
- Theilin GP, Stone WW. 2013. Estimation of annual agricultural pesticide use for counties of the conterminous United States, 1992–2009. Reston (VA): US Geological Survey. 54 p. Scientific Investigative Report No.: 2013-5009. [accessed 2015 Dec 30].
<http://pubs.usgs.gov/sir/2013/5009/pdf/sir20135009.pdf>.

- Thompson RS, Hostetler SW, Bartlein PJ, Anderson KH. 1998. A strategy for assessing potential future changes in climate, hydrology, and vegetation in the western United States. Washington (DC): US Government Printing Office. (US Geological Survey circular 1153). [accessed 2016 Feb 13].
<http://pubs.usgs.gov/circ/1998/c1153/c1153.pdf>.
- Thorpe PP, Donnelly P, Collins D. 2013. September 2013 count of the Rocky Mountain population of greater sandhill cranes. Denver (CO): Special Report in the files of the Central Flyway Representative. Unpublished report.
- Thorpe PP, Donnelly P, Collins D. 2015. September 2015 survey of the Rocky Mountain population of greater sandhill cranes. Lakewood (CO): US Fish and Wildlife Service. Unpublished report.
- Title 50 Wildlife and Fisheries Part 17: Subpart B—Lists § 17.11 Endangered and threatened wildlife, 50 CFR 17.1. 2014.
- Tolentino S, Teuscher D. 2010. Bear Lake fisheries management plan. 30 p. Unpublished document.
- Tomback DF. 1998. Clark's nutcracker (*Nucifraga columbiana*). The Birds of North America Online. (A Poole, editor). Ithaca: Cornell Laboratory of Ornithology. [accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/331>.
- Troelstrup NH, Jr., Stueven G. 2007. Reference site selection for monitoring and assessment of intermittent streams in South Dakota. Brookings (SD): South Dakota State University.
- Trost C. 1985. Status and distribution of colonial nesting waterbirds in Idaho. Unpaginated. Report submitted to the Nongame Wildlife Program, Idaho Department of Fish and Game.
- Trost CH, Gerstell A. 1994. Status and distribution of colonial nesting waterbirds in southern Idaho, 1993. Boise (ID): US Bureau of Land Management, Idaho State Office. 7 p. Tech. Bull. No.: 94-6. [accessed 2015 Jun 01].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.16448.File.dat/TB_94-6.pdf.
- [USDA] US Department of Agriculture. 2015. Using 2014 farm bill programs for pollinator conservation. (place unknown): US Department of Agriculture, National Resources Conservation Service. 14 p. Biology Tech. Note No. 78, 2nd Edition. [accessed 2016 Jan 07].
<http://directives.sc.egov.usda.gov/OpenNonWebContent.aspx?content=37370.wba>.
- [DOI] US Department of the Interior. 2015. SO 3336 – The Final Report: An Integrated Rangeland Fire Management Strategy. In: US Department of the Interior, editor. Washington (DC): US Department of the Interior.

- [FS] US Forest Service. 1997. 1997 Revised forest plan: Targhee National Forest. [place unknown]: US Forest Service, Intermountain Region. [accessed 2016 Feb 10]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5229240.pdf.
- [FS] US Forest Service. 2003. Revised forest plan for the Caribou National Forest. [place unknown]: US Forest Service. [170] p. [accessed 2015 Dec 03]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5229166.pdf.
- [FS] US Forest Service. 2005. High elevation white pines: white pine blister rust. US Forest Service. [accessed 2015 Nov 10]. <http://www.fs.fed.us/rm/higherelevationwhitepines/Threats/blister-rust-threat.htm>.
- [FS] US Forest Service. 2010. KIPZ climate change report; Idaho Panhandle National Forest, Kootenai National Forest. 203 p. [accessed 2015 Dec 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5345936.pdf.
- [FS] US Forest Service, Northern Region. 2011. Sensitive Species List, Forest Service, Region 1, February 2011. Missoula (MT): US Forest Service, Northern Region.
- [FS] US Forest Service. 2012. 2012 Amended Sawtooth National Forest land and resource management plan. [place unknown]: US Forest Service. [accessed 2015 Nov 23]. <http://www.fs.usda.gov/detail/sawtooth/landmanagement/planning/?cid=stelprdb5391896>.
- [FS] US Forest Service. 2012. Groundwater-dependent ecosystems: level I inventory field guide. [place unknown]: US Forest Service. 118 p. Gen. Tech. Rep. No. WO-86a. [accessed 2016 Jan 06]. http://www.fs.fed.us/sites/default/files/GDE_Level_I_FG_final_March2012_web.pdf
- [FS] US Forest Service. 2012. Idaho Panhandle National Forests forest plan monitoring and evaluation reports 2010 and 2011. [place unknown]: US Forest Service. 120 p. [accessed 2015 Dec 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5413232.pdf.
- [FS] US Forest Service, Intermountain Region. 2013. Intermountain Region (R4) Threatened, Endangered, Proposed, and Sensitive Species. February 2013 update. Ogden (UT): US Forest Service, Intermountain Region.
- [FS] US Forest Service. 2013. Final environmental impact statement for the revised land management plan, Idaho Panhandle National Forests. [place unknown]: US Forest Service. 713 p. [accessed 2015 Dec 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5436479.pdf.
- [FS] US Forest Service. 2014. Caribou-Targhee National Forest: mid-level vegetation map unit descriptions. Ogden (UT): US Forest Service, Intermountain Region.
- [FS] US Forest Service. 2015. Land management plan 2015 revision, Idaho Panhandle National Forests [place unknown]: US Forest Service. 125 p. [accessed 2015 Dec 14]. http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprd3826663.pdf.

- [FWS] US Fish and Wildlife Service, Division of Environmental Contaminants. 1992. An overview of irrigation drainwater techniques, impacts on fish and wildlife resources, and management options. Washington (DC): US Fish and Wildlife Service. 82 p. Report prepared for US Environmental Protection Agency, Office of Policy, Planning and Evaluation.
- [FWS] US Fish and Wildlife Service. 1993. Endangered and threatened wildlife and plants; finding on a petition to list the spotted frog. [accessed 2015 Jun 01]; Fed Regist. 58(87):27260–27263. http://ecos.fws.gov/docs/federal_register/fr2284.pdf.
- [FWS] US Fish and Wildlife Service. 1999. Recovery plan for the white sturgeon (*Acipenser transmontanus*): Kootenai River population. Portland (OR): US Fish and Wildlife Service R. 95 p. [accessed 2016 Jan 28]. http://www.fws.gov/montanafieldoffice/Endangered_Species/Recovery_and_Mgmt_Plans/White_Sturgeon_Recovery_Plan.pdf.
- [FWS] US Fish and Wildlife Service. 2000. Endangered and threatened wildlife and plants; 12-month finding for a petition to list the Columbian sharp-tailed grouse as threatened. [accessed 2015 Oct 14]; Fed Regist. 65:60391–60396. <http://www.gpo.gov/fdsys/pkg/FR-2000-10-11/pdf/00-25447.pdf>.
- [FWS] US Fish and Wildlife Service. 2000. Endangered and threatened wildlife and plants; reopening of the comment period for the Columbian sharp-tailed grouse status review. [accessed 2015 Jun 01]; Fed Regist. 65(15):36483649. http://ecos.fws.gov/docs/federal_register/fr3500.pdf.
- [FWS] US Fish and Wildlife Service. 2001. Review of plant and animal species that are candidates or proposed for listing as endangered or threatened, annual notice of findings on recycled petitions, and annual description of progress on listing actions; proposed rule. [accessed 2016 Jan 07]; Fed Regist. 66:54808–54832. <https://www.gpo.gov/fdsys/pkg/FR-2001-10-30/pdf/01-26982.pdf>.
- [FWS] US Fish and Wildlife Service. 2002. Recovery plan for the Bruneau Hot Springsnail (*Pyrgulopsis bruneauensis*). Portland (OR): US Fish and Wildlife Service, Region 1. 52 p. [accessed 2016 Feb 16]. https://ecos.fws.gov/docs/recovery_plan/020930.pdf.
- [FWS] US Fish and Wildlife Service. 2003. Recovery plan for the northern Idaho ground squirrel (*Spermophilus brunneus brunneus*). Portland (OR): US Fish and Wildlife Service. 68 p. [accessed 2015 Jun 01]. <http://permanent.access.gpo.gov/lps81484/030916b.pdf>.
- [FWS] US Fish and Wildlife Service. 2005. Endangered and threatened wildlife and plants; 12-month finding for petitions to list the greater sage-grouse as threatened or endangered. [accessed 2016 Jan 04]; Fed Regist. 70(8):2244–2282. <https://www.gpo.gov/fdsys/pkg/FR-2005-01-12/pdf/05-583.pdf>.
- [FWS] US Fish and Wildlife Service. 2005. Endangered and threatened wildlife and plants; review of native species that are candidates or proposed for listing as

endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions. [accessed 2015 Dec 30]; Fed Regist. 70(50):24870–24934. <https://www.gpo.gov/fdsys/pkg/FR-2005-05-11/pdf/05-9283.pdf>.

[FWS] US Fish and Wildlife Service. 2006. Endangered and threatened wildlife and plants; 90-day finding on a petition to list the Columbian sharp-tailed grouse as threatened or endangered. [accessed 2015 Oct 14]; Fed Regist. 71(224):67318–67325. <http://www.gpo.gov/fdsys/pkg/FR-2006-11-21/pdf/E6-19681.pdf>.

[FWS] US Fish and Wildlife Service. 2007. Endangered and threatened wildlife and plants; final rule designating the Greater Yellowstone area population of grizzly bears as a distinct population segment; removing the Yellowstone distinct population segment of grizzly bears from the federal list of endangered and threatened wildlife; 90-day finding on a petition to list as endangered the Yellowstone distinct population segment of grizzly bears. [accessed 2016 Jan 14]; Fed Regist. 72(60):14866–14938. http://www.fws.gov/mountain-prairie/species/mammals/grizzly/FR_Final_YGB_rule_03292007.pdf.

[FWS] US Fish and Wildlife Service. 2009. Endangered and threatened wildlife and plants; 12-month finding on a petition to remove the Bliss Rapids snail (*Taylorconcha serpenticola*) from the list of endangered and threatened wildlife. [accessed 2016 Jan 21]; Fed Regist. 74(178):47536–47545. <https://www.gpo.gov/fdsys/pkg/FR-2009-09-16/pdf/E9-21949.pdf>.

[FWS] US Fish and Wildlife Service. 2009. Endangered and threatened wildlife and plants; review of native species that are candidates for listing as endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions. [accessed 2015 Jun 01]; Fed Regist. 74(215):57804–57878. <http://www.gpo.gov/fdsys/pkg/FR-2009-11-09/pdf/E9-26841.pdf>.

[FWS] US Fish and Wildlife Service. 2010. Endangered and threatened wildlife and plants; 12-month findings for petitions to list the greater sage-grouse (*Centrocercus urophasianus*) as threatened or endangered. [accessed 2015 Jun 01]; Fed Regist. 75(55):13910–14014. <http://www.gpo.gov/fdsys/pkg/FR-2010-03-23/pdf/2010-5132.pdf>.

[FWS] US Fish and Wildlife Service. 2010. Species assessment and listing priority form for the Columbia spotted frog (Great Basin DPS). [place unknown]: US Fish and Wildlife Service. 50 p.

[FWS] US Fish and Wildlife Service. 2011. A national plan for assisting states, federal agencies, and tribes in managing white-nose syndrome in bats. Hadley (MA): US Fish and Wildlife Service.

[FWS] US Fish and Wildlife Service. 2011. Endangered and threatened wildlife and plants; 12-month finding on a petition to list a distinct population segment of the fisher in its United States northern Rocky Mountain range as endangered or threatened

- with critical habitat. [accessed 2015 Jun 01]; Fed Regist. 76(126):38504–38532. <http://www.gpo.gov/fdsys/pkg/FR-2011-06-30/pdf/2011-16349.pdf>.
- [FWS] US Fish and Wildlife Service. 2011. Endangered and threatened wildlife and plants; 12-month finding on a petition to list the northern leopard frog in the western United States as threatened. [accessed 2015 Jun 01]; Fed Regist. 76(193):61896–61931. <http://www.gpo.gov/fdsys/pkg/FR-2011-10-05/pdf/2011-25498.pdf>.
- [FWS] US Fish and Wildlife Service. 2011. Endangered and threatened wildlife and plants; 12-month finding on a petition to list *Pinus albicaulis* as endangered or threatened with critical habitat. [accessed 2016 Feb 19]; Fed Regist. 76(138):42631–42654. <https://www.gpo.gov/fdsys/pkg/FR-2011-07-19/pdf/2011-17943.pdf>.
- [FWS] US Fish and Wildlife Service. 2011. Grizzly bear (*Ursus arctos horribilis*) 5-year review: summary and evaluation. Missoula (MT): US Fish and Wildlife Service. [accessed 2016 Feb 02]. http://www.fws.gov/mountain-prairie/species/mammals/grizzly/Final%205YearReview_August%202011.pdf.
- [FWS] US Fish and Wildlife Service. 2012. Conservation agreement for Pacific lamprey (*Entosphenus tridentatus*) in the states of Alaska, Washington, Oregon, Idaho, and California. Portland (OR): US Fish and Wildlife Service. 57 p. [accessed 2016 Jan 28]. http://www.fws.gov/pacific/fisheries/sphabcon/lamprey/pdf/Pacific_Lamprey_CI.pdf.
- [FWS] US Fish and Wildlife Service. 2012. Endangered and threatened wildlife and plants; 90-day finding on a petition to list the eastern or southern Rocky Mountain population of the boreal toad as an endangered or threatened distinct population segment. [accessed 2016 Feb 13]; Fed Regist. 77(71):21920–21936. <https://www.gpo.gov/fdsys/pkg/FR-2012-04-12/pdf/2012-8806.pdf>.
- [FWS] US Fish and Wildlife Service. 2013. Bear Lake National Wildlife Refuge and Oxford Slough Waterfowl Production Area comprehensive conservation plan. Portland (OR): US Fish and Wildlife Service. 308 p. [accessed 2015 Dec 15]. <http://www.fws.gov/pacific/planning/main/docs/ID/Bear%20Lake/Bear%20Lake%20final%20CCP%20Volume1.LR.pdf>.
- [FWS] US Fish and Wildlife Service. 2013. Endangered and threatened wildlife and plants; proposed threatened status for the western distinct population segment of the yellow-billed cuckoo (*Coccyzus americanus*). [accessed 2015 Jun 01]; Fed Regist. 78(192):61622–61666. <http://www.gpo.gov/fdsys/pkg/FR-2013-10-03/pdf/2013-23725.pdf>.
- [FWS] US Fish and Wildlife Service. 2013. Endangered and threatened wildlife and plants; review of native species that are candidates for listing as endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions. [accessed 2015 Jun 01]; Fed Regist. 78(226):70104–70162. <http://www.gpo.gov/fdsys/pkg/FR-2013-11-22/pdf/2013-27391.pdf>.

- [FWS] US Fish and Wildlife Service. 2013. Endangered and threatened wildlife and plants; threatened status for the distinct population segment of the North American wolverine occurring in the contiguous United States. [accessed 2015 Jun 01]; Fed Regist. 78(23):7864–7890. <http://www.gpo.gov/fdsys/pkg/FR-2013-02-04/pdf/2013-01478.pdf>.
- [FWS] US Fish and Wildlife Service. 2014a. 50 CFR Part 17 Endangered and Threatened Wildlife and Plants; review of native species that are candidates for listing as endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions; proposed rule. Fed Regist. 79(234):72450–72497.
- [FWS] US Fish and Wildlife Service. 2014b. Endangered and threatened wildlife and plants; review of native species that are candidates for listing as endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions. Fed Regist. 79(234):72450–72497.
- [FWS] US Fish and Wildlife Service. 2014. 5-year status review for Snake River physa (*Physa (Haitia) natricina*). Boise (ID): US Fish and Wildlife Service, Region 1, Idaho Fish and Wildlife Office. 45 p.
- [FWS] US Fish and Wildlife Service. 2014. Endangered and threatened wildlife and plants; 6-month extension of final determination for the proposed listing of the distinct population segment of the North American wolverine occurring in the contiguous United States as a threatened species. [accessed 2015 Jun 01]; Fed Regist. 79(24):6874–6875. <http://www.gpo.gov/fdsys/pkg/FR-2014-02-05/pdf/2014-02362.pdf>.
- [FWS] US Fish and Wildlife Service. 2014. Southeast Idaho Phosphate Mine Site: Natural Resource Damage Assessment. [place unknown]: US Fish and Wildlife Service. [accessed 2015 Oct 14]. <http://www.fws.gov/idahonrdar/>.
- [FWS] US Fish and Wildlife Service. 2014. Species assessment and listing priority form for southern Idaho ground squirrel (*Urocitellus endemicus*). [place unknown]: US Fish and Wildlife Service. 23 p. [accessed 2015 Jun 01]. http://ecos.fws.gov/docs/candidate/assessments/2014/r1/A0EO_V01.pdf.
- [FWS] US Fish and Wildlife Service. 2014. Species profile for woodland caribou (*Rangifer tarandus caribou*). [place unknown]: US Fish and Wildlife Service, Eastside Ecosystems Management Strategy Project. [accessed 2015 Jun 01]. <http://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=A088>.
- [FWS] US Fish and Wildlife Service. 2014. Trumpeter swan survey of the Rocky Mountain population, U.S. breeding segment. Lakewood (CO): US Fish and Wildlife Service, Migratory Birds and State Programs. 26 p.
- [FWS] US Fish and Wildlife Service. 2015a. 50 CFR Part 17: Endangered and threatened wildlife and plants; review of native species that are candidates for listing as

endangered or threatened; annual notice of findings on resubmitted petitions; annual description of progress on listing actions; notice. Fed Regist. 80(247):80584–80614.

[FWS] US Fish and Wildlife Service. 2015b. Endangered and threatened wildlife and plants; 12-month findings on petitions to list 19 species as endangered or threatened species. Fed Regist. 80(195):60834–60850.

[FWS] US Fish and Wildlife Service. 2015c. Species status assessment report for the Columbia spotted frog (*Rana luteiventris*), Great Basin Distinct Population Segment. Reno (NV): US Fish and Wildlife Service, Region 8, Reno Fish and Wildlife Office. 86 p.

[FWS] US Fish and Wildlife Service. 2015. Endangered and threatened wildlife and plants; 12-month finding on a petition to list greater sage-grouse (*Centrocercus urophasianus*) as an endangered or threatened species. [accessed 2016 Feb 01]; Fed Regist. 80(191):59858–59942. <https://www.gpo.gov/fdsys/pkg/FR-2015-10-02/pdf/2015-24292.pdf>.

[FWS] US Fish and Wildlife Service. 2015. Grizzly Bear Recovery Program. Missoula (MT): US Fish and Wildlife Service. [accessed 2016 Feb 04]. <http://www.cfc.umt.edu/grizzlybearrecovery/>.

[USGS] US Geological Survey. 2002. Butterfly Occurrence Database. Reston (VA): National Atlas of the United States. [accessed 2014 Sep 29]. <http://nationalatlas.gov/atlasftp.html?openChapters=chpbio#chpbio>.

[USGS] US Geological Survey. 2009. Rocky Mountain Mapping Center. Denver (CO): US Geological Survey. [accessed 2015 Dec 01]. <http://rmmcweb.cr.usgs.gov/>.

[USGS] US Geological Survey, National Wildlife Health Center. 2014–2015. Bat White-Nose Syndrome (WNS)/Pd Surveillance Submission Guidelines Winter 2014/2015 (November – May) (Revised 2015 Mar 10). Madison (WI): US Geological Survey, National Wildlife Health Center; [accessed 2015 Dec 13]. http://www.nwhc.usgs.gov/disease_information/white-nose_syndrome/USGS_NWHC_Bat_WNS_submission_protocol.pdf.

[UI] University of Idaho. 2002. Eastern Snake River Plain surface and ground water interaction. [accessed 2016 Jan 13]. <http://www.idwr.idaho.gov/news/issues/AFGWMA/PDF/ESPA%20Surface%20and%20Ground%20Water%20Interaction.pdf>.

[USSLWG] Upper Snake Sage-grouse Local Working Group. 2009. Plan for increasing sage-grouse populations. Unpublished document.

Van Kirk RW, Benjamin L. 2000. Physical and human geography of the Henry's Fork watershed. Intermountain Journal of Sciences. 6(3):106–118.

- Van Kirk R, Capurso J, Gamett B. 2003. Proceedings of The Sinks symposium: exploring the origin and management of fishes in the Sinks drainages of southeastern Idaho; 2002 Feb 27; Pocatello, ID. Boise (ID): Idaho Chapter American Fisheries Society. 29 p. [accessed 2015 Dec 30].
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/fsm8_047784.pdf.
- Van Kirk R, Apple B, Baker JM, Everett Y, Finney B, Liegel L, Orosz V, Peterson K, Ragotzkie K, Swensen D, et al. 2012. Conversion of irrigated agricultural land in the Intermountain West to non-agricultural uses: consequences for water management and hydrology. In: Proceedings of the 2012 USDA–NIFA National Water Conference: Land and Sea Grant Initiatives for a Changing World; 2012 May 20–24; Portland, OR.
- van Manen FT, Haroldson MA, Bjornlie DD, Ebinger MR, Thompson DJ, Costello CM, White GC. 2015. Density dependence, whitebark pine, and vital rates of grizzly bears. *Journal of Wildlife Management*. 10.1002/jwmg.1005.
- van Manen FT, Haroldson MA, West K, Soileau SC, editors. 2014. Yellowstone grizzly bear investigations 2013: report of the Interagency Grizzly Bear Study Team. Bozeman (MT): US Geological Survey. 82 p. [accessed 2016 Jan 14].
<http://www.nrmcs.usgs.gov/files/norock/products/IGBST/2013report.pdf>.
- van Mantgem PJ, Stephenson NL, Byrne JC, Daniels LD, Franklin JF, Fulé PZ, Harmon ME, Larson AJ, Smith JM, Taylor AH, et al. 2009. Widespread increase of tree mortality rates in the western United States. [accessed 2015 Dec 30]; *Science*. 323(5913):521–524. <http://www.sciencemag.org/content/323/5913/521.abstract>.
- Vance LK. 2009. Assessing wetland condition with GIS: a landscape integrity model for Montana. Helena (MT). No. Agreement Number: CD-978744-01.
- Vannote RL, Minshall GW. 1982. Fluvial processes and local lithology controlling abundance, structure, and composition of mussel beds. [accessed 2016 Jan 21]; *Proceedings of the National Academy of Sciences*. 79(13):4103–4107.
<http://www.pnas.org/content/79/13/4103.abstract>.
- Varicchione JT, Sant KW, Minshall GW. 1998. Bruneau hot-spring springsnail (*Pyrgulopsis bruneauensis*) annual monitoring report: 1997. Boise (ID): US Bureau of Land Management, Idaho State Office. 65 p. Tech. Bull. 98-4. [accessed 2016 Jan 13].
http://www.blm.gov/style/medialib/blm/id/publications/technical_bulletins.Par.51006.File.dat/TB_98-4.pdf.
- Veblen TT. 2000. Disturbance patterns in southern Rocky Mountain forests. In: Knight RL, Smith FW, Buskirk SW et al., editors. *Forest fragmentation in the southern Rocky Mountains*. Boulder (CO): University Press of Colorado. p. 31–54. [accessed 2016 Feb 04].
<http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1131&context=barkbeetles>.

- Vickery PD. 1996. Grasshopper sparrow (*Ammodramus savannarum*). The Birds of North America Online. (A Poole, editor). Ithaca (NY): Cornell Lab of Ornithology. [accessed 2016 Feb 02]. <http://bna.birds.cornell.edu/bna/species/239>.
- Vickery PD, Hunter Jr ML, Melvin SM. 1994. Effects of habitat area on the distribution of grassland birds in Maine. [accessed 2015 Jun 01]; Conservation Biology. 8(4):1087–1097. <http://onlinelibrary.wiley.com/doi/10.1046/j.1523-1739.1994.08041087.x/abstract>.
- Vinkey RS, Schwartz MK, McKelvey KS, Foresman KR, Pilgrim KL, Giddings BJ, LoForth EC. 2006. When reintroductions are augmentations: the genetic legacy of fishers (*Martes pennanti*) in Montana. [accessed 2015 Dec 14]; Journal of Mammalogy. 87(2):265–271. <http://jmmammal.oxfordjournals.org/jmmammal/87/2/265.full.pdf>.
- Vonhof MJ, Russell AL, Miller–Butterworth CM. 2015. Range-wide genetic analysis of little brown bat (*Myotis lucifugus*) populations: estimating the risk of spread of White-Nose Syndrome. [accessed 2016 Feb 02]; PloS One. 10(7):e0128713. <http://dx.doi.org/10.1371/journal.pone.0128713>.
- Wagner G. 1997. Status of the northern leopard frog (*Rana pipiens*) in Alberta. Edmonton (AB): Alberta Environmental Protection, Wildlife Management Division. 46 p. Wildlife status report no. 9. [accessed 2015 Jun 01]. <http://esrd.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR-StatusNorthernLeopardFrog-1997.pdf>.
- Wakkinen WL, Kasworm WF. 2004. Demographics and population trends of grizzly bears in the Cabinet–Yaak and Selkirk ecosystems of British Columbia, Idaho, Montana, and Washington. [accessed 2015 Jun 01]; Ursus. 15(1):65–75. http://www.bearbiology.com/fileadmin/tpl/Downloads/URSUS/Vol_15_1/Wakkinen_Kasworm_15_1_.pdf.
- Walker BL, Naugle DE, Doherty KE. 2007. Greater sage-grouse population response to energy development and habitat loss. [accessed 2015 Jun 01]; Journal of Wildlife Management. 71(8):2644–2654. <http://onlinelibrary.wiley.com/doi/10.2193/2006-529/abstract>.
- Walters K, Kosciuch K, Jones J. 2014. Can the effect of tall structures on birds be isolated from other aspects of development? [accessed 2016 Feb 17]; Wildlife Society Bulletin. 38(2):250–256. <http://dx.doi.org/10.1002/wsb.394>.
- Wang D, Holsinger JR. 2001. Systematics of the subterranean amphipod genus *Stygobromus* (Crangonyctidae) in western North America, with emphasis on species of the Hubbsi group. Amphipacifica. 3(2):39–147.
- Wardrop DH, Kentula ME, Jensen SF, Stevens DL, Jr., Hychka KC, Brooks RP. 2007. Assessment of wetlands in the Upper Juniata watershed in Pennsylvania, USA using the hydrogeomorphic approach. Wetlands. 27(3):432–445.

- [WDFW] Washington Department of Fish and Wildlife. 2013. Washington sea duck management strategies. Draft Report to the Washington Fish and Wildlife Commission. Olympia (WA): Washington Department of Fish and Wildlife, Waterfowl Section. 12 p. [accessed 2016 Jan 29].
<http://wdfw.wa.gov/publications/01007>.
- [WNHP] Washington Natural Heritage Program. 2011. Ecological integrity assessment: northern Rocky Mountain ponderosa pine woodland and savanna. Version: 2.23.2011. Olympia (WA): Washington State Department of Natural Resources. 10 p. [accessed 2015 Dec 10].
http://www1.dnr.wa.gov/nhp/refdesk/communities/pdf/eia/nrm_ponderosa.pdf.
- Waterbury BA. 2014. Rediscovered populations of the Idaho point-headed grasshopper, *Acrolophitus pulchellus* (Bruner), 1890 (Orthoptera: Acrididae). [accessed 2015 Jun 01]; *Western North American Naturalist*. 74(3):349–355.
<http://www.bioone.org/doi/abs/10.3398/064.074.0309>.
- Weddell BJ (Draba Consulting, Pullman, WA). 2005. Peatlands: potential National Natural Landmarks in the northern Rocky Mountains. Report submitted to the National Park Service, Pacific West Region, Seattle, WA. Moscow (ID): University of Idaho, Idaho Cooperative Fish and Wildlife Unit. 59 p. Cooperative Agreement No.: 1443-CA9000-95-018.
- Weddell BJ, Lichthardt JJ. 1998. Identification of conservation priorities for and threats to Palouse grassland and canyon grassland remnants in Idaho, Washington, and Oregon. Boise (ID): US Bureau of Land Management, Idaho State Office. Tech. Bull. no.: 98-13. [accessed 2016 Feb 18].
<http://www.biodiversitylibrary.org/item/129091>.
- Weller DE, Snyder MN, Whigham DF, Jacobs AD, Jordan TE. 2007. Landscape indicators of wetland condition in the Nanticoke River watershed, Maryland and Delaware, USA. *Wetlands*. 27(3):498–514.
- West NE. 1994. Effects of fire on salt-desert shrub rangelands. In: Monsen SB, Kitchen SG, editors. Proceedings: ecology and management of annual rangelands; 1992 May 18–21; Boise, ID. Ogden (UT): US Forest Service, Intermountain Research Station. p. 71–74. Gen. Tech. Rep. INT-GTR-313. [accessed 2016 Jan 13].
http://www.fs.fed.us/rm/pubs_int/int_gtr313/int_gtr313_071_074.pdf.
- West NE, Juan G. 1978. Phenology of the aerial portions of shadscale and winterfat in Curlew Valley, Utah. [accessed 2015 Dec 30]; *Journal of Range Management*. 31(1):43–45.
<https://journals.uair.arizona.edu/index.php/jrm/article/download/6786/6396>.
- Westcott RL. 1968. A new subfamily of blind beetle from Idaho ice caves: with notes on its bionomics and evolution (Coleoptera: Leiodidae). *Los Angeles County Museum Contributions in Science*. 141:1–14.

- Westcott RL. 1990. Notes on taxonomy, ecology and distribution for some species of *Chrysobothris* Eschscholtz (Coleoptera: Buprestidae) occurring in the United States (including Hawaii) and Canada. [accessed 2016 Jan 22]; *The Coleopterists Bulletin*. 44(3):323–343. <http://www.jstor.org/stable/4008737>.
- White KS, Pendleton GW, Crowley D, Griese HJ, Hundertmark KJ, McDonough T, Nichols L, Robus M, Smith CA, Schoen JW. 2011. Mountain goat survival in coastal Alaska: effects of age, sex, and climate. [accessed 2015 Jun 01]; *Journal of Wildlife Management*. 75(8):1731–1744. <http://onlinelibrary.wiley.com/doi/10.1002/jwmg.238/epdf>.
- White-nose Syndrome National Plan, Disease Surveillance Working Group. 2012. White-nose Syndrome National Plan: Draft Disease Surveillance Implementation Plan. Version 2012 Jan 1. Hadley (MA): US Fish and Wildlife Service.
- Wiggins DA, Holt DW, Leasure SM. 2006. Short-eared owl (*Asio flammeus*). *The Birds of North America Online*. (A Poole, editor). Ithaca: Cornell Laboratory of Ornithology. [revised 2006 Jun 01; accessed 2015 Jun 01]. <http://bna.birds.cornell.edu/bna/species/062>.
- Wiggins GB. 1973. Contributions to the systematics of the caddisfly family Limnephilidae (Trichoptera). I. Toronto (CA): Royal Ontario Museum. (Life Sciences Contributions, Royal Ontario Museum No. 94). p. 32. [accessed 2016 Jan 26]. <http://www.biodiversitylibrary.org/item/111389>.
- Wiggins GB. 1975. Contributions to the systematics of the caddisfly family Limnephilidae (Trichoptera). II. *The Canadian Entomologist*. 107(03):325–336.
- Wiggins GB. 2015. *Larvae of the North American caddisfly genera (Trichoptera)*. 2nd ed. Toronto (ON): University of Toronto Press. 401 p.
- Wiggins GB, Anderson NH. 1968. Contributions to the systematics of the caddisfly genera *Pseudostenophylax* and *Philocasca* with special reference to the immature stages (Trichoptera: Limnephilidae). [accessed 2016 Jan 27]; *Canadian Journal of Zoology*. 46(1):61–75. <http://dx.doi.org/10.1139/z68-012>.
- Wiggins GB, Richardson JS. 1989. Biosystematics of *Eocosmoecus*, a new Nearctic caddisfly genus (Trichoptera: Limnephilidae, Dicosmoecinae). [accessed 2015 Jun 01]; *Journal of the North American Benthological Society*. 8(4):355–369. http://www.jstor.org/stable/1467499?seq=1#page_scan_tab_contents.
- Wiggins GB, Weaver JSI, Unzicker JD. 1985. Revision of the caddisfly family Uenoidae (Trichoptera). [accessed 2016 Jan 26]; *The Canadian Entomologist*. 117(06):763–800. <http://dx.doi.org/10.4039/Ent117763-6>.
- Wightman CS, Saab VA, Forristal C, Mellen-McLean K, Markus A. 2010. White-headed woodpecker nesting ecology after wildfire. [accessed 2015 Jun 01]; *Journal of*

- Wildlife Management. 74(5):1098–1106.
http://www.fs.fed.us/rm/pubs_other/rmrs_2010_wightman_c001.pdf.
- [WSWG] Wild Sheep Working Group. 2007. Recommendations for domestic sheep and goat management in wild sheep habitat. [place unknown]: Western Association of Fish and Wildlife Agencies. 20 p. [accessed 2015 Nov 18].
http://www.fs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb5385708.pdf.
- Wildlife and Fisheries Title 50 C.F.R. § 223.203 (2011).
- Wildlife and Fisheries Title 50 C.F.R. § 224.101 (2011).
- Williams EH. 1988. Habitat and range of *Euphydryas gillettii* (Nymphalidae). [accessed 2016 Jan 25]; Journal of the Lepidopterists' Society. 42(1):37–45.
[http://images.peabody.yale.edu/lepsoc/jls/1980s/1988/1988-42\(1\)37-Williams.pdf](http://images.peabody.yale.edu/lepsoc/jls/1980s/1988/1988-42(1)37-Williams.pdf).
- Williams EH, Holdren CE, Ehrlich PR. 1984. The life history and ecology of *Euphydryas gillettii* Barnes (Nymphalidae). [accessed 2015 Dec 14]; Journal of the Lepidopterists Society. 38(1):1–12.
https://www.researchgate.net/publication/232702861_The_Life_History_and_Ecology_of_Euphydryas_gillettii_Barnes_Nymphalidae.
- Wilson EO. 1992. The diversity of life. 1st ed. Cambridge (MA): The Belknap Press of Harvard University Press. 424 p.
- Winter L. 2006. Impacts of feral and free-ranging cats on bird species of conservation concern: a five-state review of New York, New Jersey, Florida, California, and Hawaii. The Plains (VA): American Bird Conservancy. 27 p. [accessed 2015 Jun 01]. <http://abcbirds.org/results/publications/#special-reports>.
- Winton RC, Kippenhan MG, Ivie MA. 2010. New state record for *Cicindela arenicola* Rumpff (Coleoptera: Carabidae: Cicindelinae) in southwestern Montana. [accessed 2016 Jan 22]; The Coleopterists Bulletin. 64(1):43–44.
<http://dx.doi.org/10.1649/0010-065X-64.1.43>.
- Wisdom MJ, Holthausen RS, Wales BC, Hargis CD, Saab VA, Lee DC, Hann WJ, Rich TD, Rowland MM, Murphy WJ, et al. 2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia basin: broad-scale trends and management implications. Portland (OR): US Forest Service, Pacific Northwest Research Station. PNW-GTR-485. 3 vol. [accessed 2015 Jun 01].
<http://www.fs.fed.us/pnw/pubs/gtr485/>.
- Wittenberger JF. 1978. The breeding biology of an isolated bobolink population in Oregon. [accessed 2015 Dec 30]; The Condor. 80(4):355–371.
<https://sora.unm.edu/sites/default/files/journals/condor/v080n04/p0355-p0371.pdf>.
- Wold JL. 1974. Systematics of the genus *Rhyacophila* (Trichoptera: Rhyacophilidae) in western North America with special reference to the immature stages [master's

- thesis]. Corvallis (OR): Oregon State University. [accessed 2016 Feb 04].
http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/10719/Wold_Janet_Lee_1974.pdf?sequence=1.
- Wood J. 2000. Draft recovery plan for the Bruneau hot springsnail (*Pyrgulopsis bruneauensis*). Portland (OR): US Fish and Wildlife Service, Region 1. 43 p.
- Wydoski RS, Whitney RR. 2003. Inland fishes of Washington. 2nd ed. Bethesda (MD): American Fisheries Society in association with University of Washington Press. 322 p.
- [WIVC] Wyoming Interagency Vegetation Committee. 2002. Wyoming guidelines for managing sagebrush communities with emphasis on fire management. Cheyenne (WY): Wyoming Game and Fish Department. 43 p. [accessed 2015 Nov 23].
<http://www.blm.gov/style/medialib/blm/wy/wildlife/docs.Par.8891.File.dat/fsbfiremgmtguidelines.pdf>.
- Xu S, Johnson–Maynard JL, Prather TS. 2013. Earthworm density and biomass in relation to plant diversity and soil properties in a Palouse prairie remnant. [accessed 2016 Jan 26]; *Applied Soil Ecology*. 72:119–127.
<http://www.sciencedirect.com/science/article/pii/S0929139313001716>.
- Yee DG, Deuel BE, Bailey SF. 1990. Middle Pacific coast region. [accessed 2016 Feb 01]; *American Birds*. 44(3):491–494.
<https://sora.unm.edu/sites/default/files/journals/nab/v044n03/p00388-p00502.pdf>.
- Yensen E. 1985. Taxonomy, distribution, and population status of the Idaho ground squirrel, *Spermophilus brunneus*. Final report. 41 p. Unpublished report prepared for Idaho Department of Fish and Game and US Fish and Wildlife Service.
- Yensen E. 1991. Taxonomy and Distribution of the Idaho Ground Squirrel, *Spermophilus brunneus*. [accessed 2016 Jan 07]; *Journal of Mammalogy*. 72(3):583–600.
<http://www.jstor.org/stable/1382142>.
- Yensen E. 1999. Population survey of the southern Idaho ground squirrel, *Spermophilus brunneus endemicus*. 16 p. Unpublished report prepared for US Fish and Wildlife Service, Snake River Basin Office, Boise, Idaho.
- Yensen E. 2000. Additional surveys for southern Idaho ground squirrels, *Spermophilus brunneus endemicus*. 9 p. Unpublished report prepared for US Fish and Wildlife Service, Snake River Basin Office, Boise, Idaho.
- Yensen E. 2000. Conservation survey of three species of western "small-eared" ground squirrels. 19 p. Unpublished report submitted to the US Fish and Wildlife Service, Boise, ID.
- Yensen E. 2001. Population estimate for the southern Idaho ground squirrel (*Spermophilus brunneus endemicus*). 29 p. A report for the US Fish and Wildlife Service.

- Yensen E. 2004. Nutrient analysis of plant species in northern Idaho ground squirrel diets -- final report 2000–2002. Unpublished report.
- Yensen E, Sherman PW. 1997. *Spermophilus brunneus*. Mammalian Species. 560:1–5.
- Yensen E, Sherman PW. 2003. Ground-dwelling squirrels of the Pacific Northwest. Boise (ID): US Fish and Wildlife Service, Snake River Fish and Wildlife Office. 28 p. [accessed 2015 Jun 01]. <http://www.fws.gov/idaho/publications/GrSqGuide.pdf>.
- Yensen E, Tarifa T, Stitt R, Bond P, Evans Mack D. 2010. Diets of northern Idaho ground squirrels and cattle at two sites in Adams County, Idaho in 2008. McCall (ID): Idaho Department of Fish and Game. 21 p.
- Young RM. 1966. A new species of *Polyphylla* and a designation of two lectotypes (Coleoptera: Scarabaeidae, Melolonthinae). [accessed 2015 Jun 01]; Journal of the Kansas Entomological Society. 39(2):233–236. http://www.jstor.org/stable/25083512?seq=1#page_scan_tab_contents.
- Zegers DA. 1984. *Spermophilus elegans*. [accessed 2015 Jun 01]; Mammalian Species. 214:1–7. <http://www.science.smith.edu/msi/pdf/i0076-3519-214-01-0001.pdf>.
- Zenger JT, Baumann RW. 2004. The Holarctic winter stonefly genus *Isocapnia*, with an emphasis on the North American fauna (Plecoptera: Capniidae). [accessed 2016 Jan 25]; Monographs of the Western North American Naturalist. 2(1):65–95. <http://www.bioone.org/doi/pdf/10.3398/1545-0228-2.1.65>.
- Zimpfer NL, Rhodes WE, Silverman ED, Zimmerman GS, Richkus KD. 2013. Trends in duck breeding populations: 1955-2013. Laurel (MD): US Fish and Wildlife Service, Division of Migratory Bird Management. 23 p. [accessed 2015 Jun 01]. <https://www.fws.gov/migratorybirds/pdf/surveys-and-data/Population-status/Trends/TrendsinDuckBreedingPopulations14.pdf>.
- Zloty J. 1996. A revision of the Nearctic *Ameletus* mayflies based on adult males, with descriptions of seven new species (Ephemeroptera: Ameletidae). [accessed 2015 Jun 01]; Canadian Entomologist. 128(2):293–346. http://www.ephemeroptera-galactica.com/pubs/pub_z/pubzlotyj1996p293.pdf.
- Zoellick BW. 2004. Density and biomass of redband trout relative to stream shading and temperature in southwestern Idaho. Western North American Naturalist. 64(1):18–26.